



Object Oriented Programming

Class: For reusability, Variables and Functions are stored in class

Object: To call a class object is required.

Inheritance: A class inherit features from it parent class.

Example: Class → Animals, Child Class → Dog, Cat

Inheritance type: Multi Class Inheritance → Two classes, Multi Level Inheritance → Dog have features

Functions created inside class is called **Methods**.

```
class Employee:
    id = 10
    name = "Tuttu"

    def display(self):
        print(f"Id : {self.id}, Name : {self.name}")

emp1 = Employee()
emp1.display()
```

Output:

```
Id : 10, Name : Tuttu
```

Classes

```
class Employee:
    eligibility = "yes"
    #Constructor
    def __init__(self,id,name):
        self.id = id
        self.name = name

    def display(self):
        print(f"ID: {self.id}, Name: {self.name},Eligibility: {self.eligibility}")

emp1 =Employee(101,"Asa")
emp1.display()

emp2 = Employee(102,"Eve")
emp2.display()
```

Output:

```
ID: 101, Name: Asa,Eligibility: yes
```

```
class BankAccount:
    AccStatus = "YES"
    def __init__(self,owner,accno,balance):
        self.owner = owner
        self.accno = accno
        self.balance = balance

    def deposit(self,amount):
        self.balance += amount
        print(f"The amount deposited is {amount:.2f} and your bal
```

```

    balance is {self.balance:.2f}")

    def withdraw(self, amount):
        if self.balance >= amount:
            self.balance -= amount
        else:
            print(f"Your balance is not sufficient. Balance:{self.b
balance:.2f}")

    def display(self):
        print(f"Owner:{self.owner}, Account No: {self.accno}, Bal
ance: {self.balance}")

account1 = BankAccount("Eesa", 56474, 1000)
account1.display()

```

Output:

```
Owner:Eesa, Account No: 56474, Balance: 1000
```