



UNIK SURGICAL PVT. LTD.

(An ISO 9001 : 2015, 14001 : 2015, 13485 : 2016, CE & WHO GMP Certified Company)

Manufacturer,
Importer,
Exporter
& Stockist



CE



Company Profile...

About Us :- Established in the year 1999, we Unik surgicals are a private limited company offering our services as manufacturers, traders, exporters and importers for a wide assortment of medical equipment.. We have recorded positive growth within a short duration. Our mentor's domain expertise and technical knowledge and the dedicated support of a team of experienced technicians and engineers enable us to produce advanced and reliable products to meet the security requirements of diverse sectors. Due to the support of our mentor and team. Presently we have captured the domestic as well as the international market... Moreover, we focus on 'Consistency' and 'Customization', which enable us to earn accolade from many global medical equipment dealers.

Certification:- Our company certified with An ISO 9001 : 2015, 14001 : 2015, 13485 : 2016, CE & WHO GMP

Infrastructure:- We have a well equipped infrastructure, which is segregated into different units for better handling of production operations. These are product designing unit, quality checking unit and packaging unit. Our team of experienced engineers & associated workforce also enable us to carry out the manufacturing activities to produce flawless range. Moreover, we also work systematically to develop international quality standard and customized products.

Clientele:- We lay emphasis on manufacturing qualitative range to provide complete satisfaction to our clients. Further, we have an expert team, which enable us to meet the demands of a large number of clients all across the globe. They also help us to provide the products as per the requirement of the clients. All these efforts enable us to expand our client's base.

Our Goal:- Our goal is to provide qualitative products to our clients all across India and other countries and at reasonable price.

*We would like to serve your esteemed originations with our products. If you need any other information please contact us on the above written address and we will find the solution for the search of any kind of medical equipments.
Thanking you,*

Vision: - To become global leader in the field of medical equipment manufacturing, trading, exporting and importing

On Time Delivery: - We are committed to deliver our consignments within the stipulated time frame. This is an integral part of our business ethics. Further, our consignments reach to the far off and local markets at a fast pace

Products We Offer :- Unik and Digital medical equipment, like O.T. AND EXAMINATION LIGHTS AND TABLES FOR ALL PURPOSES, STERLIZERS AND SUCTION ALL SIZES AND SHAPES, COMPLETE RANGE OF HOLLOWARES AND HOSPITAL FURNITURES, SURGICAL INSTRUMENTS, RE-HABILITATION, PHYSIOTHERAPY, OCCUPATIONAL THERAPY, SURGICAL CAUTERIES,

Team:- We have a team of well trained, experienced and dedicated engineers, product designers, technicians and other industry professionals who assist us in manufacturing of qualitative products. All of them are well versed with the latest technology and have the capability to fabricate the range, which matches with the latest trends. Further, our team also helps us to bring innovative changes in our range that ensures its delivering optimum performance at client's end.

Warehousing & Packaging: - We have with us a spacious warehouse to store the raw materials and finished products. Further, we also have a packaging unit to pack the range with proper labeling. The effective use of qualitative materials such as corrugated boxes, cartons, sheets to pack the products enables us to protect our range from damage during the transit period.

Why Us: - Some of the factors that helps us to remain ahead of our competitors are:

- Qualitative range
- Well equipped manufacturing facility
- Use of advanced technology
- Experienced team handling production procedures
- Cost effective

ICCU / ICU Beds

UNIK SURGICAL PVT. LTD.

(An ISO 9001 : 2015, 14001 : 2015, 13485 : 2016, CE & WHO GMP Certified Company)



USM-001

ICU BED Mechanical (ABS Panels & ABS Railings)

- Frame work made of rectangular M.S. Tube.
- 4 Section top made of oval/round perforated M.S. CRC Sheet.
- ABS moulded head & foot panels.
- 4 Pcs. individual side railing ABS Molded (Tuck away).
- S.S. Telescopic IV Rod with two locations.
- Bed mounted on 5" dia castor two with brakes.
- Overall approx. Size : 210 L x 90 W x 60-80 H cms.
- Finish : Epoxy Powder Coated.
- Positions obtained by smooth crank system with foldable handles .
- Hi-low.
- Backrest elevation.
- Kneerest elevation.
- Trendlenburg / Revese Trendlenburg.

Optional

- Four Section Mattress



USM-002

ICU BED Mechanically (ABS Panels)

- Frame work made of rectangular M.S. Tube.
- 4 Section top made of oval/round perforated M.S. CRC Sheet.
- ABS moulded head & foot Bows.
- Collapsible safety side railing.
- S.S. Telescopic IV Rod with two locations.
- Bed mounted on 5" dia castor two with brakes.
- Overall approx. Size : 210 L x 90 W x 60-80 H cms.
- Finish : Epoxy Powder Coated.
- Positions obtained by smooth crank system with foldable handles .
- Hi-low.
- Backrest elevation.
- Kneerest elevation.
- Trendlenburg / Revese Trendlenburg.

Optional

- Four Section Mattress.





USM-003

ICU BED Mechanically (S.S. Bows)

- Frame work made of rectangular M.S. Tube.
- 4 Section top made of oval/round perforated M.S. CRC Sheet.
- S.S. Head & Foot Bows fitted with Laminated Panels.
- S.S. Collapsible safety side railing.
- S.S. Telescopic IV Rod with two locations.
- Rubber Buffer at four Corners.
- Bed mounted on 5" dia castor two with brakes.
- Overall approx. Size : 210 L x 90 W x 60-80 H cms.
- Finish : Epoxy Powder Coated.
- Positions obtained by smooth crank system with foldable handles.
- Hi-low.
- Backrest elevation.
- Kneerest elevation.
- Trendlenburg / Revese Trendlenburg.

Optional

- Four Section Mattress.
- S.S. IV Rod with four locations.



USM-004

Recovery Bed Mechanical Fixed Height (ABS Panels)

- Frame work made of rectangular M.S. Tube.
- 4 Section top made of oval / round perforated M.S. CRC Sheet.
- ABS moulded head & foot panels.
- Collapsible safety side Railing.
- S.S. Telescopic IV Rod with Two locations.
- Bed mounted on 5" dia castor two with brakes.
- Overall approx. Size : 210 L x 90 W x 60 H cms.
- Finish : Epoxy Powder Coated.
- Positions obtained by smooth crank system with foldable handles.
- Backrest elevation.
- Kneerest elevation.
- Trendlenburg / Revese Trendlenburg.

Optional

- Four Section Mattress.



Fowler Beds

UNIK SURGICAL PVT. LTD.

(An ISO 9001 : 2015, 14001 : 2015, 13485 : 2016, CE & WHO GMP Certified Company)



USM-005

Hospital Fowler Bed (ABS panels)

- Frame work made of rectangular M.S. Tube.
- 4 Section top made of oval/round perforated M.S. CRC Sheet.
- ABS Moulded head & foot panels.
- Bed mounted on 4" dia castor two with brakes.
- Overall approx. Size : 210 L x 90 W x 60 H cms.
- Finish : Epoxy Powder Coated.
- Positions obtained by smooth crank system with foldable handles.
- Backrest elevation.
- Kneerest elevation.

Optional

- 4 Section Mattress.
- S.S. Telescopic IV Rod with two locations.
- Powder Coated Collapsible safety side railing.



USM-006

Hospital Fowler Bed (SS Bows - Deluxe)

- Frame work made of rectangular M.S. Tube.
- 4 Section top made of oval/round perforated M.S. CRC Sheet.
- S.S. head and foot Panel with laminated board and corner buffers.
- H type legs on 4" dia castors 2 with brakes.
- Overall approx. Size : 210 L x 90 W x 60 H cms.
- Finish : Epoxy Powder Coated.
- Positions obtained by smooth crank system with foldable handles.
- Backrest elevation. • Kneerest elevation.

Optional

- 4 Section Mattress.
- S.S. Telescopic IV Rod with two locations.
- Powder Coated Collapsible safety side railing.



USM-007

Hospital Semi Fowler Bed (ABS Panels)

- Frame work made of M.S. Tube.
- 2 Section top made of oval/round perforated CRC M.S. Sheet.
- ABS Moulded Head and Foot Panel with locking and corner buffer.
- Legs fitted with PVC stumps.
- Overall approx. Size : 209 L x 91 W x 60 H cms.
- Finish : Pre-treated Epoxy Powder Coated.
- Positions obtained Smooth crank system with foldable handle.
- Backrest elevation.

Optional

- 2 Section Mattress.
- S.S. Telescopic IV Rod with two locations.
- 4" castor two with brakes.
- Powder Coated Collapsible safety side railing.

Fowler Beds



USM-008

Hospital Semi Fowler Bed Deluxe (SS Panels)

- Frame work made of M.S. Tube.
- 2 Section top made of oval/round perforated CRC M.S. Sheet.
- S.S. head and foot Panel with laminated board and corner buffers.
- Legs fitted with PVC stumps.
- Overall approx. Size : 209 L x 91 W x 60 H cms.
- Finish : Pre-treated Epoxy Powder Coated.
- Positions obtained Smooth crank system with foldable handle.
- Backrest elevation.

Optional

- 2 Section Mattress.
- S.S. Telescopic IV Rod with two locations.
- 4" castor two with brakes.
- Powder Coated Collapsible safety side railing.

USM-009

Hospital Semi Fowler Bed (General)

- Frame work made of M.S. Tube.
- 2 Section top made of oval/round perforated CRC M.S. Sheet.
- Tubular head and foot bows of unequal height with vertical tube support.
- Approx. overall Size : 206 L x 90 W x 60 H cms.
- Finish : Epoxy Powder Coated.
- Positions obtained by smooth crank system with foldable handles.
- Backrest elevation.

Optional

- 2 Section Mattress
- S.S. Telescopic IV Rod with two locations.
- Powder Coated Collapsible safety side railing.



USM-010

Hospital Bed Plain (General)

- Overall Size : 206 L x 90 W x 60 H cms.
- Frame work made of Rectangular M.S. Tube.
- Top of oval/round perforated CRC M.S. Sheet.
- Tubular head & foot bows of unequal height with vertical tube support.
- Legs fitted with PVC stumps.
- Finish Epoxy Powder Coated.

Optional

- Plain Mattress.
- S.S. Telescopic IV Rod with two locations.

Pediatric/Attendant Beds

UNIK SURGICAL PVT. LTD.

(An ISO 9001 : 2015, 14001 : 2015, 13485 : 2016, CE & WHO GMP Certified Company)



USM-011

PEDIATRIC BED

- Tubular Head and Foot bows of unequal height with vertical tube support.
- Framework Made of M.S. Tubes.
- Top made of oval/round perforated CRC M.S. Sheet.
- Legs fitted with PVC stumps.
- Full length drop side rails on both sides.
- Finish : Pretreated & epoxy powder coated.
- Approx. Overall Size : 148 L x 84W x 60 H cms.

Optional

- Plain Mattress.
- S.S. Telescopic IV Rod with two locations.

USM-012

Attendant Bed

- Overall Size : 180 L x 60 W x 46 H Cms.
- Frame work made of rectangular / square MS Tube.
- 5 cm Foam Padded with fixed mattress Covered with rexine.
- Legs fitted with PVC stumps.
- Finish : Epoxy Powder Coated.



USM-013

Attendant Bed General

- Frame work made of strong and precise steel tubes mounted on "H" type legs mounted on rubber stumps.
- Top made of perforated CRCA sheet machine pressed and bent with mattress guard.
- Powder Coated Head & Foot Bows.
- Size: 72" L x 24" W x 18" H,
- Finish: Pre-treated and Epoxy Powder Coated.

Optional

- Plain mattress 4".

Hospital Beds Accessories

**USM-014****PROTACTIVE RAILING**

- Made of Aluminium tubes.
- Packing : 1pair 0.022CBM.
- N.W. : 6.4 KGS.
- G.W. : 7.0 KGS.
- Finish : Epoxy Powder Coated.

USM-015**I.V. ROD FOR HOSPITAL BED****USM-016****ABS TUCK AWAY RAILING in 4 Pcs****USM-017****ABS PANNEL WITH BUFFER (DELUXE)****USM-018****ABS TUCK AWAY RAILING in 2Pcs.**

Examination Tables

UNIK SURGICAL PVT. LTD.

(An ISO 9001 : 2015, 14001 : 2015, 13485 : 2016, CE & WHO GMP Certified Company)



USM-019

Examination Cum Gynae Table

- Overall Approx. Size : 183 cm L x 60 cm W x 76 cm H.
- Frame work made of MS CRC tubes.
- Two section cushioned top/two section M.S. powder coated top with perineal cut and mattress.
- Complete with the pair of S.S. lithotomy rod made of 12 mm S.S. rod.
- Back rest adjustable by hand lever.
- Epoxy powder coated finish.

USM-020

Gynae Examination Table (Plain)

- Overall Size : 180L x 60W x 76 Hcms.
- Frame work made of Rectangular / Square M.S. Tube.
- Legs fitted with PVC Stumps.
- 5cm foam cushioned top covered with rexine with perineal cut.
- Adjustable lithotomy C.P poles with straps.
- Finish : epoxy powder coated.

Optional

- Machine pressed double bend M.S. CRC sheet top with perineal cut with 5 cm mattress.



USM-021

Examination Table Plain

- 183L x 60 W x 81 H cms.
- Frame work of CRC tubes.
- Legs fitted with PVC stumps.
- 5 cms foam cushioned top covered with rexine.
- Pre-treated and epoxy powder coated finish.

Optional

- Machine pressed double bend M.S. CRC sheet top with 5 cm mattress.

USM-022

Examination Table With 2 Section

- Approx. Dimensions : 72°:Lx 24°Wx 32°H.
- Frame work Rectangular & Square Steel Tubes.
- Adjustable Back Rest by hand lever.
- Two section cushioned top /Two Section M.S. Powder Coated Top with Mattress.
- Legs fitted on PVC stumps.
- Pre - treated & Epoxy Powder Coated.



Ward Equipments


USM-023
Examination Couch With Gyane Cut

- Overall Approx. Size : 183L x 50 W x 82 H cms.
- Top frame work of CRC tubes covered with 5 cms foam cushioned and rexine.
- 3Pc. cabinet with 1 drawer.
- Legs fitted with PVC stumps.
- Finish : Pre-treated and epoxy powder coated.

Optional

- Single Foot Step in Powder coated.
- Utility trolley in powder coated with S.S. tray.


USM-024
Examination Couch

- Overall Approx. Size : 183L x 50 W x 82 H cms.
- Body frame work made of 18g CRCA sheet backrest adjustable on gas spring.


USM-025
Bed Side Locker (Deluxe)

- 16" Lx 16" Wx 32" H
- CRCA sheet constructions. having one box and one drawer.
- Jointless/bend pressed S.S. Top with three sides raise edges.
- Fitted with PVC stumps.
- Epoxy powder coated.

Optional

- Also available in complete S.S. Model.
- Also available in double colour P.C.


USM-026
Bed Side Locker With Drawer & Railing

- 16" Lx 16" Wx 36" H.
- Machine Pressed CRCA Sheet Cabinet and drawer, tubular legs fitted with PVC stumps.
- S.S. Top and S.S. railing.
- Finish : Epoxy powder coated.

Optional

- Also available in Complete S.S. Model.
- Also Available in Double Colour P.C.


USM-027
Bed Side Locker (Std.)

- 16' Lx 16' Wx 32" H.
- Four MS legs fitted with PVC Stumps.
- Box and door made of MS sheet.
- S.S. Top made by machine pressed jointless / bend pressed with three side raise edges.
- Finish : Epoxy Powder coated.

Optional

- Also available in Complete S.S. Model.
- Also Available in Double Colour P.C.

UNIK SURGICAL PVT. LTD.

(An ISO 9001 : 2015, 14001 : 2015, 13485 : 2016, CE & WHO GMP Certified Company)



USM-028

ECG/UTILITY TROLLEY (Two Shelves)

- Overall size : 22" L X 20" W X 34" H.
- M.S. Frame work. • S.S. Shelves.
- One M.S. Drawer. • 10 cms Castors.
- Finish : Epoxy Powder coated.

Optional :

Also available in Complete S.S. Model.



USM-029

Medicine Trolley With 4 Drawer

- Overall Approx. Size: 76L x 46W x 81Hcms.
- Frame work of MS tubes mounted on 4" castors.
- Two S.S shelves with three side railing on top shelf.
- Two/One drawer under the each shelf.
- Epoxy Powder Coated Finish.
- Note : Also Available in stainless steel model (Price on request).



USM-030

OVER BED TABLE (Adjustable)

- ABS Moulded Top fitted on MS square tubular telescopic steam.
- Height adjustable by gear handle.
- Base frame made of rectangular MS tube mounted on 5 cms dia castors.
- Finish Epoxy Powder Coated.

Optional :

- Also available in Laminated top . (Approx. 32" Lx16" W)
- Also Available in stainless steel frame model.



USM-031

Over Bed Table (Manually Adjustable)

- Rectangular frame work mounted on 5 cms castors.
- Membrane pressed wooden top adjustable by side Knob.
- Top size 32" X 16".
- Finish : Pre-treated & epoxy powder coated frame.

Optional

- Also available in ABS molded top.
- Also Available in stainless steel frame model.



USM-032

Over Bed Table

- Overall approx. size 42" L x 16" W x 39" H.
- Tubular frame work mounted on 5 cms/ 7.5 cms castors.
- Fixed Membrane pressed wooden top Top (32" X 16").
- Finish : Pre-treated and Epoxy Powder Coated frame.

Optional

- Also available in ABS Molded top.
- Also Available in stainless steel frame model.


USM-033
Crash Cart In Powder Coated Frame


- Overall approx. Size : 960 L x 500 W x 1545 H mm.
- Frame work made of M.S. Tubes (Finish powder coated)
- Two light weight polystyrene boxes each with three drawers.
- Upper drawer with medicine container of different sizes.
- Provision to hold oxygen cylinder made of M.S.
- Massage board for cardiac patient are provided.
- Six Number colour hand out small bins at eye level.
- Total three S.S. shelves with railing to carry medical equipments.
- Provided with crome plated I.V. rod, corner buffers.
- The cart mounted on 5" dia casters 2 with brakes.


USM-034
Crash Cart In S.S. Frame

- Overall Approx. Size : 960 L x 500 W x 1545 H mm.
- Frame work made of S.S. Tubes.
- Two light weight polystyrene boxes each with three drawers.
- Upper drawer with medicine container of different sizes.
- Provision to hold oxygen cylinder made of S.S.
- Massage board for cardiac patient are provided.
- Six Number colour hand out small bins at eye level.
- Total three S.S. shelves with railing to carry medical equipments.
- Provided with S.S. I.V. Rod, corner Buffers
- The cart mounted on 5" dia casters 2 with brakes


USM-035
Monitor Trolley

- Overall Approx. Size : 800 mm L x 600 mm W x 1400 mm H.
- Four shelves and one drawers.
- Trolley having two handle.
- The trolley mounted on 125 mm dia castors -2 with breaks.
- Switch and Socket for medical equipment.
- Supplied with S.S. IV Rod and ms Oxygen Gas Cylinder Cage.
- Finish : Pre-treated and Epoxy Powder Coated.


USM-036
Saline Stands

- 5 Pronged base fitted with 5 cm dia castors.
- 8/10 mm S.S./ C.P. Adjustable double hook I.V. Rod to hold I.V. rod at one fixed height by knob.
- A-Plastic base with SS pipe and rod (202/304 G S.S.)
- B-Plastic base with powder coated pipe and crome plated rod.
- C-S.S. base with S.S. pipe & rod.
- D-Powder Coated base with Powder Coated pipe and Crome Plated rod
- E-In 304 S.S. G, Heavy Base with Long S.S. pipe and rod for heavy bottles,



USM-037

Mayo's Trolley For O.T.

- Overall Approx. Tray Size : 22" L x 16" W.
- Adjustable height of tray Approx. 760 mm to 1270 mm through gear handle.
- Frame work made of 50 mm x 30 mm x 1.22 mm rectangular MS tubes.
- Tray made of S.S. 304/202 Grade sheet.
- Table mounted on 50 mm dia castors.
- Finish : Pre treated and epoxy powder coated.
- Also available in S.S. frame work and S.S. Tray.



USM-038

Instrument Mayo's Trolley Over The O.T Table (Mechanically)

- Approx Tray S.S. Size : 36" L x 20" W.
- Frame work of CRC tubes mounted on 10cms castors.
- Height adjustable by gear handle (42" to 52").
- Finish : Pre treated and epoxy powder coated.
- Also available in S.S. frame & tray.



USM-039

Instrument Mayo's Trolley Over The O.T Table (Manual)

- Specially designed instrument trolley for cross over the table.
- Height adjustable manually through knob.
- Complete stainless steel structure with detachable stainless steel instrument tray.
- Mounted on four 4" castors, two with brakes.
- Tray size: 36" L x 20" W
- 32"/52" Height adjustable approx.
- Finish: Stainless Steel.

Optional

- Also available in powder coated frame with S.S. tray.



USM-040

Instrument Trolley (Two Shelves)

- Frame work made of 1" x 18 G vertical MS tubes.
- Two 22G S.S. shelves with three sides railing.
- The trolley mounted on 4" dia castors.
- Finish : Pre treated and epoxy powder coated (A) 24" x 18" x 32" (B) 30" x 18" x 32" (C) 36" x 20" x 32"
- Also available in SS frame & SS shelves.



USM-041

Dressing Trolley

- Approx. size : 30" x 18" x 32".
- Frame work made of MS tubes.
- Two S.S. shelves over with S.S. railing on all four sides.
- The trolley fitted S.S. bucket and S.S. bowl.
- The trolley mounted on 4" dia castors.
- Finish : Pre treated and epoxy powder coated.
- Also available in SS frame work and SS shelves.

Ward & O.T. Equipments


USM-042
Aerosol Disinfector (Fumigator)

Aerosol disinfectant compact model. Ideally suited for decontamination of operation theatres, Wards in Hospitals & Nursing Homes, Pharmaceutical Labs & Production units, Animal houses and Poultry sheds, Hatcheries & EGG Storages, Silk worm rearing houses in sericulture industries etc. Instantly converts liquids formalin into true aerosol particles. Due to high aerodynamic stability the formalin droplets remain suspended in the atmosphere for longer duration and because of penetrating property ensure 100% sterile germ free and Zero-Bacteria Environment. Eliminates the cumbersome process involved in the conventional method of fumigation. Can be easily operated even by a ward-boy. A single unit can sterilize 250 cu. mtrs. about 9000 cu. ft. in just 30-60 minutes. Suitable to work on 220 V, Single Phase, 50 Hz, AC Supply. Available in Aluminium and Stainless Steel body in following capacities. (A) 1.5 Litres (B) 5.0 Litres
Optional : • Mechanical Timer


USM-043
Fogger ULV (304 SS)

USM-044
**With
Bowl**

**With
Bucket**
Kick Bowl/bucket

- Approx. S.S. Bowl of 350 mm dia/SS Bucket
- Frame work made of S.S. Tube
- Mounted on 5cm/7.5 cm castors
- Finish : Stainless Steel
- Also available in M.S. frame work with S.S. Basin/Bucket


USM-045
Wash Basin Stand (Single / Double)

- Five Legs P.U. base mounted on 5cms dia castors with one approx. 35cms dia S.S. basins
- Vertical MS tube made of 32mm X 18G.
- Basin holder MS tube made of 16mm X 18G.
- Pre treated and Epoxy Powder Coated finish
- Also Available in SS vertical tube and SS basin holder.


USM-046
**Solid Linen Trolley
With Plastic Bucket**

- Push handle at one hand
- Frame work of CRC tube on 10 cms castors.
- Superior quality plastic bucket of 50 ltr. capacity.
- Epoxy powder coated finish.
- Also available in S.S. Frame


USM-047
**Solid Linen Trolley
With Canvas Bag**

- Frame work of CRC tube mounted on 5/7.5 cms castors.
- Superior quality canvas bag.
- Epoxy powder coated finish
- Also available in S.S. Frame with canvas bag.

UNIK SURGICAL PVT. LTD.

(An ISO 9001 : 2015, 14001 : 2015, 13485 : 2016, CE & WHO GMP Certified Company)



S.S. STOOL

USM-048

Patient's Revolving Stool (SS TOP)

- Four leg base with PVC Stumps
- Height adjustment by machine Screw from 18" x 27"
- A foot rest ring support made of S.S. Tube
- SS top supported with MS sheet top
- Finish : Pre-treated and epoxy Powder Coated
- Also Available in S.S. Frame work and S.S. Top



USM-049

PATIENT'S REVOLVING STOOL (Cushioned Top)

- Four Leg base fitted with PVC Stumps
- Height adjustment by machine Screw from 18" x 27"
- A foot rest ring support made of SS Tube
- Cushioned top support with MS Circle
- Finished : Pre-treated and Epoxy Powder Coated
- Also available in S.S. Frame work Cushioned top



USM-050

PATIENT'S / VISITOR STOOL

- Approx. Size : 12" x 12" x 20" H
- Top made of CRC Sheet double bent
- Legs made of 25 mm x 18 G and Horizontal Support of 19 mm X 18 G CRCA Tube fitted with PVC stumps
- Finish : Epoxy Powder Coated
- Also Available in S.S. Frame work and S.S. Top



USM-051

Lab Technician Stool

- Cushioned seat
- Pneumatic height adjustable
- 5 Legs plastic base fitted with 50 mm dia castors



USM-052

Trolley For Oxygen Cylinder

- Frame work made of CRC tube mounted on 10 cms/ 15cms castors
- Epoxy powder coated finish.



USM-053

Baby Cradle

- (36"x15"x39") M.S. tubular pipe. Stand fitted with PVC stumps. Wire mesh hanging cradle. Pre-treatedand Epoxy Powder coated.

Ward & O.T. Equipments



USM-054

Foot Step Single Powder Coated

- Overall Approx. Size : 20" L x 11" W x 9" H
- M.S. Tubular legs fitted with PVC stump.
- Pre-treated & Epoxy Powder Coated finish.
- M.S. top fixed with rubber matting and aluminium beadings.
- Also available in Stainless Steel Model



USM-055

Foot Step Double

- Overall Approx. Size : 18" L x 11" W x 18" H
- M.S. Tubular Frame fitted with PVC stump.
- CRC sheet duly double press bent.
- Pre-treated and Epoxy Powder Coated finish.
- Also available in Stainless Steel Model

USM-056

Bed Side Screen (4 Panels)

- Overall Approx. Size : 1680 H x 2450 mm.
- MS tubular construction made of 19 mm x 18G in four / three section .
- Legs made of 25 mm x 18G fitted with 50mm dia castors.
- Supplied with hooks and spring with curtain cloth.
- Finish : pre treated and Epoxy Powder Coated.



(A)- Each Span 610 mm Wide



(B)- Middle Span 1210 mm Wide and side spans 610 mm



USM-057

Invalid Wheel Chair Folding

- 16" Seat with Fixed Armrest Front with 4" Solid Castors & Rear 26" Solid Wheels with brakes.
- Size 39.5" L x 28" W x 34.5" H.



USM-058

Folding Wheel Chair Chrome Plated

Crutches & Sticks

UNIK SURGICAL PVT. LTD.

(An ISO 9001 : 2015, 14001 : 2015, 13485 : 2016, CE & WHO GMP Certified Company)



USM-059
Folding Commode
Adjustable Height



USM-060
Invield Walker



USM-061



USM-062



USM-063



USM-064



USM-065
Crutches

Adjustable Walker
(Wheel & without Wheel Height Adjustable)

Elbow Stick



USM-066



USM-067



USM-068



USM-069



USM-070



USM-071



USM-072



USM-073

Blood Donar Chair



USM-074

Blood Donor Chair, 3 Section

- Overall Size : 150L x 50W x 46H cms
- Framework made of Stainless Steel
- Back rest & leg rest section adjustable on Ratchet / Lever
- Legs fitted with PVC Stumps
- 5 cms foam cushioned top covered with rexine
- Head section & leg section move simultaneously.
- Adjustable Arm Rest



USM-075

Electric Blood Donor Couch

- Motorized Donor Chairs suitable to use for blood banks, infusion treatment centres, and hospital, clinics, and aphaeresis, plasma centers and other similar discipline.
- Remote switch for easy repositioning
- Hard wood frame construction
- It has solid surface seat to ensure easy & hygienic premium rated foam, cushion and spring component for donor comfort.
- With the help of electric power, we can fully adjust the donor position in between head low-feet high to head high-feet lower position and arm rest (left and right) swing out for easy seating as well as up & down of chair such position minimization of donor.
- High quality contract grade vinyl upholstery
- All exposed metal parts are chrome plate for easy cleaning & durability.

Technical Details

Seat Height	:	64 cm	Load Bearing Capacity	:	150Kg
Head Height Max	:	114 cm	Net Weight	:	52 kg
Foot Height Max	:	89 cm	Gross Weight	:	92 kg
Chair Length	:	152 cm	Packing Dimensions	:	168 x 76 x 92 cm
Chair Width (W/Armrest Sections)	:	92 cm			

Patient Transfer Trolley

UNIK SURGICAL PVT. LTD.

(An ISO 9001 : 2015, 14001 : 2015, 13485 : 2016, CE & WHO GMP Certified Company)

USM-076

Emergency & Recovery Trolley (Hydraulic)

- Two section top
- Height adjustable by foot operated hydraulic pump from 660 mm to 910 mm.
- Gas spring assisted Trendelenburg / reverse Trendelenburg positions.
- Complete with corner buffers, synthetic rubber covered handles, sliding X-ray Cassette, accessories tray, oxygen cylinder holder, S.S. Telescopic IV Rod and swing away S.S. Side rails.
- Finish : Pretreated and epoxy powder coated.
- Four Swivel castors, 5" dia two with brakes.
- X-ray translucent removable stretcher, backrest raised on ratchet.
- Overall approx. Size : 84" L x 24" W x 26"-38" H cms



USM-078

Stretcher On Trolley With Mattress

- Overall Approx. Size: 180 L x 56 W x 81 H cms.
- Frame work made of Tubular MS Pipe.
- Swing Away type Safety Side Railing.
- Adjustable I.V. Rod, Utility Tray, Cylinder Cage.
- Fixed Foam Padded top.
- Trolley mount on 15 cms Dia castors - Two with Brakes.
- Epoxy Powder Coated Finish.



USM-077

Patient Trolley (Hi-Low) Mechanical

- Approx. Size : 78" L x 24" W x 27"-36" H cms.
- Frame work made of MS Tubes
- Safety side railing, I.V. rod.
- Height Adjustable by crank handle at foot end.
- Two sections Powder Coated Top, Head raise by Ratchet system.
- 5" dia castors two with brakes.
- Pre-treated & Epoxy Powder Coated finish.

Optional

- 2 Section Mattress
- Also Available in S.S. Model



USM-079

Stretcher On Trolley With Mattress

- Overall Approx. Size : 84" L x 22" W x 32" H cms.
- Frame work made of Tubular MS pipe
- Swing away type safety side Railings.
- Adjustable I.V. Rod, Utility Tray, Cylinder Cage
- Removable stretcher top made of MS sheet with S.S. Handles.
- Trolley mounted on 6" dia castors two with brakes
- Epoxy powder coated Finish.

Optional

- Also Available in S.S. Model
- 2 Section 50mm Mattress.

Patient Transfer Trolley

USM-080

Stretcher On Trolley

- Overall Approx. Size : 84" L x 22" W x 32" H
 - Frame work made of 1.25" x 16 G vertical and 1" x 18G horizontal CRC Tubes.
 - Trolley mounted on 6" dia castors 2 with brake.
 - Removable stretcher top made of MS sheet with S.S. Handles.
 - Finish : Pre-treated and Epoxy Powder Coated.
- Optional**
- 50 mm Mattress covered with rexine.
 - Up and down type Side Railing M.S. /S.S. type
 - Also available in complete Stainless Steel.



USM-081

Folding Stretcher (Canvas)

- 213 L x 56 W x 15 H cms
 - Powder Coated M.S. Pole width wise fold.
- Optional**
- Also Available in aluminium Poles.



USM-082

Folding Stretcher 2 Fold

- M.S. poles folding length wise as well as width wise
 - Unfolded Size : 221 L x 56W x 15 H cms
 - Folded Size : 110L x 18W x 11H cms
 - Net wt. : 5 Kg
 - Gross wt. : 6 Kg
 - Load Bearing Capacity : 150 Kg
 - Finish : Powder Coated
- Optional**
- Also available in aluminium poles
 - Caring bag extra

Stretcher/Delivery Table

UNIK SURGICAL PVT. LTD.

(An ISO 9001 : 2015, 14001 : 2015, 13485 : 2016, CE & WHO GMP Certified Company)



USM-083

Obstetric Labour Table Telescopic (Fixed Height)

- Overall Approx. Max. Size : 72" L x 27" W x 30" H.
- Frame work made of MS tube.
- Legs fitted with PVC stumps.
- 3 section top made of SS sheet/ bakelite sheet with mattress.
- Back rest section adjustable on ratchet.
- Leg end section can slide under the main section .
- The entire table top gives trendlenberg positions by gas spring/Smooth crank system with foldable handle.
- Removable safety side railing are provided on 3 side of the table.
- Height adjustable a pair of foam padded knee crutches.
- Patient bearing down hand grips made of S.S. tubes.
- Supplied with waste collection S.S. bowl on S.S. bracket and one M.S. IV rod.
- Finish : Pre treated and Epoxy Powder Coated.
- Also available in S.S. Frame work and S.S. Top.

USM-084

Obstetric Labour Table Telescopic (Adjustable Height)

- Approx. Dimensions : 72" L x 27" W X 24"-32" H.
- Tubular frame work mounted on 5° swiveling castors two with breaks.
- 3 section top made of SS sheet/ bakelite sheet with mattress.
- The entire table top gives trendlenberg positions by gas spring/Smooth crank system with foldable handle.
- Hydraulically height adjustable by foot paddle from side.
- Backrest section adjustable on ratchet.
- Leg end section can slide under the main section.
- Removable safety side railing are provided on 3 side of the table.
- Height adjustable a pair on knee crutches.
- 5" castor two with brakes.
- Supplied with waste collection S.S. bowl on S.S. bracket and one S.S. IV rod.
- Pre treated & Epoxy Powder Coated finish.
- Also available in SS frame and SS sheet top.



USM-085

OBSTETRIC LABOUR TABLE (Mechanically)

- Approx. Dimensions : 72" L x 27" W X 30" H
- Tubular frame work mounted on PVC stumps.
- Stainless steel top in three sections with mattress.
- Trendlenburg positions adjustable on screw mechanism by handle.
- Backrest section adjustable on ratchet system.
- Height adjustable a pair on knee crutches.
- complete with self locking traction handle at side, I.V. rod.
- Pre treated & Epoxy Powder Coated

Delivery Beds & Tables

USM-086

**Obstetric Delivery Bed In 2 Parts
(2 Section Top)**

- Approx. Dimensions: 72" L x 30" W x 30" H
- Tubular frame work made in two section.
- Body section with legs mounted on PVC stumps.
- Leg section on 4" swivel castors with brakes.
- Two section cushioned top.
- Height adjustable a pair of knee crutches.
- Pre treated & Epoxy Powder Coated.



USM-087

**Operation & Examination Table
(Hi-Lo) (72" X 20" X 32")**

- Tubular Frame work on 10 cms Castors with brakes.
- This is an exceptionally fine surgical table.
- With facility of hight adjustment by crank mechanisim.
- Offering a very comprehensive range of positions viz, straight , trendlenburg & reverse trendlenburg positions chair, lithotomy position etc.



USM-088

**Operation & Examination Table
(72" X 20" X 32" Fixed Height)**

- Tubular Frame work on 10 cms castors with brakes.
- This is an exceptionally fine surgical table.
- Offering a very comprehensive rage of positions viz, "Straight", treidlenburg & reverse trendlenburg positions, chair, lithotomy position etc.

O.T. Tables

UNIK SURGICAL PVT. LTD.

(An ISO 9001 : 2015, 14001 : 2015, 13485 : 2016, CE & WHO GMP Certified Company)

USM-089

Universal Hydraulic Operating Table



Lateral Tilt Position



Chair Position



Trendelenberg/Rev.
Trendelenberg Position



Lithotomy Position
(Geopal Type Lithotomy
Crutches)

An Universal hydraulic operating table is specially designed to provide complete flexibility for patient positioning required for modern surgeries. This table is constructed of stainless steel and other high quality materials.

FEATURES

- Five sectional stainless steel top which gives ease various surgical positions.
- UP & DOWN by Hydraulic System .
- Standard Positioning :- Height UP/DOWN, Trendelenberg / Reverse Trendelenberg, Lateral tilt sides, Flex / Reflex, Chair, Kidney elevation through drive handle.
- Base and column covered with S.S. Top to ensure high durability and Hygiene for the operation room.
- Mobile on Smooth running castors.
- Floor Lock facility.

STANDARD ACCESSORIES

- Five section mattress - 1 set
- Anesthetist Screen - 1 Pcs.
- Padded Shoulder support -2 Pcs.
- Padded Lateral Support-2 Pcs.
- Padded Lithotomy Crutches-2 Pcs.
- Padded Arm Rest - 2 Pcs.
- Drive Handle - 1 Pcs.

USM-090 **Universal Remote Control Operating Table**



Specification/Model No.	USM-090 (Apprx. Dimensions)	USM-090 Electric (Apprx. Dimensions)
Overall Length of the table	1950 mm	1950 mm
Overall width of the table	500 mm	500 mm
Minimum height of the table	780 mm	780 mm
Maximum height of the table	1030 mm	1030 mm
Trendlenburg/Reverse	30 Degree	30 Degree
Flex / Reflex	80°/220°	80°/220°
Side Tilt	22°	22°
Kidney Position	125 mm manually	125 mm manually
Leg Section	90° down	90° down
Hi-Low Lift	Hydraulic	Electric



O.T. Tables

USM-091

ELECTRIC SURGICAL C-arm OPERATING TABLE



Chair Position



Reverse Trendelenburg /
Trendelenburg Position



Lateral / Side Tilt Positions
Both Sides



Reflex / Kidney
Elevation Position



Kidney Bridge Lifting Position
with Mechanical Handle

Technical Data

Length of Table	1900 mm
Width of Table Top	520 mm
Minimum Height (without Mattress)	Min. 750 mm
Maximum Height (without Mattress)	Max. 1000 mm
Trendelenburg	25°
Reverse Trendelenburg	25°
Lateral Tilt	±20°
Back Section	±60°
Head Section	±60°
Leg Section	0°-90°
Floor Locking System	Manual

Salient Features :

- Eccentric Pillars
- Stainless Fitting
- Detachable, head, leg & Pelvic section
- In built kidney bridge
- Five Sectional Radio - Translucent Top.
- Base & Cover made of attractive, easy to clean Stainless Steel.
- Sophisticated mechanics provide smooth, step less articulation of the table Top for precise patient positioning.

USM-092

C-arm Compatible Hydraulic Operating Table



Reverse Trendelenburg /
Trendelenburg Position



Lateral / Side Tilt Positions
Both Sides



Reflex / Kidney
Elevation Position



Chair Position



Kidney Bridge Lifting Position
with Mechanical Handle

Technical Data

Length of Table	1900 mm
Width of Table Top	520 mm
Minimum Height (without Mattress)	Min. 750 mm
Maximum Height (without Mattress)	Max. 1000 mm
Trendelenburg	25°
Reverse Trendelenburg	25°
Lateral Tilt	±20°
Back Section	±60°
Head Section	±60°
Leg Section	0°-90°
Floor Locking System	Manual

Salient Features :

- Eccentric Pillars
- Stainless Fitting
- Detachable, head, leg & Pelvic section
- In built kidney bridge
- Five Sectional Radio - Translucent.
- Base & Cover made of attractive, easy to clean Stainless Steel.
- Sophisticated mechanics provide smooth, step less articulation of the table Top for precise patient positioning.

O.T. Table Accessories

USM-093

Orthopaedic Traction Attachment with Various Positions, Functions & Accessories:



- Traction Position using Pelvis support in the Middle/Centre with Orthopaedic Traction Shoes.



- Leg Traction using Pelvis support in Extreme Left



- Leg Traction using Pelvis support in Extreme Right



- Femoral Operating Position in Lateral Position using Inner Thigh Support for Lateral Support

UNIK SURGICAL PVT. LTD.

(An ISO 9001 : 2015, 14001 : 2015, 13485 : 2016, CE & WHO GMP Certified Company)

USM-094



- Spine Surgery Position using Specially Designed Spine Bridge with No Any Bar/Rod/Screw Intervention in Spine View through 'C-Arm' Image Intensifier

USM-095



- Neurosurgery Position using Mayfield Three Pin Head Fixator Clamp in both Sitting & Prone Position.

USM-096



- Neurosurgery Position using 'U' Type/Horse Shoe Type Head/Face Rest

USM-097



- Neurosurgery Position using Head Plate for Head Rest

Verticale Autoclaves



USM-098

Autoclave (Portable) Wing Nut Type (Aluminium) Electric

Aluminium deep drawn body, ring and lid made of aluminium casting

Size : 12" D x 12" H, 12" D x 15" H

Available in electric and non-electric

Also available with semiautomatic (Timer Based)

All sizes are approximate



USM-099

Autoclave (Portable) Wing Nut Type (S.S.) Electric

Deep drawn body made of 304 Grade, ring made of aluminium casting, lid made of a aluminium casting with S.S. Plate

Size: 12" D x 12" H, 12" D x 15" H

Available in electric and non-electric

Also available in S.S. LID as per customer requirement

All sizes are approximate



USM-100

Cooker Type Autoclave (Portable) Single / Double Drum S.S. Electric

Seamless construction made of S.S. with turning on lid highly polished. It comes with one stop cock (continues bleeding valve), safety valve and pressure guage.

Size: 12"x14", 12"x22"

Available in electric and non-electric

Also available with semiautomatic (Timer Based)

All sizes are approximate



USM-101

Cooker Type Autoclave (Portable) Single / Double Drum Aluminum

Seamless construction made of aluminium alloy with turning on lid highly polished. It comes with one stop cock (continues bleeding valve), safety valve and pressure guage.

Size: 12"x12", 12"x14", 12"x20"

Available in electric and non-electric

All sizes are approximate

Note : Also Available in S.S. Model



USM-102

Verticle Double Drum Autoclave Wing Nut Type (S.S.)

Vertical Autoclave inner outer made of Stainless Steel heavy gauge sheet fitted with pressure guage (Max. pressure 15PSI), safety valve (weighted) pressure release valve & good quality rubber gasket for seamless/leak proof fitting (Silicon gasket optional).

Note:

Ring made of a aluminuam casting

Lid made of aluminium casting with S.S. plate

Electric autoclave fitted with heating element of 2KW single phase 220V/50Hz

Also available in semi automatic (Timer Based)

sizes: 12" x 22", 16" x 24"

UNIK SURGICAL PVT. LTD.

(An ISO 9001 : 2015, 14001 : 2015, 13485 : 2016, CE & WHO GMP Certified Company)



USM-103

Vertical High Pressure Steam Sterilizer Autoclave (Double Walled)

High pressure water steam electrically heated vertical sterilizer used for sterilization in Hospitals, Nursing Homes, Pharmaceutical Industries and laboratories. Inner and outer chamber made of 304 G stainless steel sheet. Lid is also made of thick stainless steel plate single piece and closed by Radial Locking and foot lifting system. All sterilizers are hydraulically tested upto 2.5 times of working pressure. Jointless neoprene/silicon gasket does not allow any leakage. By mean of steam under pressure of 5 to 20 PSI ± 3 PSI (Adjustable). Fitted with double safety valve, Water level indicator, water drain valves. Supplied complete with cord, plug, timer, alarm & automatic pressure control switch but without dressing bins. To work on 220 volts, Single Ph, 50 Hz, Ac supply.

(NOTE-Three phase 440V AC Supply on request).

Available in following sizes

Dia	Depth	Cap. Approx.	Element	Load
(A) 300	x 500 mm(12" x 20")approx.	35ltrs.	1 Nos.	3 Kw
(B) 400	x 600 mm(16" x 24") approx.	75Ltrs.	1 Nos.	4 Kw

Optional Accessories

- | | |
|--|-------------------|
| (1) Automatic low water level cut-off device | (2) Digital Timer |
| (3) Digital Temperature Indicator. | (4) Dressing Bins |
| 5) S.S. Basket | |

Note : Other sizes on Request



USM-104

HIGH PRESSURE SURGICAL AUTOCLAVE VERTICAL (TRIPLE WALLED)

Vertical high pressure water steam electrically heated sterilizer used for sterilization in Hospitals, Nursing Homes, Pharmaceutical Industries and laboratories . Inner chamber, Steam jacket, Outer chamber & ring is made of thick 304 G stainless steel. All sterilizers are hydraulically tested upto 2.5 times of working pressure. Lid is also made of thick stainless steel plate single piece and closed by Radial Locking and foot lifting system. Jointless neoprene/silicon gasket does not allow any leakage. By mean of steam under pressure of 5 to 20 PSI ± 3 PSI (Adjustable) Fitted with double safety valve, Water level indicator, water inlet and outlet drain valves fitted with **vacuum breaker**. Supplied complete with cord, plug, timer, alarm & automatic pressure control switch but without dressing bins. To work on 220 volts, Single Ph, 50 Hz, Ac supply. (NOTE-Three phase 440V AC Supply on request).

Available in following sizes

Dia	Depth	Cap. Approx.	Element	Load
(A) 300	x 550 mm(12" x 22")approx.	40ltrs.	1 Nos.	4 Kw
(B) 400	x 600 mm(16" x 24") approx.	75Ltrs.	1 Nos.	6Kw

Optional Accessories

- | | |
|--|-------------------|
| (1) Automatic low water level cut-off device | (2) Digital Timer |
| (3)DigitalTemperature Indicator. | (4) Dressing Bins |

Note : Other sizes on Request



USM-105
Ceiling Twin Cool Light CT-20 (DX)

Technical Specification :

Model No.	Intensity	Halogen Bulb	Reflector
C T-20 (DX)	180000 ± Lux	24V - 150W	Diachronic
C -20 (DX)	90000 ± Lux	24V -150W	Diachronic



USM-106
Ceiling Cool Light C-20 (DX)

Colour Temp.	Temp. Increase at Field Area	Fiber Dome Dia	Finish
4300K	2- 4C	20"/20"	Oven Baked
4300K	2- 4C	20"	Oven Baked



USM-107
CEILING (7 - REF.) Cool Light C-7 (DX / Reg.)

Model No.	Intensity	Halogen Bulb	Reflector
ASC-C7(DX)	100000 ± Lux	24V - 70W	Diachronic
ASC-C4(DX)	80000 ± Lux	24V - 70W	Diachronic
ASC-C7(Reg.)	70000 ± Lux	24V - 70W	Aluminum
ASC-C4(Reg.)	60000 ± Lux	24V - 70W	Aluminum



USM-108
CEILING (4 - REF.) COOL LIGHT C-4 (DX / Reg.)

Colour Temp.	Temp. Increase at Field Area	Fiber Dome Dia	Finish
4300K	2-4C	28"	Oven Baked
4300K	2-4C	22"	Oven Baked
-	-	28"	Oven Baked
-	-	22"	Oven Baked



USM-109
MOBILE LIGHT M-14 (Reg.)



USM-110
Ceiling Cool Light (C- 19 Reg.)

Specification

- Finger touch movements
- Aluminium dome 19"
- High Light Intensity 50,000 Lux ± 10%
- Halogen Bulb 24 V/ 150W

UNIK SURGICAL PVT. LTD.

(An ISO 9001 : 2015, 14001 : 2015, 13485 : 2016, CE & WHO GMP Certified Company)



USM-111

CEILING TWIN Cool Light CT- 4+4 (DX / Reg.)

Specifications	: 4+4
Fiber Dome Diameter	: 20'/22"
Reflector	: Dichoric/Aluminum
Intensity in one dome	: 80000 Lux (DX)/60000 Lux (Reg)
Color Temp.	: 4300 K (Dx)
Variable Light Intensity	: 3 stages
Bulb specification	: 24 v - 70 w x 4
Power	: AC 220 V
Battery Backup	: Optional

USM-112

OTL (LED)- 4+4 (Adjustable Colour Temperature)

Technical Data

Intensity	: 1,50,000 Lux +10% 1,50,000 Lux +10%
Size of light field	: 12-13 cm
Colour Temp.	: 4000-5000 K
Colour Reduction index	: 90
LED Life	: >45000 Hrs.
Number of LED	: 19x4+19x4 / 14x4+14x4
Diameter of Light (External)	: 500mm x2
Brightness Control	: Digital 9 Steps
Power Supply	: 220V/50Hz AC
Focusing	: Adjustable



USM-113

OTL (LED)-4+3 (Adjustable Colour Temperature)

Technical Data

Intensity	: 1,50,000 Lux +10% 1,00,000 Lux +10%
Size of light field	: 12-30 cm
Colour Temp.	: 4000-5000 K
Colour Reduction index	: 90
LED Life	: >45000 Hrs.
Number of LED	: 19x4+19x4 / 14x3+14x3
Diameter of Light	: 500mm x2
Brightness Control	: Digital 9 Steps
Power Supply	: 220V/50Hz AC
Focusing	: Adjustable


USM-114
OTL (LED)-4(Adjustable Colour Temperature)
Technical Data

Intensity	: 1,20,000 Lux +10%
Size of light field	: 12-30 cm
Colour Temp.	: 4000-5000 K
Colour Reduction index	: 90
LED Life	: >45000 Hrs.
Number of LED	: 19x4+19x4 / 14x4+14x4
Diameter of Light	: 500mm x 1 (Entire Dome)
Brightness Control	: Digital 9 Steps
Power Supply	: 220V/50Hz AC
Focusing	: Adjustable

USM-115
OTL(LED)-3M (Adjustable Colour Temperature)
Technical Data

Intensity	: 90,000 Lux +10%
Size of light field	: 12-30 cm
Colour Temp.	: 4000-5000 K
Colour Reduction index	: 90
LED Life	: >45000 Hrs.
Number of LED	: 19x3/14x3
Diameter of Light	: 500mm
Brightness Control	: Digital 9 Steps
Power Supply	: 220V/50Hz AC
Focusing	: Adjustable


USM-116
OTL (LED)-4M (Adjustable Colour Temperature)
Technical Data

Intensity	: 1,20,000 Lux +10%
Size of light field	: 12-13 cm
Colour Temp.	: 4000-5000 K
Colour Reduction index	: 90
LED Life	: >45000 Hrs.
Number of LED	: 19x3/14x3
Diameter of Light	: 500mm
Brightness Control	: Digital 9 Steps
Power Supply	: 220V/50Hz AC
Focusing	: Adjustable

UNIK SURGICAL PVT. LTD.

(An ISO 9001 : 2015, 14001 : 2015, 13485 : 2016, CE & WHO GMP Certified Company)



USM-117

**Suction Machine
1/4 H.P. Motor**

USM-118

**Hi Vac Suction
1/2 H.P. Motor**



Features :

- Motor Capacity 1/4 HP
- High Powered & Fast Vacuum Build-up
- Finely regulable 0-700mm Hg vacuum - valve & removable
- Filter to protect the Pump from entrained moisture.
- Non-collapsible tubings with flexible snug fit mounts.
- Automatic inbuilt lubrication system for noiseless & trouble free performance.
- Almost maintenance free, last long.

USM-119

PORTABLE AC/DC SUCTION UNIT EUROVAC-B

Housing	: ABS plastic Moulded
Max Vacuum /LPM	: -575 mm Hg ,45 ltrs / min.
Pump Type	: Diaphragm pump
Jars	: 1X2 Ltr. PC Jar
Filter	: Bacteria Filter Autoclavable/Reusable
Tubing	: 8 mm ID x 2 mtr. (Silicon)
Vacuum Gauge	: 6.25 cms 0-760 mm Hg
Power Supply	: 220 V AC, 50 / 60 Hz, 90 watts. (110 V on Request)
Dimension & Weight	: 43 x 22 x 37 cms, 8 kg.
Overflow Safety	: Mechanical / Electronic/ Acoustic Alarm
Noise Level	: 55dBA±3

Main Applications

- Intensive Care Unit
- Room / Wards
- Dental Practice
- Home Care
- Eye/ENT



USM-120

Syringe & Needle Destroyer

USM-121

FOOT SUCTION

Technical Specifications

Max Vacuum	: 600mmHg
Operation	: Foot Operated Manual
Pump type	: Piston type
Base	: M.S. Powder Coated



Configuration:

With GLASS JARS*
and Complete set
of tubing. *2x750ml

Hollow Wares / O.T. Equipments



USM-122
Seamless Dressing Drums (S.S.)

304/202 G - S.S.
Sizes : 6"x4", 6"x6", 9"x5", 9"x9",
11"x5", 11"x9", 14"x9", 15"x12"



USM-123
Instrument Sterilizer Electric (S.S.)

304/202 G - S.S.
Sizes : 12"x6"x5.5", 14"x6"x5.5", 16"x6"
x5.5", 16"x8"x7.5", 18"x8"x7, 20"x8"x7.5",
24"x6"x7.5", 24"x12"x7.5", 24"x12"x12"



USM-124
Basin (S.S.)

304/202 G - S.S.
Sizes : 6", 8", 10", 12", 14", 16"



USM-125
Kidney Tray (S.S.)

304/202 G - S.S.
Sizes : 6", 8", 10", 12"



USM-126
Sputum Mug (S.S.)

304/202 G - S.S.



USM-127
Enema Can (S.S.)

304/202 G - S.S.



USM-128
Lotion Bowl (S.S.)

304/202 G - S.S.



USM-129
Cidex Tray

(A) 10" x 5" x 3" (B) 17" x 5" x 3"
(C) 26" x 5" x 3", (D) 36" x 5" x 3"



USM-130
Instrument Tray (S.S.)

304/202 G - S.S.
Sizes : 8"x6", 9"x6",
10"x8", 11"x7", 12"x8",
12"x10", 15"x12", 18"x12"



USM-131
Catheter Tray (S.S.)

304/202 G - S.S.
Sizes : 8"x3", 16"x4"



USM-132
Bed Pan (S.S.) Male/Female With Cover

304/202 G - S.S.



USM-133
Urinal Pot (S.S.) Male / Female

304/202 G - S.S.



USM-134
Formalin Chamber (with Two Trays)

(A) 12"x7"x6" (B) 14"x8"x6"
(C) 10"x7"x6"



USM-135
Formalin Chamber (with Three Trays)

(A) 20"x8"x 8" (B) 23" x 8" x 8"
(C) 26" x 8" x 8" (D) 23" x 12" x 12"

Almiras/Waiting Chair

UNIK SURGICAL PVT. LTD.

(An ISO 9001 : 2015, 14001 : 2015, 13485 : 2016, CE & WHO GMP Certified Company)



USM-136

Instrument Cabinet

- Made from CRC sheet three side closed.
- Front glass door.
- Pre-treated & Epoxy Powder Coated.



USM-137

Ward Lockers

- Body and Doors made of MS Sheet.
- Six Lockers with Individual Locks.



USM-138

Ward Cabinet

- Body and doors made of MS Sheet.
- Four Shelves made of MS Sheet.
- Fitted with Lock Key and Handle.



USM-139

Bio Medical Waste Bins



USM-140

Waiting Area Chair

- Perforated Sheet.
- Galvanized arm rest.
- All S.S.



UNIK SURGICAL PVT. LTD.

(An ISO 9001 : 2015, 14001 : 2015, 13485 : 2016, CE & WHO GMP Certified Company)

Manufacturer:- Importer, Exporter & Stockist

Regd. Office :

2-C/159, G.D. Mishra Path, New
Patliputra Colony, Patna - 800 013
Mob. No. : 9431002700, 9334276152

Factory :

Ahilya Knowledge Park, Near Pani Tanki
Tekniwas NH-85, Chapra - 841213
Mob. No. : 8340796759

E-mail : uniksurgicalpvtltd@gmail.com • Website : www.uniksurgical.com