```
/*****PROGRAM 2: CALCULATOR PROGRAM IN ANDROID STUDIO*******/////////
MAINACTIVITY.java
package com.example.calc1;
    import android.os.Bundle;
    import android.view.View;
    import android.widget.Button;
    import android.widget.EditText;
    import androidx.appcompat.app.AppCompatActivity;
public class MainActivity extends AppCompatActivity {
  Button button0, button1, button2, button3, button4, button5, button6,
       button7, button8, button9, buttonAdd, buttonSub, buttonDivision,
       buttonMul, button10, buttonC, buttonEqual;
  EditText crunchifyEditText;
  float mValueOne, mValueTwo;
  boolean crunchifyAddition, mSubtract, crunchifyMultiplication, crunchifyDivision;
  @Override
  protected void onCreate(Bundle savedInstanceState) {
    super.onCreate(savedInstanceState);
    setContentView(R.layout.activity main);
    button0 = (Button) findViewById(R.id.button0);
    button1 = (Button) findViewById(R.id.button1);
    button2 = (Button) findViewById(R.id.button2);
    button3 = (Button) findViewById(R.id.button3);
    button4 = (Button) findViewById(R.id.button4);
    button5 = (Button) findViewById(R.id.button5);
    button6 = (Button) findViewById(R.id.button6);
    button7 = (Button) findViewById(R.id.button7);
    button8 = (Button) findViewById(R.id.button8);
    button9 = (Button) findViewById(R.id.button9);
    button10 = (Button) findViewById(R.id.button10);
    buttonAdd = (Button) findViewById(R.id.buttonadd);
    buttonSub = (Button) findViewById(R.id.buttonsub);
    buttonMul = (Button) findViewById(R.id.buttonmul);
    buttonDivision = (Button) findViewById(R.id.buttondiv);
    buttonC = (Button) findViewById(R.id.buttonC);
    buttonEqual = (Button) findViewById(R.id.buttoneql);
    crunchifyEditText = (EditText) findViewById(R.id.edt1);
```

```
button1.setOnClickListener(new View.OnClickListener() {
    @Override
    public void onClick(View v) {
```

```
crunchifyEditText.setText(crunchifyEditText.getText() + "1");
});
button2.setOnClickListener(new View.OnClickListener() {
  @Override
  public void onClick(View v) {
    crunchifyEditText.setText(crunchifyEditText.getText() + "2");
});
button3.setOnClickListener(new View.OnClickListener() {
  @Override
  public void onClick(View v) {
    crunchifyEditText.setText(crunchifyEditText.getText() + "3");
});
button4.setOnClickListener(new View.OnClickListener() {
  @Override
  public void onClick(View v) {
    crunchifyEditText.setText(crunchifyEditText.getText() + "4");
});
button5.setOnClickListener(new View.OnClickListener() {
  @Override
  public void onClick(View v) {
    crunchifyEditText.setText(crunchifyEditText.getText() + "5");
});
button6.setOnClickListener(new View.OnClickListener() {
  @Override
  public void onClick(View v) {
    crunchifyEditText.setText(crunchifyEditText.getText() + "6");
});
button7.setOnClickListener(new View.OnClickListener() {
  @Override
  public void onClick(View v) {
    crunchifyEditText.setText(crunchifyEditText.getText() + "7");
});
button8.setOnClickListener(new View.OnClickListener() {
  @Override
  public void onClick(View v) {
    crunchifyEditText.setText(crunchifyEditText.getText() + "8");
});
button9.setOnClickListener(new View.OnClickListener() {
  @Override
```

```
public void onClick(View v) {
    crunchifyEditText.setText(crunchifyEditText.getText() + "9");
});
button0.setOnClickListener(new View.OnClickListener() {
  @Override
  public void onClick(View v) {
    crunchifyEditText.setText(crunchifyEditText.getText() + "0");
});
buttonAdd.setOnClickListener(new View.OnClickListener() {
  @Override
  public void onClick(View v) {
    if (crunchifyEditText == null) {
       crunchifyEditText.setText("");
    } else {
       mValueOne = Float.parseFloat(crunchifyEditText.getText() + "");
       crunchifyAddition = true;
       crunchifyEditText.setText(null);
    }
});
buttonSub.setOnClickListener(new View.OnClickListener() {
  @Override
  public void onClick(View v) {
    mValueOne = Float.parseFloat(crunchifyEditText.getText() + "");
    mSubtract = true;
    crunchifyEditText.setText(null);
});
buttonMul.setOnClickListener(new View.OnClickListener() {
  @Override
  public void onClick(View v) {
    mValueOne = Float.parseFloat(crunchifyEditText.getText() + "");
    crunchifyMultiplication = true;
    crunchifyEditText.setText(null);
});
buttonDivision.setOnClickListener(new View.OnClickListener() {
  @Override
  public void onClick(View v) {
    mValueOne = Float.parseFloat(crunchifyEditText.getText() + "");
    crunchifyDivision = true;
    crunchifyEditText.setText(null);
});
buttonEqual.setOnClickListener(new View.OnClickListener() {
  @Override
```

```
public void onClick(View v) {
         mValueTwo = Float.parseFloat(crunchifyEditText.getText() + "");
         if (crunchifyAddition == true) {
            crunchifyEditText.setText(mValueOne + mValueTwo + "");
            crunchifyAddition = false;
         }
         if (mSubtract == true) {
            crunchifyEditText.setText(mValueOne - mValueTwo + "");
            mSubtract = false;
         }
         if (crunchifyMultiplication == true) {
            crunchifyEditText.setText(mValueOne * mValueTwo + "");
            crunchifyMultiplication = false;
         }
         if (crunchifyDivision == true) {
            crunchifyEditText.setText(mValueOne / mValueTwo + "");
            crunchifyDivision = false;
       }
    });
    buttonC.setOnClickListener(new View.OnClickListener() {
       @Override
       public void onClick(View v) {
         crunchifyEditText.setText("");
    });
    button10.setOnClickListener(new View.OnClickListener() {
       @Override
       public void onClick(View v) {
         crunchifyEditText.setText(crunchifyEditText.getText() + ".");
    });
  }
activity main.xml
<?xml version="1.0" encoding="utf-8"?>
<RelativeLayout xmlns:android="http://schemas.android.com/apk/res/android"</pre>
xmlns:tools="http://schemas.android.com/tools"
android:id="@+id/relative1"
android:layout width="match parent"
android:layout height="match parent"
tools:context=".MainActivity">
```

```
<EditText
android:id="@+id/edt1"
android:layout_width="match_parent"
android:layout_height="wrap_content" />
```

#### <Button

android:id="@+id/button1"
style="?android:attr/buttonStyleSmall"
android:layout\_width="wrap\_content"
android:layout\_height="wrap\_content"
android:layout\_alignEnd="@+id/button4"
android:layout\_alignRight="@+id/button4"
android:layout\_below="@+id/edt1"
android:layout\_marginTop="94dp"
android:text="1" />

# <Button

android:id="@+id/button2" style="?android:attr/buttonStyleSmall" android:layout\_width="wrap\_content" android:layout\_height="wrap\_content" android:layout\_alignTop="@+id/button1" android:layout\_toLeftOf="@+id/button3" android:layout\_toStartOf="@+id/button3" android:text="2" />

#### <Button

android:id="@+id/button3" style="?android:attr/buttonStyleSmall" android:layout\_width="wrap\_content" android:layout\_height="wrap\_content" android:layout\_alignTop="@+id/button2" android:layout\_centerHorizontal="true" android:text="3" />

#### <Button

android:id="@+id/button4" style="?android:attr/buttonStyleSmall" android:layout\_width="wrap\_content" android:layout\_height="wrap\_content" android:layout\_below="@+id/button1" android:layout\_toLeftOf="@+id/button2" android:text="4" />

#### <Button

android:id="@+id/button5" style="?android:attr/buttonStyleSmall" android:layout\_width="wrap\_content" android:layout\_height="wrap\_content" android:layout\_alignBottom="@+id/button4" android:layout\_alignLeft="@+id/button2" android:layout\_alignStart="@+id/button2" android:text="5"/>

# <Button

android:id="@+id/button6" style="?android:attr/buttonStyleSmall" android:layout\_width="wrap\_content" android:layout\_height="wrap\_content" android:layout\_alignLeft="@+id/button3" android:layout\_alignStart="@+id/button3" android:layout\_below="@+id/button3" android:text="6"/>

#### <Button

android:id="@+id/button7" style="?android:attr/buttonStyleSmall" android:layout\_width="wrap\_content" android:layout\_height="wrap\_content" android:layout\_below="@+id/button4" android:layout\_toLeftOf="@+id/button2" android:text="7"/>

#### <Button

android:id="@+id/button8" style="?android:attr/buttonStyleSmall" android:layout\_width="wrap\_content" android:layout\_height="wrap\_content" android:layout\_alignLeft="@+id/button5" android:layout\_alignStart="@+id/button5" android:layout\_below="@+id/button5" android:text="8"/>

# <Button

android:id="@+id/button9"
style="?android:attr/buttonStyleSmall"
android:layout\_width="wrap\_content"
android:layout\_height="wrap\_content"
android:layout\_alignLeft="@+id/button6"
android:layout\_alignStart="@+id/button6"
android:layout\_below="@+id/button6"
android:text="9" />

#### <Button

android:id="@+id/buttonadd"
style="?android:attr/buttonStyleSmall"
android:layout\_width="wrap\_content"
android:layout\_height="wrap\_content"
android:layout\_alignEnd="@+id/edt1"
android:layout\_alignRight="@+id/edt1"
android:layout\_alignTop="@+id/button3"
android:layout\_marginLeft="46dp"
android:layout\_marginStart="46dp"
android:layout\_toRightOf="@+id/button3"
android:text="+"/>

# <Button

android:id="@+id/buttonsub" style="?android:attr/buttonStyleSmall" android:layout\_width="wrap\_content" android:layout\_height="wrap\_content" android:layout\_alignEnd="@+id/buttonadd" android:layout\_alignLeft="@+id/buttonadd" android:layout\_alignRight="@+id/buttonadd" android:layout\_alignStart="@+id/buttonadd" android:layout\_below="@+id/buttonadd" android:text="-"/>

#### <Button

android:id="@+id/buttonmul"
style="?android:attr/buttonStyleSmall"
android:layout\_width="wrap\_content"
android:layout\_height="wrap\_content"
android:layout\_alignLeft="@+id/buttonsub"
android:layout\_alignParentEnd="true"
android:layout\_alignParentRight="true"
android:layout\_alignStart="@+id/buttonsub"
android:layout\_below="@+id/buttonsub"
android:text="\*"/>

#### <Button

android:id="@+id/button10" style="?android:attr/buttonStyleSmall" android:layout\_width="wrap\_content" android:layout\_height="wrap\_content" android:layout\_below="@+id/button7" android:layout\_toLeftOf="@+id/button2" android:text="."/>

# <Button

android:id="@+id/button0" style="?android:attr/buttonStyleSmall" android:layout\_width="wrap\_content" android:layout\_height="wrap\_content" android:layout\_alignLeft="@+id/button8" android:layout\_alignStart="@+id/button8" android:layout\_below="@+id/button8" android:text="0" />

#### <Button

android:id="@+id/buttonC" style="?android:attr/buttonStyleSmall" android:layout\_width="wrap\_content" android:layout\_height="wrap\_content" android:layout\_alignLeft="@+id/button9" android:layout\_alignStart="@+id/button9" android:layout\_below="@+id/button9" android:text="C"/>

### <Button

android:id="@+id/buttondiv" style="?android:attr/buttonStyleSmall" android:layout\_width="wrap\_content" android:layout\_height="wrap\_content" android:layout\_alignEnd="@+id/buttonmul" android:layout\_alignLeft="@+id/buttonmul" android:layout\_alignRight="@+id/buttonmul" android:layout\_alignStart="@+id/buttonmul" android:layout\_below="@+id/buttonmul" android:text="/" />

# <Button

android:id="@+id/buttoneql"
android:layout\_width="wrap\_content"
android:layout\_height="wrap\_content"
android:layout\_alignEnd="@+id/buttondiv"
android:layout\_alignLeft="@+id/button10"
android:layout\_alignRight="@+id/buttondiv"
android:layout\_alignStart="@+id/button10"
android:layout\_below="@+id/button0"
android:layout\_marginTop="37dp"
android:text="="/>

</RelativeLayout>