



[Home](#) | [About Us](#) | [Success Stories](#) | [Farmers Association](#) | [Farmers' Innovation](#) | [Publications](#) | [Contact](#)

Horticultural crops :: Vegetables:: Tomato

Leaf curl : *Tomato leaf curl virus*

Field Diagnostic Symptoms

- Severe stunting of plants
- Downward rolling and crinkling of the leaves
- Older leaves become leathery and brittle
- Shortening of internodes
- Appearance of more lateral branches - bushy appearance



Infected plant



Downward curling of leaf

Causal organism -

- Tomato leaf curl virus (TLCV)

Vector :

- Whiteflies –*Bemisia tabaci*

Survival and Mode of Spread

Primary spread:

- Whiteflies.

Secondary spread:

- Movement of infected plants

Integrated Disease Management

- Raising nursery in protected condition
- Growing Sorghum, Maize or Bajra as barrier crop
- Use of disease free seeds
- Yellow sticky traps @ 5nos./ac
- Remove alternate weed host - *Abutilon indicum*
- Spraying Dimethoate 30 EC @ 200 ml/ac or Methyl demeton 25 EC @ 200 ml/ac or Thiamethoxam 25 WG @ 200 g/ac or Imidacloprid 17.8 SL @ 200 ml/ac

Source of Information

- <https://www.apsnet.org>.
- Crop production guide – Horticulture 2020.

Acknowledgement

- Photo courtesy by Dr.P.Renukadevi, Professor, Department of Plant Pathology, TNAU, Coimbatore.

Updated on Jun 2023

