

```
In [1]: import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
```

```
In [2]: titanic=sns.load_dataset('titanic')
```


```
In [3]: titanic.head()
```

```
Out[3]:
```

	survived	pclass	sex	age	sibsp	parch	fare	embarked	class	who	adul
0	0	3	male	22.0	1	0	7.2500	S	Third	man	
1	1	1	female	38.0	1	0	71.2833	C	First	woman	
2	1	3	female	26.0	0	0	7.9250	S	Third	woman	
3	1	1	female	35.0	1	0	53.1000	S	First	woman	
4	0	3	male	35.0	0	0	8.0500	S	Third	man	


```
In [5]: sns.displot(titanic['age'],bins=10)
```

```
Out[5]: <seaborn.axisgrid.FacetGrid at 0x2704f44fcb0>
```




```
In [6]: sns.displot(titanic['fare'],bins=10)
```

Out[6]: <seaborn.axisgrid.FacetGrid at 0x27050bd2c10>




```
In [8]: sns.countplot(x='survived',  
                      ,data=titanic)
```

Out[8]: <Axes: xlabel='survived', ylabel='count'>




```
In [9]: sns.countplot(x='sex',data=titanic)
```

```
Out[9]: <Axes: xlabel='sex', ylabel='count'>
```



```
In [10]: sns.countplot(x='pclass',data=titanic)
```

```
Out[10]: <Axes: xlabel='pclass', ylabel='count'>
```



In [11]: titanic

Out[11]:

	survived	pclass	sex	age	sibsp	parch	fare	embarked	class	who
0	0	3	male	22.0	1	0	7.2500	S	Third	man
1	1	1	female	38.0	1	0	71.2833	C	First	woman
2	1	3	female	26.0	0	0	7.9250	S	Third	woman
3	1	1	female	35.0	1	0	53.1000	S	First	woman
4	0	3	male	35.0	0	0	8.0500	S	Third	man
...	...	...	...	...	...	...	...	...	...	...
886	0	2	male	27.0	0	0	13.0000	S	Second	man
887	1	1	female	19.0	0	0	30.0000	S	First	woman
888	0	3	female	NaN	1	2	23.4500	S	Third	woman
889	1	1	male	26.0	0	0	30.0000	C	First	man
890	0	3	male	32.0	0	0	7.7500	Q	Third	man

891 rows × 11 columns



In []: