

Name : Mr Dummy
Age/Gender : 20/Male
Referred By : Self
Phone No. :

Patient ID : PN2
Report ID : RE1
Collection Date : 24/06/2023 08:49 PM
Report Date : 24/06/2023 09:02 PM

COAGULATION STUDY COAGULATION PROFILE

TEST DESCRIPTION	RESULT	REF. RANGE	UNIT
Bleeding Time	6	2 - 7	Minute
Clotting Time	5	4 - 9	Minute
Prothrombin time			
Patient Value	12	10 - 16	seconds
Control Value	8		seconds
INR Value	1.50		
Index	66.67		
Activated partial thromboplastin time (APTT)			
APTT Patient Value	23	22 - 40	seconds
APTT Control Value	12		seconds

Interpretation:

Parameter	Normal Range	Interpretation
Prothrombin Time (PT)	10-16 seconds	- PT value longer than the normal range may indicate bleeding risk, and shorter than the normal range may indicate clotting risk. - INR value greater than 1.2 may indicate bleeding risk
Activated Partial Thromboplastin Time (aPTT)	22-40 seconds	- aPTT value longer than normal range may indicate bleeding risk, shorter than normal range may indicate clotting risk

~~End of report~~



Dr. Dummy
MD Pathology

