

RESUME

Amit Kumar Gautam
Mob : +5215571107936
Gautamamit_90@yahoo.com
Mexico City,Mexico.

SUMMARY

- ⇒ I am a Telecom Professional with Fifteen Years of extensive diversified experience in Planning & Design, Implementation, Configuration, Troubleshooting, and Integration of E2E Core Networks. (Telco.)
- ⇒ Possess good communication skills.
- ⇒ Positive attitude towards goal, Problem Solving and SCRUM Approach for Projects.

SPECIALITIES

Technologies	5GC,5G-NSA, LTE-M, NB-IOT, VoWiFi, VoLTE, LTE.
Cloud Technologies	CNF/VNF, Private Cloud, NFV, Kubernetes, Dockers, Heat, Ceph
Protocols	HTTP2, SIP, MQTT, SCTP, SIGTRAN, CAMEL, RTP, RTCP, TCP, UDP, OSPF, BFD, VRRP
Network Elements	HLR/HSS(UDM), CSCF, MTAS, SBC, vEPC (S-GW/P-GW, MME, PCRF), SMSC, LRF, vSTP and vDRA.
Platform Vendors	Ericsson (HSS,UDC,IMS), Nokia (UDM,IMS Core,HSS,One-NDS), HPE(HLR/HSS), Cisco vEPC, Oracle Signaling Network.

HSS and UDM/AUSF

- ⇒ Support 5GC T-Mobile Network of UDM/AUSF, HSS, EIR and SEPP, on Kubernetes Nokia.
- ⇒ Provide 3LS support on Nokia UDM,HSS and UDR Solution.
- ⇒ Integration of UDM and HSS UHHD interface, Implementation support of N12,N8,N10 Interface.
- ⇒ Support of Subscriber provisioning in UDR for 5GS subscriber.
- ⇒ Maintenance of UDM, AUSF, HSS CNF's and their Container pods, scaling, HA support.
- ⇒ Maintenance of Kubernetes cluster of Nokia NCS and NCOM,Deployment of HSS.UDM CNF's.
- ⇒ Planning and rollout of HPE HSS SWAP from BareMetal to virtualized Solution of HPE(VNF)vHSS.
- ⇒ Successful migration of 5 million IoT Subscribers from Monolithic vHLR/HSS (UDC Solution) to virtualized UDC Solution.
- ⇒ Integration of HSS/HLR with STP, DRA and Traffic distribution.
- ⇒ Implementation of Provisioning Gateway of HPE (vDSP) and its Integration with HPE vHSS.
- ⇒ Nokia One-NDS UDC solution Deployment and Implementation. (for GSM,EPS and IMS).
- ⇒ Definition of Subscriber profiles and Integrate with Different provisioning platforms.
- ⇒ Integration of One-NDS FE Applications like EIR, AAA,MNP and HSS with Core network elements.
- ⇒ Sizing and deployment of virtual One-NDS solution using CBIS and CBAM.

In 5G VoLTE/IoT (Internet of things) Core

- ⇒ Planning and Strategy of 5GC Introduction for FWA (Fixed Wireless Access) use case.

- ⇒ Definition of RFI and RFP for 5GC.
- ⇒ Vendor 5GC solution analysis and alignment with AT&T Network and service requirements.
- ⇒ Defining the requirement and strategy for 5G SBA Deployment options and network readiness.
- ⇒ Performed POC and Trials of 5G-NSA (3X Option) Successfully in multiple vendor environment.
- ⇒ Identifying the Impact/upgradation requirement of 5G deployment on current LTE Network e2e (Core Network).
- ⇒ Planning and rollout of control plane and user plane traffic separation (CUPS Deployment).
- ⇒ VoLTE/IMS Enabling for CAT-M Device.
- ⇒ Planning and defining the network impacts for 3G Shutdown.
- ⇒ E2E deployment of NB-IoT and LTE-M for AT&T Mexico, enabling eDRX, PSM and Data delivery using S11-U(to support data over NAS).
- ⇒ Planning and design of UDM Triple pair vHSS HPE.
- ⇒ Migration of 3 million AT&T IoT Subscriber from Bare metal solution to Virtualized HSS.
- ⇒ Deployment and e2e Integration of Cisco-Jasper IoT Control Center (used for IoT Life Cycle Management and IoT Vertical Enablement).
- ⇒ Deployment and Integration of HPE IoT Platform- SIM life cycle Manager.
- ⇒ E2E Deployment of IoT Verticals and their Management. (Planning and designing of use cases).
- ⇒ Enablement of enterprise customers with global IoT connectivity and management of their data and service.
- ⇒ Working in AT&T as Engineering and Planning Team for IoT Core Deployment on REDHAT Openstack and HPE-Helion Openstack.
- ⇒ Worked during HPE NFV solution deployment for AT&T IoT Virtual Core (vEPC,vIoT Core,vHSS).
- ⇒ Deployed HPE Openstack Helion Carrier grade and VMware MANO solution following ETSI-NFVI standards.
- ⇒ Deployment of High complex VNF's. (vHSS HPE,vEPC,SMSC,vDRA).
- ⇒ VNF VM's Onboarding Validation testing.
- ⇒ VNF-M & VM's Integration testing.
- ⇒ Creation of VNFM Descriptors using heat templates and NFV-Descriptors for Virtual functions.
- ⇒ End to End Planning and deployment of Virtual Core Network for IoT based on NB-IoT, LTE-M and LTE.
- ⇒ Integration and deployment of Virtual Core VNFs used in IoT network (vEPC core, vSTP, vDRA, vSMSC, vHLR/HSS, vPCRF, vDNS, vMME/SGSN).
- ⇒ Deployed and Integration/troubleshooting of IoT Core Elements like (Data Analytics VNF, Device Management VNF, Network interworking Proxy VNF, Data Service Cloud).
- ⇒ Defining and Integration of several use cases for IoT, Fleet management, Connected Cars, Web MAPS (Location Based Services).

In IMS Core Convergence

- ⇒ Worked from AT&T Side for VoLTE Deployment (mixed Solution) Nokia IMS Core(CFX and NTAS)
- ⇒ Implementation of VoLTE 911 Solution with LRF.
- ⇒ Deployment of vIMS solution and Apple Watch Calling/SMS services.
- ⇒ Planning and Design of IMS Solution deployment.
- ⇒ Worked on Telcel VoLTE Nationwide rollout.
- ⇒ Performed First VoLTE to VoLTE Call in Telcel Network.

- ⇒ Performed, VoLTE-VoLTE,VoLTE-3G/PSTN Calls and vice versa.
- ⇒ Performed ICS Call Successfully, Break-In to Volte from CS Network.
- ⇒ ICS to ICS Call.
- ⇒ Successfully Test SRVCC, and have Integration and troubleshooting knowledge of SRVCC Voice to Voce handover and Video to Voice handover.
- ⇒ Good Knowledge on SIP Protocol and VoLTE Architecture.
- ⇒ Good Experience on EPS attach and IMS Attach Procedure.
- ⇒ Good Hands on Experience on VoLTE UE and Terminals settings traces of Samsung and LG Terminals.
- ⇒ Hands on Implementation experience of VOLTE Solutions (SRVCC, ICS and CSFB)
- ⇒ Preparation of High Level Solution Design for IMS Core, VoLTE and VoWIFI.
- ⇒ Low Level Design and Network Architecture preparation for IMS Core Elements.
- ⇒ Integration and Configuration of CSCF and MTAS with Surrounding nodes (DNS, ENUM, MRS)
- ⇒ Good knowledge on IMS interfaces (ISC, CX, SH, MW, RX, S6A, MG, GM)
- ⇒ Hands on Experience on Installation/Integration/Configuration of CSCF/MTAS/SBG/MRS.
- ⇒ Successfully do Integration and Installation of CSCF/MTAS/SBG and MRS including TSP and Application Installation.
- ⇒ Hands on Experience on integration of Cx,SH,Mr,ISC,Mj,Mg,Mp,Capv2,Rf,ENUM/DNS,Mw,Rx and CAI3G Interfaces.
- ⇒ Provisioning of VoLTE subscriber profile and SS services in MTAS, DNS and HSS (using SOAP).
- ⇒ Integration of vVPN (Virtualized VPN in VoLTE) with MTAS and Successful VPN calls for VoLTE-VPN users.
- ⇒ Implementation of Supplementary Services in IMS network, like CDIV, Voicemail, Conference, Multiparty, Call waiting etc.
- ⇒ Integration and configuration of RF interface for Offline charging of VoLTE Users.
- ⇒ Good Hands-on Experience on VoLTE UE and Terminals settings traces of Samsung and LG Terminals.
- ⇒ L2 & L3 Configuration for BSP and MTAS/CSCF Application.
- ⇒ High Level Solution document preparation for Flexible RCS Solution for IMS core and Enriched Communication deployment.
- ⇒ High Level Solution Document preparation for IMS core deployment.
- ⇒ Diameter Configuration with CSCF.

Work Experience: -

Nokia USA

October 2023 -Till Date

Designation: 5G HSS/UDM Technical Specialist.

- ⇒ Support 5GC T-Mobile Network of UDM/AUSF, HSS, EIR and SEPP, on Nokia Containerized solution.
- ⇒ Provide 3LS support on Nokia UDM,HSS and UDR Solution.
- ⇒ Integration of UDM and HSS UHHD interface, Implementation support of N12,N8,N10 Interface.
- ⇒ Support of Subscriber provisioning in UDR for 5GS subscriber.
- ⇒ Maintenance of UDM, AUSF, HSS CNF's and their Container pods, scaling, HA support.
- ⇒ Maintenance of Kubernetes cluster of Nokia NCS and NCOM,Deployment of HSS.UDM CNF's.
- ⇒ Integration and registration of UDM's and HSS with NRF Service.
- ⇒ Status validation of CNF namespaces,PODS,Nodes and NRF integration status.

Designation: Solutions Architect-Core Networks.

- ⇒ Planning and Strategy of 5GC Introduction for FWA (Fixed Wireless Access) use case.
- ⇒ Defining the requirement and strategy for 5G SBA Deployment options and network readiness.
- ⇒ Performed POC and Trials of 5G-NSA (3X Option) Successfully in multiple vendor environment.
- ⇒ Planning and rollout of HPE UDM SWAP from BareMetal to virtualized Solution of HPE vHSS.
- ⇒ Successful migration of 5 million IoT Subscribers from Monolithic HLR/HSS (UDM Solution) to virtualized UDM Solution.
- ⇒ Worked from AT&T Side for VoLTE Deployment (mixed Solution) Nokia IMS Core(CFX and NTAS)
- ⇒ Deployment of vIMS solution and Apple Watch Calling/SMS services.
- ⇒ Planning and Design of IMS Solution deployment.
- ⇒ Planning and rollout of HPE UDM SWAP from BareMetal to virtualized Solution of HPE vHSS.
- ⇒ Successful migration of 5 million IoT Subscribers from Monolithic HLR/HSS (UDM Solution) to virtualized UDM Solution.
- ⇒ Deployment and e2e Integration of Cisco-Jasper IoT Control Center (used for IoT Life Cycle Management and IoT Vertical Enablement.
- ⇒ Deployment and Integration of HPE IoT Platform- SIM life cycle Manager and Device Management platform.
- ⇒ E2E Deployment of IoT Verticals and their Management. (Planning and designing of use cases).
- ⇒ Enablement of enterprise customers with global IoT connectivity and management of their data and service.
- ⇒ High Performance Openstack deployment focused for NFV.
- ⇒ Capacity planning for Cloud used as VIM.
- ⇒ Multivendor HW integration (Storage, Compute, Networking)
- ⇒ Working in AT&T as Engineering and Planning Team for IoT Core Deployment on REDHAT Openstack and HPE-Helion Openstack.
- ⇒ Worked during HPE NFV solution deployment for AT&T IoT Virtual Core (vEPC,vIoT Core,vHSS).
- ⇒ Deployed HPE Openstack Helion Carrier grade and VMware MANO solution following ETSI-NFVI standards.
- ⇒ Deployment of High complex VNF's. (vHSS-HPE,EPC,SMSC).
- ⇒ VNF VM's Onboarding Validation testing.
- ⇒ VNF-M & VM's Integration testing.
- ⇒ Creation of VNFM Descriptors using heat templates and NFV-Descriptors for Virtual functions.
- ⇒ Currently working on Planning of 5G Network Deployment of Non-Standalone Mode (NSA).
- ⇒ Identifying the Impact/upgradation requirement of 5G deployment on current LTE Network e2e (Core Network).
- ⇒ Working in AT&T as Engineering and Planning Team for IoT Core Deployment.

- ⇒ Deployed HPE NFV Solution for IoT vCore(Include vEPC, virtual Signaling network, Provisioning/VAS Network elements and vHSS(UDC Solution).
- ⇒ Planning and deployment of e2e vEPC,VAS,UDC Solution for IoT Subscriber only.
- ⇒ Deploying and integrating IoT use cases.
- ⇒ Deployment of AT&T VoLTE Network.
- ⇒ Deployment of vIMS solution and Apple Watch Calling/SMS services.
- ⇒ E2E deployment of NB-IoT and LTE-M for AT&T Mexico, enabling eDRX, PSM and Data delivery using S11-C.

Designation: IMS VOLTE Consultant.

- ⇒ Working on Telcel VoLTE Nationwide rollout.
- ⇒ Performed First VoLTE to VoLTE Call in Telcel Network.
- ⇒ Performed, VoLTE-VoLTE,VoLTE-3G/PSTN Calls and viceversa
- ⇒ Good Knowledge on SIP Protocol and VoLTE Architecture.
- ⇒ Good Experience on EPC attach and IMS Attach Procedure.
- ⇒ Integration and Configuration of CSCF and MTAS with Surrounding nodes (DNS,ENUM,MRS)
- ⇒ Good knowledge on IMS interfaces (ISC,CX,SH,MW,RX,S6A,MG,GM)
- ⇒ Hands on Experience on Installation/Integration/Configuration of CSCF/MTAS/SBG.
- ⇒ Preparation of High Level Solution for IMS 15A Solution and RCS Solution for Sales proposal to Entel Bolivia.
- ⇒ Preparation of High Level Solution Document for MSS Upgrade to 15A sales proposal for Orange Dominican Republic.
- ⇒ MGW Expansion Solution Document for sales proposal to Telcel Mexico.
- ⇒ Preparation and Answering of Statement of compliance (SOC)for IMS and VOLTE nodes, for Sales proposal of LTE/VoLTE core nodes to Cables and wireless T&T.
- ⇒ High level solution for Optimal Call routing Feature for Sales proposal.
- ⇒ Preparation of ECP and VERDI for New nodes HW/SW and services.
- ⇒ Preparation and Answering of Statement of compliance (SOC)for IMS and VOLTE nodes, for Sales proposal of LTE/VoLTE core nodes to Cables and wireless T&T.
- ⇒ High level solution for Optimal Call routing Feature for Sales proposal.
- ⇒ Preparation of ECP and VERDI for New nodes HW/SW and services.
- ⇒ HSS Installation and Integration.
- ⇒ TSP6703 Installation and HSS12B Application Installation.
- ⇒ Diameter Configuration with CSCF.
- ⇒ HSS Upgrade from HSS 12B CP2 EP3 to 14A FD0 CP1.
- ⇒ TSP6703 Installation and MTAS13A_CP1 Application Installation.
- ⇒ Installation and integration of MRS and SBG(CPP and IS)
- ⇒ Integration and Configuration Ericsson MTAS(MMTel Application Server)
- ⇒ Implementation of CS-FB and SMSoSG.

Designation: Core Consultant
Project: Telkomsel

CS-Core Implementation)MSC,MSS,MGW,HLR's):-

- ⇒ CS-FB and SMSoSG Trial testing and Implementation in both Dual blade and Blade Cluster In TSEL and XL Axiata Indonesia.
- ⇒ Integration and Commissioning of Blade Cluster 2.1 R13A/R14.1/R14.0
- ⇒ Integration of MSS APZ2160(R13.2)
- ⇒ Integration and commissioning of APG43 and APG40.
- ⇒ Integration of IS(3.0 and 3.1) and SIS.
- ⇒ Integration and Commissioning of APZ2150,APZ21260.
- ⇒ Relocation of MSS APZ21250/APG40
- ⇒ Hardware Expansion of Blade Cluster R14.1 8 Blades to 12.
- ⇒ Blade Cluster Upgrade R14.1 to R13A
- ⇒ Blade cluster upgrade R14.0 to R14.1
- ⇒ MSS upgrade R13.2 to R14.1
- ⇒ MIP Rollout for Telkomsel.
- ⇒ Migration of BSC's in MSC POOL
- ⇒ MSS Upgrades:IPA and AGM021
- ⇒ MDE loading for the new features Implementation.
- ⇒ Migration of BSC from TDM to IP(AOIP Migration)
- ⇒ Migration of RNC from ATM to IP(IUCSOIP Migration)
- ⇒ Implementation of AOIP BSC.
- ⇒ Implementation of IUCSOIP RNC.
- ⇒ Migration of BSC from TDM MPP to AOIP MIP.
- ⇒ Migration of GCP over M3UA to GCP over SCTP.
- ⇒ Implementation of Aflex and IuFlex(with Huawei and NSN BSC/RNC)

Designation: Core Integration/Support Consultant

During Commissioning, Expansion & Integration of AXE & MGW:-

- ⇒ Integration and Configuration of Blade cluster R14.0 And MGW GMPV4
- ⇒ Migration of BSC's from MSS in pool to BLADE CLUSTERS in Pool.
- ⇒ Integration & commissioning of APZ 21250/55 MSS.
- ⇒ Integration between MSC-S, MGW, BSC, STP, HLR, SCP.
- ⇒ Hardware expansions in live nodes as and when required.
- ⇒ Configuration & Integration of New Core Nodes.
- ⇒ MGW Hardware Expansion.

- ⇒ Ability to learn and adept quickly to new Techniques and methodologies as far as possible and obviously can deliver my knowledge.
- ⇒ Optimistic in approach.

EDUCATIONAL QUALIFICATION

Bachelor of Engineering in Electronics and Communication in 2015 from J.R.N University, Udaipur, India.

3 years full time Diploma in Electrical and Electronics in 2008 from BSF Institute of Technology, Bangalore, India

AWARDS RECEIVED: -

Awarded By Ericsson India Pvt. Ltd. For Outstanding Performance in UNINOR UPE PROJECT-2009

Awarded By AT&T Mexico for Deployment and go live of first NFVI Solution with Complex VNF's in 2017.

PERSONAL INFORMATION

Name	:	Amit Kumar Gautam
Date of Birth	:	1 st July 1990
Nationality	:	Mexican.
Marital Status	:	Married.
Cell No	:	+525571107936