

Cucumber PDF Report

10-May-2024, 8:43:51 PM

Start : May 10, 8:41:00.307 PM

End : May 10, 8:43:50.891 PM

Duration : 2 m 50.584 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 2
FAILED - 1
SKIPPED - 0


PASSED - 8
FAILED - 1
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login validations</u>	2 m 50.584 s	3	2	1	0	9	8	1	0

#	Feature Name	Scenario Name
1	<u>Login validations</u>	<u>Login with invalid credentials</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@InvalidCredentials	3	2	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	Login validations	3	2	1	0	2 m 50.584 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login validations</u>	<u>Login with invalid credentials</u>	3	3	0	0	2 m 18.662 s
2		<u>Login with invalid credentials</u>	3	3	0	0	16.521 s
3		<u>Login with invalid credentials</u>	3	2	1	0	15.363 s

Login validations



FAILED	DURATION - 2 m 50.584 s	Scenarios		Steps	
/ 8:41:00.307 PM // 8:43:50.891 PM /		Total - 3 Pass - 2 Fail - 1 Skip - 0		Total - 9 Pass - 8 Fail - 1 Skip - 0	

Login with invalid credentials

PASSED	DURATION - 2 m 18.662 s		Steps	
/ 8:41:00.314 PM // 8:43:18.976 PM /			Total - 3 Pass - 3 Fail - 0 Skip - 0	
Login validations				
@InvalidCredentials				



#	Step / Hook Details	Status	Duration
1	Given User is on HRMLLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	1 m 48.903 s
2	When User enters username as "Admin" and password as "admin12\$\$"	PASSED	26.779 s
3	Then User should be able to see error message "Invalid credentials"	PASSED	0.476 s


Login with invalid credentials

<div>PASSED</div>	<div>DURATION - 16.521 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:43:18.989 PM // 8:43:35.510 PM /</div>				
<div>Login validations</div>				
<div>@InvalidCredentials</div>				

#	Step / Hook Details	Status	Duration
1	Given User is on HRMLLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	9.204 s
2	When User enters username as "admin\$\$" and password as "admin123"	PASSED	4.688 s
3	Then User should be able to see error message "Invalid credentials"	PASSED	0.472 s

Login with invalid credentials

FAILED DURATION - 15.363 s / 8:43:35.528 PM // 8:43:50.891 PM / Login validations @InvalidCredentials		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
--	--	--	---

#	Step / Hook Details	Status	Duration
1	Given User is on HRMLLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	10.409 s
2	When User enters username as "abc123" and password as "xyz\$\$"	PASSED	0.721 s
3	Then User should be able to see error message "credentials"	FAILED	1.942 s
	<pre>java.lang.AssertionError: expected [credentials] but found [Invalid credentials] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at org.testng.Assert.assertEquals(Assert.java:666) at StepDefinitions.LoginPageDefinitions.verifyErrorMessage(LoginPageDefinitions.java:55) at ?.User should be able to see error message "credentials"(file:///C:/Users/abhig/OneDrive/Desktop/Cucumber%20Tutorials/Cucumber%20Eclipse%20WS/CucumberExtentReportsTestNg/src/test/resources/featureFile/LoginPage.feature:16) * Not displayable characters are replaced by '?'. </pre>		
	AFTER - StepDefinitions.Hook.tearDown(io.cucumber.java.Scenario)	PASSED	0.811 s
	Login with invalid credentials		
			

(Step) AFTER - StepDefinitions.Hook.
tearDown(io.cucumber.java.Scenario)

(S) Login with invalid credentials

(F) Login validations



Login

! Invalid credentials

Username : Admin
Password : admin123

👤 Username

🔑 Password

