Cucumber PDF Report

| Start : May 10, 8:47:31.388 PM	End : May 10, 8:51:02.950 PM	Duration : 3 m 31.562 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 3 SKIPPED - 0	PASSED - 6 FAILED - 3 SKIPPED - 0

Features: 1

Scenarios: 3

Steps: 9

Pass % — Features: 0 %

Pass % — Scenarios: 0 %

Pass % — Steps: 66 %

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Login validations	_3 m 31.562 s_	_3_	_0_	_3_	_0_	_9_	_6_	_3_	_0_

#	Feature Name	Scenario Name
1	*Login validations*	*Login with invalid credentials*
2		*Login with invalid credentials*
3		*Login with invalid credentials*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@InvalidCredentials	3	0	3	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Login validations	3	0	3	0	3 m 31.562 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login validations	Login with invalid credentials	3	2	1	0	46.815 s
2		Login with invalid credentials	3	2	1	0	14.630 s
3		Login with invalid credentials	3	2	1	0	2 m 30.042 s

Login validations

FAILED	DURATION - 3 m 31.562 s	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0	3	Steps Total - 9 Pass - 6 Fail - 3 Skip - 0	9
/ 8:47:31.388 PM // 8:51:02.950 PM /					

Login with invalid credentials

FAILED	DURATION - 46.815 s	*[bar chart]*	Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	3
/ 8:47:31.394 PM // 8:48:18.209 PM /				
Login validations				
@InvalidCredentials				

| #	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	13.214 s
2	When User enters username as "Admin" and password as "admin12$$"	PASSED	0.754 s
3	Then User should be able to see error message "Invalid credentials"	FAILED	30.090 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id='app']/div[1]/div/div[1]/div/div[2]/div[2]/div/div[1]/div[1]/p"} (Session info: chrome=124.0.6367.119) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java. version: '11.0.13' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [af60fc53da763d235b157ce4fd8510ce, findElement {value=//*[@id='app']/div[1]/div/div[1]/div/div[2]/div[2]/div/div[1]/div[1]/p, using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.119, chrome: {chromedriverVersion: 124.0.6367.201 (46cf136d27d..., userDataDir: C:\Users\abhig\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52132}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52132/devtoo..., se:cdpVersion: 124.0.6367.119, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: af60fc53da763d235b157ce4fd8510ce
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.$Proxy25.getText(Unknown Source) at Actions.LoginPageActions.getErrorMessage(LoginPageActions.java:52) at StepDefinitions.LoginPageDefinitions.verifyErrorMessage(LoginPageDefinitions.java:55) at ?.User should be able to see error message "Invalid credentials"(file:///C:/Users/abhig/OneDrive/Desktop/Cucumber%20Tutorials/Cucumber%20Eclipse%20WS/CucumberExtentReportsTestNg/src/test/resources/featureFile/LoginPage.feature:16) * Not displayable characters are replaced by '?'.		
	AFTER - StepDefinitions.Hook.tearDown(io.cucumber.java.Scenario) Login with invalid credentials 	PASSED	0.911 s

Login with invalid credentials

FAILED	DURATION - 14.630 s		Steps
/ 8:48:18.262 PM // 8:48:32.892 PM /			Total - 3 Pass - 2 Fail - 1 Skip - 0
Login validations			
@InvalidCredentials			

#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	10.082 s
2	When User enters username as "admin$$" and password as "admin123"	PASSED	0.725 s
3	Then User should be able to see error message "credentials"	FAILED	1.510 s

	java.lang.AssertionError: expected [credentials] but found [Invalid credentials]
	    at org.testng.Assert.fail(Assert.java:111)
	    at org.testng.Assert.failNotEquals(Assert.java:1578)
	    at org.testng.Assert.assertEqualsImpl(Assert.java:150)
	    at org.testng.Assert.assertEquals(Assert.java:132)
	    at org.testng.Assert.assertEquals(Assert.java:656)
	    at org.testng.Assert.assertEquals(Assert.java:666)
	    at StepDefinitions.LoginPageDefinitions.verifyErrorMessage(LoginPageDefinitions.java:55)
	    at ?.User should be able to see error message "credentials"(file:///C:/Users/abhig/OneDrive/Desktop/Cucumber%20Tutorials/Cucumber%20Eclipse%20WS/CucumberExtentReportsTestNg/src/test/resources/featureFile/LoginPage.feature:16)
	* Not displayable characters are replaced by '?'.		

	AFTER - StepDefinitions.Hook.tearDown(io.cucumber.java.Scenario)	PASSED	0.872 s
	Login with invalid credentials		

Login with invalid credentials

FAILED	DURATION - 2 m 30.042 s		Steps	
/ 8:48:32.908 PM // 8:51:02.950 PM /			Total - 3 Pass - 2 Fail - 1 Skip - 0	
Login validations				
@InvalidCredentials				

#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	2 m 0.621 s
2	When User enters username as "abc123" and password as "xyz$$"	PASSED	4.963 s
3	Then User should be able to see error message "credentials"	FAILED	22.116 s

#	Step / Hook Details	Status	Duration

	java.lang.AssertionError: expected [credentials] but found [Invalid credentials]
	    at org.testng.Assert.fail(Assert.java:111)
	    at org.testng.Assert.failNotEquals(Assert.java:1578)
	    at org.testng.Assert.assertEqualsImpl(Assert.java:150)
	    at org.testng.Assert.assertEquals(Assert.java:132)
	    at org.testng.Assert.assertEquals(Assert.java:656)
	    at org.testng.Assert.assertEquals(Assert.java:666)
	    at StepDefinitions.LoginPageDefinitions.verifyErrorMessage(LoginPageDefinitions.java:55)
	    at ?.User should be able to see error message "credentials"(file:///C:/Users/abhig/OneDrive/Desktop/Cucumber%20Tutorials/Cucumber%20Eclipse%20WS/CucumberExtentReportsTestNg/src/test/resources/featureFile/LoginPage.feature:16)
	* Not displayable characters are replaced by '?'.		

	AFTER - StepDefinitions.Hook.tearDown(io.cucumber.java.Scenario) Login with invalid credentials +	PASSED	0.950 s

(Step) AFTER - StepDefinitions.Hook.
tearDown(io.cucumber.java.Scenario)

(S) Login with invalid credentials

(F) Login validations

(Step) AFTER - StepDefinitions.Hook.
tearDown(io.cucumber.java.Scenario)

(S) Login with invalid credentials

(F) Login validations

(Step) AFTER - StepDefinitions.Hook.
tearDown(io.cucumber.java.Scenario)

(S) Login with invalid credentials

(F) Login validations

Login

⚠ Invalid credentials

Username : Admin
Password : admin123

👤 Username

| Username |

🔑 Password

| Password |