

Cucumber PDF Report

11-May-2024, 9:42:17 PM

Start : May 11, 9:41:38.871 PM

End : May 11, 9:42:15.935 PM

Duration : 37.064 s

Features




Scenarios

Steps

PASSED - 1
FAILED - 1
SKIPPED - 0

PASSED - 2
FAILED - 2
SKIPPED - 0


PASSED - 9
FAILED - 2
SKIPPED - 1




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login validations</u>	13.854 s	1	1	0	0	3	3	0	0
<u>InValid Login validations</u>	37.052 s	3	1	2	0	9	6	2	1

#	Feature Name	Scenario Name
1	<u>InValid Login validations</u>	<u>Login with invalid credentials</u>
2		<u>Login with invalid credentials</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@InvalidCredentials	4	2	2	0	2	1	1	0





#	Feature Name	T	P	F	S	Duration
1	Login validations	1	1	0	0	13.854 s
2	InValid Login validations	3	1	2	0	37.052 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login validations</u>	<u>Login with valid credentials</u>	3	3	0	0	13.851 s
2	<u>InValid Login validations</u>	<u>Login with invalid credentials</u>	3	2	1	0	19.874 s
3		<u>Login with invalid credentials</u>	3	3	0	0	15.884 s
4		<u>Login with invalid credentials</u>	3	1	1	1	37.048 s

Login validations



PASSED	DURATION - 13.854 s	Scenarios		Steps	
/ 9:41:38.871 PM // 9:41:52.725 PM /		Total - 1 Pass - 1 Fail - 0 Skip - 0		Total - 3 Pass - 3 Fail - 0 Skip - 0	

Login with valid credentials



<div>PASSED</div> <div>DURATION - 13.851 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:41:38.874 PM // 9:41:52.725 PM /</div>				
<div>Login validations</div>				
<div>@InvalidCredentials</div>				

#	Step / Hook Details	Status	Duration
1	Given User is on HRMLLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	5.336 s
2	When User enters username as "Admin" and password as "admin123"	PASSED	1.877 s
3	Then User should be able to login successfully and new page open	PASSED	0.458 s
	AFTER - StepDefinitions.Hook.tearDown(io.cucumber.java.Scenario)	PASSED	1.325 s
	Login with valid credentials		
			

Invalid Login validations

FAILED	DURATION - 37.052 s	Scenarios		Steps	
/ 9:41:38.883 PM // 9:42:15.935 PM /		Total - 3		Total - 9	
		Pass - 1		Pass - 6	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 1	



Login with invalid credentials


<div>FAILED</div> <div>DURATION - 19.874 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 9:41:38.886 PM // 9:41:58.760 PM /				
InValid Login validations				
@InvalidCredentials				

#	Step / Hook Details	Status	Duration
1	Given User is on HRMLLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	8.126 s
2	When User enters username as "abc123" and password as "xyz\$\$"	PASSED	5.747 s
3	Then User should be able to see error message "credentials"	FAILED	0.333 s
	<pre>java.lang.AssertionError: expected [credentials] but found [Invalid credentials] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at org.testng.Assert.assertEquals(Assert.java:666) at StepDefinitions.LoginPageDefinitions.verifyErrorMessage(LoginPageDefinitions.java:55) at ?.User should be able to see error message "credentials"(file:///C:/Users/abhig/OneDrive/Desktop/Cucumber%20Tutorials/Cucumber%20Eclipse%20WS/CucumberExtentReportsTestNg/src/test/resources/featureFile/LoginPageOne.feature:10) * Not displayable characters are replaced by '?'. </pre>		
	AFTER - StepDefinitions.Hook.tearDown(io.cucumber.java.Scenario)	PASSED	0.826 s
	Login with invalid credentials		



#	Step / Hook Details	Status	Duration
			

Login with invalid credentials

<div>PASSED</div>	<div>DURATION - 15.884 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 9:41:38.887 PM // 9:41:54.771 PM /				
InValid Login validations				
@InvalidCredentials				

#	Step / Hook Details	Status	Duration
1	Given User is on HRMLLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	6.872 s
2	When User enters username as "Admin" and password as "admin12\$\$"	PASSED	2.940 s
3	Then User should be able to see error message "Invalid credentials"	PASSED	0.324 s
	AFTER - StepDefinitions.Hook.tearDown(io.cucumber.java.Scenario)	PASSED	0.904 s
	Login with invalid credentials		
			

Login with invalid credentials

FAILED	DURATION - 37.048 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 9:41:38.887 PM // 9:42:15.935 PM /				
Invalid Login validations				
@InvalidCredentials				

#	Step / Hook Details	Status	Duration
1	Given User is on HRMLLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	1.279 s
2	When User enters username as "admin\$\$" and password as "admin123" <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"*[name='username']"} (Session info: chrome=124.0.6367.119) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.13' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [632aae0dc7564511dcab0f50496fa850, findElement {using=name, value=username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.119, chrome: {chromedriverVersion: 124.0.6367.201 (46cf136d27d..., userDataDir: C:\Users\labhig\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58483}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58483/devtoo..., se:cdpVersion: 124.0.6367.119, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 632aae0dc7564511dcab0f50496fa850 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</pre>	FAILED	30.076 s

#	Step / Hook Details	Status	Duration
	at com.sun.proxy.\$Proxy25.sendKeys(Unknown Source) at Actions.LoginPageActions.setUserName(LoginPageActions.java:21) at Actions.LoginPageActions.login(LoginPageActions.java:76) at StepDefinitions.LoginPageDefinitions.goToHomePage(LoginPageDefinitions.java:30) at ?.User enters username as "admin\$\$" and password as "admin123"(file:///C:/Users/abhigh/OneDrive/Desktop/Cucumber%20Tutorials/Cucumber%20Eclipse%20WS/CucumberExtentReportsTestNg/src/test/resources/featureFile/LoginPageOne.feature:9) * Not displayable characters are replaced by '?'.		
3	Then User should be able to see error message "credentials"	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hook.tearDown(io.cucumber.java.Scenario)	PASSED	0.848 s
	Login with invalid credentials		
	+		

(Step) AFTER - StepDefinitions.Hook.
tearDown(io.cucumber.java.Scenario)



(S) Login with valid credentials

(F) Login validations

(Step) AFTER - StepDefinitions.Hook.
tearDown(io.cucumber.java.Scenario)

(S) Login with invalid credentials

(F) InValid Login validations



(Step) AFTER - StepDefinitions.Hook.
tearDown(io.cucumber.java.Scenario)

(S) Login with invalid credentials

(F) InValid Login validations

(Step) AFTER - StepDefinitions.Hook.
tearDown(io.cucumber.java.Scenario)

(S) Login with invalid credentials

(F) InValid Login validations



Login

! Invalid credentials

Username : Admin
Password : admin123

👤 Username

🔑 Password

