**TypeScript-Simple-Mern-Project\thapaMernCodeno_34.jsx**

```
1  Welcome, to MERN series as we Discover how to make beautiful UI cards, effortlessly
   pull data from the backend, and showcase it dynamically on different pages. It's a
   hands-on journey to enhance your web development skills! 🚀🌐

2

3  1: Add the functionality in the auth.jsx file to get the services data in our frontend
   & we will store it in our services state variable. ( I've only included the relevant
   code in the video to keep things simple and easy to follow )

4

5  ```
6  const getServiceData = async () => {
7      try {
8        const response = await fetch("http://localhost:5000/api/data/service", {
9          method: "GET",
10       });
11       if (response.ok) {
12         const services = await response.json();
13         setServices(services.data);
14       }
15       console.log("service ", response);
16     } catch (error) {
17       console.log(error);
18     }
19   };
20
21   useEffect(() => {
22     getServiceData();
23     userAuthentication();
24   }, []);
25  ```
26
27  2: Our main service page to show all the cards
28
29  ```
30  import { useAuth } from "../store/auth";
31
32  export const Service = () => {
33    const { services } = useAuth();
34    console.log(services);
35
36    return (
37      <section className="section-services">
38        <div className="container">
39          <h1 className="main-heading">Services </h1>
40        </div>
41
42        <div className="container grid grid-three-cols">
43          {services.map((curElem, index) => {
44            return (
45              <div className="card" key={index}>
46                <div className="card-img">
47                  <img src="/images/design.png" alt="desginer" width="200" />
48                </div>
49                <div className="card-details">
50                  <div className="grid grid-two-cols">
```

```jsx
                    <p>{curElem.provider}</p>
                    <p>{curElem.price}</p>
                  </div>
                  <h2>{curElem.service}</h2>
                  <p>{curElem.description}</p>
                </div>
              </div>
            );
          })}
        </div>
      </section>
    );
};
```