SCRIPT GRAMMAR FOR HINDI LANGUAGE

Prepared by

Technology Development for Indian Languages (TDIL) Programme

Department of Information Technology, Government of India

in association with

Centre for Development of Advanced Computing (C-DAC)

Table of Contents

0.	INTRODUCTION	3
1.	OBJECTIVES OF SCRIPT GRAMMAR	4
2.	END USERS FOR SCRIPT GRAMMAR	5
3.	SCOPE	6
4.	TERMINOLOGY	7
5.	PHILOSOPHY AND UNDERLYING PRINCIPLES	11
6.	SCRIPT GRAMMAR STRUCTURE	12
	6.1. PERIPHERAL ELEMENTS OF THE SCRIPT GRAMMAR	13
	6.2. CONFORMITY TO THE SYLLABLE STRUCTURE	14
	6.3 SCRIPT GRAMMAR PROPER	17
	6.3.1. The Character Set of Hindi.	17
	6.3.2. Consonant Mātrā Combinations.	24
	6.3.3. The Ligature Set of Hindi.	38
	6.3.4 The Collation Order of Hindi	48
7.	REFERENCES	50
8.	ANNEXURES	51
	Annexure 1: Names of experts who have contributed to the script grammar	51
	Annexure 2: Shapes of Hindi characters as per Central Hindi Directorate	52
	Annexure 3: Unicode Table of Devanāgarī	54

0. INTRODUCTION

The term **script grammar** refers to the behavior pattern of the writing system of a given language. Languages which have written representations do not use a haphazard manner of storing the information within the system, but use a coherent pattern which is similar to the linguistic grammar of a given language. With the help of specialists (not necessarily linguist) who work in the area of the written representation of the language, the manner in which the shapes of the characters of the language and the representation of the conjunct forms is provided. In other words, the Script Grammar deals with the surface structure of the language and tries to provide the best possible "fit" for shapes and their representation. Since this is a highly subjective issue, the shapes provided here are recommendations at the best and conform to the perception of the mandating body/evaluators who consensually arrive at the "best possible fit" which is acceptable to a majority of users. An example from the Devanāgarī script will make the above clear. Although Marathi and Hindi share the same script Devanāgarī, not only do they not share the same character inventory but in addition the representation of certain characters is different. Thus the Hindi /la/ is different from the Marathi /la/ in so far as the placement of the stem is concerned Hindi ल Marathi ल. This ensures that the Script Grammar conforms to the language in question and provides the character shapes acceptable to a given user community. It should be noted that this does not mean monotony. The Marathi and Hindi /la/ can have a variety of forms once the intrinsic structure of the character is determined.

Script Grammar is the term used to define:

- the writing system used to inscribe a given language
- the syllabic structure of the writing system of the language
- the rule ordering of the characters within the akshar
- description of the syllabic clusters / ligatures
- collation order of the characters: lexical / dictionary sorting order

1. OBJECTIVES OF SCRIPT GRAMMAR

The objectives of the script grammar for each language can be divided into two major parts:

Societal:

- Provide a visual representation of shapes that are deemed to be in conformity with the perception of a given community
- Ensure thereby that this perception is safe-guarded
- Through wide-spread dissemination and creation of appropriate tools ensure that within the given linguistic community, all media try to adopt the given shape.

Technical:

- Classify the language in terms of its ISO and also whether it belongs to the Abjad, Akshar (Alphasyllabary) class.
- Provide an inventory of the characters pertinent to the language and classify the same in terms of their taxonomy.
- As a corollary determine whether the inventory is in conformity to the Syllable formalism as stipulated in ISCII'91 and subsequently adopted by Unicode.
- Since Brahmi is written from left to right, and since certain characters do not follow the linear L to R order, provide an inventory of displaced catenators, i.e. characters such as Mātrās that concatenate to the Consonant
- Propose the best shape representation of the individual characters as well as of the ligatures used within a given script. As a corollary request the expert(s) to identify the largest possible strings of such ligatures.
- Finally provide the collation order pertinent to that script/language, which would be of great utility to high-end NLP as well as to CLDR's in the pertinent language. The collation order for Hindi is different from Marathi although both languages share the same script. Thus, in Hindi क्षा, जा are placed at the end of the consonant inventory, i.e. after ह in the sort order. In Hindi क्षा is sorted along with क and जा with ज

2. END USERS FOR SCRIPT GRAMMAR

The script grammar specific to a given language can be used by a large number of users.

- The primary aim of the script grammar has been for the font developer. The grammar can be used by font developers desirous of developing a font which is compliant with the perception of the characters and ligatures of a language by its user community.
- Certain features of the script grammar such as the shapes can also be used for testing OCR and OHWR. Similarly information regarding ligatures as well as collation order can help in high-end NLP work such as detecting invalid combinations, correct implementation of syllable structure, prediction routines to name a few. Information regarding collation and character sets can be also used for CLDR.
- They allow the font designer to design a font which is in compliance with the norms and standards of that particular script. A major problem which will be dealt with in the template is one of ligatures. The final list of ligatures defined by the script grammar allows the font designer to write specific rules for such glyphs.
- It permits the software developer to design and implement the keyboard and the input mechanism which will meet the requirement of the particular linguistic community.
- The collation or sort order as described in a Script Grammar permits the software developer to write software functions/ routines for sorting data in all applications.
- Script grammars are equally important for keyboard design, especially when supplemented by frequency data from a corpus.

As can be seen the script grammar has a wide range of use and can be of utility to font developers, Indian language developers and linguists in the area of computation.

3. SCOPE

This script grammar document contains following information about the language and the script used for writing the language.

- 1. Name of the language and its representation in the 3 letter mnemonic as per ISO 639.1 & 639.3 standard.
- 2. Script used to inscribe the given language
- 3. The structure of the script used for writing the language
 - Rule ordering of the characters within the syllable formation is a language
 - Description of the syllabic clusters of the script
 - Collation order of the characters: lexical / dictionary sorting order
 - Compliance of the script with Unicode.

These will be treated within the relevant sections of the script grammar.

4. TERMINOLOGY¹

Abjad: A writing system in which each symbol always or usually stands for a consonant. The long vowels are indicated. However the short vowels are rarely marked and the reader needs to supply these. Example: Urdu written in Perso-Arabic Script is an example of this writing system.

Abugida: Also called an alphasyllabary, it is a segmental writing system in which consonant–vowel sequences are written as a unit: each unit is based on a consonant letter, and vowel notation is obligatory, but secondary.²

Akshar: see Abugida.

Allographs: Variants of the representation of a character. Thus ae and æ [U+00E6] in Latin alphabet are allographs.

AlloScript: The term relates to languages which share a common script. Thus Devanāgarī is used to write 9 official languages. However these languages do not use the same set of characters. Thus Marathi uses the retroflex lla ϖ [U+ 0933] which Hindi does not use. Flaps used in Hindi Ξ [U+095C] Ξ [U+095D] are not used in Konkani. These sub-sets of scripts based on a single "matricial" script are termed as alloscripts.

Alphabet: A set of letters used in writing a language. Example: The English alphabet.

Aspirated consonant: A consonant which is pronounced with an extra puff of air coming out at the time of release of the oral obstruction. This has a sound of an extra "h".

Basic alphabet: The minimal set of letters which can be used for uniquely encoding every word of a language. The basic alphabet for English consists of only the upper-case letters A-Z.

Catenators: Also termed as concatenators, these are characters which are concatenated to another character. In the Brahmi script these are the Mātrās or Vowel modifiers which are adjoined to the consonant and add a vocalic value to the consonant.

Conjunct: The Brahmi derived scripts are noted for a large number of consonant conjunct forms that serve as orthographic abbreviations (ligatures) of two or more adjacent letterforms. This abbreviation takes place only in the context of a consonant cluster. Under normal circumstances, a consonant cluster is depicted with a conjunct glyph if such a glyph is available in the current font. In the absence of a conjunct glyph,

_

¹ As in the case of the BIS Document, in order to make the terminology accessible for all readers, examples have been chosen from English/Latin scripts, wherever possible. Some definitions have been excerpted from the BIS ISCII91 document and suitably modified where necessary.

² Wikipedia definition

the one or more dead consonants that form part of the cluster are depicted using half-form glyphs. In the absence of half-form glyphs, the dead consonants are depicted using the nominal consonant forms combined with visible virama signs.³

Consonant: A letter representing a speech sound in which the flow of air is at least partly obstructed in the oral tract.

Diacritic: A mark added to a letter which distinguishes it from the same letter without a mark, usually having a different phonetic value or stress.

Displaced Catenator: (see Catenator) Within the Brahmi script, the writing system is linear and moves from left to right. However, in the case of some catenators this rule is not observed and the catenator (wholly or partially) is placed to the right of the consonant to which it relates. The short vowel I for in Devanāgarī is an example of a displaced catenator.

Display composing: It is the process of organizing the basic shapes available in a font in order to display (or print) a word.

Display rendition: It is the process by which a string of characters is displayed (or printed). In this process several consecutive characters may combine with each other on the screen. The sequence of display of the characters may become different.

Eyebrow repha: (See Eyelash ra).

Eyelash ra: The eyelash ra is used in Konkani, Nepali and Marathii. It is treated as different from the ξ (repha) by certain linguists. While the former is treated as a flap, the latter is a continuant trill (*cf.*, Kalyan Kale and Anjali Soman 1986).

Font: A set of symbols used for display or printing of a script in a particular style.

International numerals: The conventional 0 to 9 digits used in English for denoting numbers. These are also known as Indo-Arabic numerals (to differentiate them from the Roman numerals like IX for 9).

Latin alphabet: The alphabet used for writing the language of ancient Rome. Also known as the Roman alphabet. The alphabet is used today for writing English and European languages and also many Indian languages..

Letter: A character representing one or more of the simple or compound sounds used in speech. It can be any of the alphabetic symbols.

Ligature: (see Conjunct).

³ Unicode ver. 6.0 Chapter 9.0 pp. 6-7.

Nasal consonant: A consonant pronounced with the flow of air passing through the nose and the mouth. Example m, n in English.

Nasalized vowel: A vowel pronounced with the flow of air passing both through the nose and the mouth. In Indian scripts this is denoted by a Chandrabindu and gives the vowel/vowel modifier over which it is placed a nasalised value. Example: जाँच .

Phonetic alphabet: An alphabet which has direct correspondence between letters and sounds Example: The International Phonetic Alphabet.

Pure consonant: A consonant which does not have any vowel implicitly associated with it.

Rafar: A special case of a ligature constituted by the adjunction of ra followed by a halanta to consonant. The resultant combination places the ra on top of the consonant to which it is adjoined. In case the consonant itself is adjoined to another consonant, the rafar is placed above the consonant e.g. र+क क , र+घ+य घर्य.

Rakar: A special case of a ligature constituted by the adjunction of a consonant followed by a halanta to ra. In a large number of Brahmi derived scripts the ra is adjoined to the stem of consonant to which it relates. In the case of consonants which have no stem such as the retroflexes in Devanāgarī, the rakar is placed below the consonant to which it relates.

Repha: (see Rafar).

Roman script: The script based on the ancient Roman alphabet, with the letters A-Z and additional diacritic marks. Used for writing a language which is not usually written in the Roman alphabet.

Script: A distinctive and complete set of characters used for the written form of one or more languages.

Script numerals: The 0 to 9 digits in a script, which have shapes distinct from their international counterparts.

Syllable: A unit of pronunciation uttered without interruption, forming whole or part of a word, and usually having one vowel or diphthong sound optionally surrounded by one or more consonants.

Transliteration: Representation of words with the closest corresponding letters in an alphabet of a different language.

Vowel: A letter representing a speech sound made with the vibration of the vocal cords, but without audible obstruction. In some languages voiceless vowels do occur.

Vowel sign/allograph: A graphic character associated with a letter, to Brahmi derived ate a vowel to be associated with that character (Mātrā in Hindi).

5. PHILOSOPHY AND UNDERLYING PRINCIPLES

The script grammar is based on the following principles:

- 1. The Grammar aims to depict the surface grammar of the written language: the manner in which characters as well as conjuncts are depicted.
- 2. Where a given script admits many languages, it is pre-supposed that such languages will prescribe different representations for a given shape or conjunct according to the perception of the native users of that language.
- 3. Corollary to the above, the result is a script and alloscripts i.e. a given script shared by many languages is not uniformly deployed across all the languages, but is subject to variations and modulations.
- 4. The term Grammar is used here in a non-normative sense: what is prescribed is in the form of recommendations provided by experts who visualize the shape of the given script in their mother tongue in a specific manner. Subjective variations may occur⁴.
- 5. The Grammar is limited to its synchronic use, i.e. the manner in which a given language as of today admits a character set within the script used to write it. It is not diachronic or historical in nature and does not study the evolution of the given script across centuries.

-

⁴ It is recommended that such variations be culled by placing the Grammars of different scripts in public review.

6. SCRIPT GRAMMAR STRUCTURE

The script grammar provided below has the following parts.

Part 6.1. deals with peripheral elements such as the ISO of the language, the writing system used: (Alphasyllabic) Abugida or Abjad.

Part 6.2. treats of the syllabic structure. It verifies whether the character set of the language complies with the ISCII syllabic structure and if not, which cases are not compliant.

Part 6.3 is the script grammar proper and describes the character set as well as the conjunct shapes of the given script along with the collation order.

6.1. PERIPHERAL ELEMENTS OF THE SCRIPT GRAMMAR

These constitute the elements that are peripheral to the script grammar. The main parameters considered are the mnemonic and name of the language (needed for CLDR and also for language tags), the writing system used to inscribe the language and wherever possible a short history of the language.

6.1.1. Name of the language and its representation in the 3 letter mnemonic as per ISO 639.1. & 639.3

Name of the Language: HINDI

ISO Mnemonics: hin

This refers to a one line description of the language and its mnemonic representation as per the ISO.

6.1.2. Identification of the writing system(s) used to inscribe the given language Hindi is written using the Devanāgarī script. It is an alphasyllabary with the akshar as its core.

This is a one line description of the script used to write the language. However, in case the language uses more than one script, all the scripts in question are specified, provided these constitute the official language of the given state.

All scripts derived from Brahmi are Abugidas, i.e. syllabary driven systems. The main features of Abugidas are as under:

- The consonant has an implicit vowel built-in which is normally the schwa.
- The inherent vowel can be modified by the addition of other vowels or muted by a diacritic termed as a Virama or Halanta.
- Vowels can be handled as full vowels with a vocalic value.
- When two or more consonants join together they form ligatures which can be recognized by their shape ব্লন or alternatively form an entirely new shape ক্ম = क्षा.

Abugidas/Alphasyllabaries because of their syllabic structure require a special description which is the subject of the discussion in 6.2. below.

6.1.3. Amendments needed in Unicode for Hindi language

None has been proposed by the experts who have mandated the script grammar.

6.2. CONFORMITY TO THE SYLLABLE STRUCTURE

Hindi language complies with the akshar structure described above. It can admit up to 3 consonant clusters.

Alphasyllabaries are determined by the notion of the Akshar. The compositional grammar of the syllable determines it well-formedness. This is through a series of formal constraints based on a Backus-Naur Formalism which is given below. The akshar, first defined in the ISCII document (1991), identifies the following character 'sub-sets' for the purposes of identifying the akshar. In what follows the syllable analysis will be restricted to Hindi.

(C) Consonants

क	क	ख	ख	ग
ग	घ	ਝ	ਹ	<u> ড</u>
ज	ज़	झ	ਤ	ट
ठ	ड	ड़	ढ	ढ़
ण	ਰ	थ	द	ध
न	ч	দ	फ़	ब
भ	म	य	₹	ਲ
व	श	ष	स	ह

(V) Vowels

अ	आ	\$	4 57	3	ন	乘	Ų	ゼ	セ	ओ	ऑ	औ	
---	---	----	-----------------	---	---	---	---	---	---	---	---	---	--

(M) Mātrās or Vowel Modifiers

ा	ি	ी	ാ	્	్గు	े	'	්	ो	ॉ	ी
---	---	---	---	---	-----	---	---	---	---	---	---

(D) Diacritics

்: Anuswar	Anuswara, an archinasal, is denoted by a dot above the letter after which it is to be pronounced. This falls under Nasal category.
ँ :Chandrabindu	Chandrabindu, a nasal, is denoted by a breve with a dot superposed above the letter after which it is to be pronounced. This falls under Nasal category.

ः Visarga	Visarga, denoted by two dots placed one above the other.
S: Avagraha ⁵	For extra length with long vowels as seen in the Sanskrit text /उपदेशेऽजनुनासिक इत् /

(H):Halanta \circ - Halanta is used in most writing systems to signify the lack of an inherent vowel.

(N)⁶ Nukta : Nukta is used in Hindi

Each of these sub-types has its restrictions in terms of what can precede or follow it, within an akshar, as shown in the table below:

PRECEDED BY	SUBTYPE	FOLLOWED BY
-, H	C	N,M,D,H
С	N	C,M,D,H
-	V	D
C, N	M	D
C, N,V,M	D	-
C, N	H	С

C can be preceded by H or no subtype and followed by any one of the following: M,D,H N can be preceded by C and followed by any one of the following: N,M,D,H

V can be preceded by no subtype and followed by D but not by another sub-type.

M can be preceded by C and followed by D.

D can be preceded by C, V, M and followed by no other subtype. It closes the akshar.

H can be preceded by C alone and followed only by C and no other sub-set.

6.2.1.Akshar Types

The formalism defines the akshar in terms of both what can constitute an akshar and what cannot. A valid akshar as per this definition can be of only two types:

- 1. A vowel akshar: a full vowel.
- 2. A consonant akshar : a full consonant (having a mātrā)

The four other subsets viz. Mātrās, Vowel Modifiers, Halanta and Nukta cannot constitute an akshar by themselves or in combination among themselves.

- 1. The Vowel akshar is of the following types:
- 1.1. A pure vowel all by itself: अ, /a/ आ /ā/ etc.

⁵ Avagraha is rarely used in Hindi and is used for representing text in Sanskrit here the character is needed...

⁶ The nukta is a small dot placed under a character in certain scripts to show that they are flapped or for deriving consonants required for Urdu क,ख, म, ज, फ

- 1.2. A vowel followed by a modifier, i.e. either an archinasal (anuswara) or a visarga: $\frac{\xi}{\xi}$ /ĭ /, आ: $/\bar{a}$ H/
- 2. The Consonant akshar can be of the following types:
- 2.1. A full consonant (with or without Nukta), i.e. with the inherent vowel : क : /ka/
- 2.2. A consonant (with or without Nukta) followed by a mātrā, i.e. the inherent vowel being substituted by another vowel: की /ki:/,क़ी /qi:/
- 2.3. A consonant (with or without Nukta) followed by a modifier: कं /kə̃/, हः /haH⁸/
- 2.4. A consonant (with or without Nukta) followed by a mātrā and a modifier: कुं /kū/, दुः /duH/.
- 2.5. A consonant cluster i.e. a half consonant (Consonant+Halanta) followed by a full consonant followed optionally by a mātrā, a modifier or a combination of both. These result in a ligature or what is often termed as *yuktakshara*.

The above permutations and combinations result in 7 major akshar types. Of these the last type introduces the problem of the number of consonant clusters. ISCII (91, p.23) provides for up to three consonant clusters as the "worst case", i.e. the largest possible string. This is functional for Modern Prakrits where the largest consonantal cluster rarely exceeds three consonant. Sanskrit is an exception where in a single word, five consonants can come together: कार्रस्व /kārtsnya/ "wholeness", "entirety" (secondary derivative from the adjective कृत्स्व /kṛtsna/ meaning "whole, complete".)

This means that theoretically the following forms can be postulated:

1. Vowel Set: With the Vowel as the node.

V VD

2. Consonant set: With the Consonant as the node (an implicit or modified vowel is pre-implied).

Node	Mātrā	Modifier	Mātrā+Modifier
C^9	CM	CD	CMD
CHC	CHCM	CHCD	CHCMD
CHCHC	CHCHCM	CHCHCD	CHCHCMD
CHCHCHC	CHCHCHCM	CHCHCHCD	CHCHCHCM

A total number of 16 theoretical syllables is therefore possible.

Since the formal structure script grammar of the akshar is common to all Brahmi based scripts, it will not be treated in the sample template, but it will form the basis of an exhaustive description of the characters as well as their ligatural representations.

 $^{^7}$ For purposes of Simplification, C here will automatically be treated as being also consonant+nukta C+ N 8 This character represents phonetically the weak implicit vowel, termed as schwa and often shown as /a/ 8

⁹ C here will automatically be treated as being also consonant+nukta, C+N to simplify the explanation

6.3 SCRIPT GRAMMAR PROPER

This section lays down in detail the different parameters of the Script Grammar for Hindi. These are:

- 6.3.1. The Character Set of Hindi.
- 6.3.2. The Consonant mātrā combinations of Hindi.
- 6.3.3. The Ligature Set of Hindi.
- 6.3.4. Collocation Order of Hindi

6.3.1. The Character Set of Hindi.

This section provides detailed information about the characters in the language and the list of the same and also more importantly shows the manner in which the character is to be written. Each subsection comprises therefore two parts: the basic character set and the shape each character should have, as mandated by the experts who have designed the script grammar of Hindi.

This comprises the following:

- 6.3.1.1. The Consonant Set. 10
- 6.3.1.2. The Vowel Set.⁹
- 6.3.1.3. The Mātrā Set.⁹
- 6.3.1.4. Displaced Catenators.
- 6.3.1.5. Shape of the combination of ra (rakar,repha).
- 6.3.1.6. The Set of Diacritics.
- 6.3.1.7. Numerals.
- 6.3.1.8. Punctuation marks.
- 6.3.1.9. Other symbols.

Each of these will be analysed in detail:

6.3.1.1. The Consonant Set

The Consonant set of Hindi comprises the following characters:

A basic Consonant inventory arranged as per their Vargas.

	STOPS		NASAL	FRICA	ATIVE		
	-voiced	-voiced	+voiced	+voiced	+voiced	-voiced	+voiced
	-aspirated	+aspirated	-aspirated	+aspirated	-aspirated		
Laryngeal						ह	
Pharyngeal							ख़
Uvular	क़ _. 11		ग				

 $^{^{10}}$ The shapes provided here are as desired by Central Hindi Directorate. These are provided in Appendix 1

-

¹¹ क़ ग are Not recognized by the Central Hindi Directorate cf. p.2 of their document

Velar	क	ख	ग	घ	ङ		
Palatal	च	छ	ज	झ	ञ		ज़
Retroflex	ट	ਠ	ड	ढ	ण		ঘ
Flaps			ड़	ढ़			
Dental	ਰ	थ	द	ध	न	स	श
Labio-Dental						फ़	
Bi-labial	Ч	দ	ब	भ	म		

Other consonants

|--|

Note: Ligatures क्ष র র প্র are not listed in the consonants list¹².

The exact shapes as desired by the experts are provided in the table below:

	STOPS				NASAL	FRICA	ATIVE
	-voiced	-voiced	+voiced	+voiced	+voiced	-voiced	+voiced
	-aspirated	+aspirated	-aspirated	+aspirated	-aspirated		
Laryngeal						ह	
Pharyngeal							ख़
Uvular	<u>क</u> ्र. ¹³		ग				
Velar	क	ख	ग	घ	ਝ		
Palatal	च	छ	ज	झ	স		ज़
Retroflex	ट	ਠ	ड	ढ	ण		ঘ
Flaps			ਫ਼	ढ़			
Dental	ਰ	थ	द	ध	न	स	श
Labio-Dental						फ़	

¹² These are treated as Ligatures by the Central Hindi Directorate cf. p 2 and also p..5 of their document

18

¹³ क्र ग are Not recognized by the Central Hindi Directorate cf. p.2 of their document

Bi-labial	प	দ	ब	भ	म		
-----------	---	---	---	---	---	--	--

Other consonants

य	र	ਕ	व

6.3.1.2. The Vowel Set

The Vowel set of Hindi is as under:

अ	DEVANAGARI LETTER A
आ	DEVANAGARI LETTER AA
इ	DEVANAGARI LETTER I
\$	DEVANAGARI LETTER II
3	DEVANAGARI LETTER U
ক্ত	DEVANAGARI LETTER UU
来	DEVANAGARI LETTER VOCALIC R
ए	DEVANAGARI LETTER E
ऐ	DEVANAGARI LETTER AI
ओ	DEVANAGARI LETTER O
औ	DEVANAGARI LETTER AU
ऍ	DEVANAGARI LETTER CHANDRA E
ऑ	DEVANAGARI LETTER CHANDRA O

As per expert recommendations the character set should be written as under:

अ आ इ ई उ ऊ ऋ ए ऐ एँ ओ ऑ औ

6.3.1.3. The Mātrā Set

The Mātrā 14 (Vowel Sign) of Hindi is as under:

Mātrā Names	Mātrās Sign	Where is it used?	Consonant Shapes formed
1. Devanāgarī sign AA	ा	आ	क् + आ = का
2. Devanāgarī sign I (stands to the left of the consonant)	ি	इ	क् + इ = कि
3. Devanāgarī sign II	ী	ई	क् + ई = की
4. Devanāgarī sign U	ુ	3	क् + उ = कु
5. Devanāgarī sign UU	્	<u>ক</u>	क् + ऊ = कू
6. Devanāgarī sign vocalic R	ृ	来	क् + ऋ = कृ
7. Devanāgarī sign E	े	ए	क् + ए = के
8. Devanāgarī sign AI	8	ऐ	क् + ऐ = कै
9Devanāgarī sign O	ो	ओ	क् + ओ = को
10. Devanāgarī sign AU	া	औ	क् + औ = कौ
11 Devanāgarī sign Candra E	ॅ	τ̈	क् +ँ = कॅ
12 Devanāgarī sign Candra O	ॉ	ऑ	क् +ॉ = कॉ

As per the experts' recommendations the character set should be written as under:

ा	ি	ी	ુ	ૂ	ृ	े	ॅ	8	ो	ॉ
ी										

21

¹⁴ Allographs

6.3.1.4. Displaced Catenators

Under normal circumstances Vowel Modifiers also known as catenators (since they concatenate to the preceding consonant) in Brahmi based scripts are written from left to right in linear order (with the exception of Consonant stacks). However, certain modifiers are displaced and are placed to the left of the consonant to which they concatenate. As a general rule in all Devanāgarī script driven languages there is only one displaced catenator:

CATENATOR	POSITION	EXAMPLE
ি	To left of	कि, रि, पि
	char act er	

6.3.1.5. Shape of the combination of ra (rakar,repha)

The ₹ takes a variety of shapes known as rakar and repha (rafar) depending on its position. When conjoined before a consonant by means of the halanta, it changes shape and is placed on top of the consonant or consonant clusters to which it relates. This is called a repha or rafar. When it is conjoined after a consonant with the help of a halanta, it appends to the consonant in the shape of a slanting stroke attached to the stem (side rakar) or in the case of consonants which have no stem such as ₹, it is appended in the shape of a ^ to the bottom of the character (bottom rakar). Hindi has the following combinations of ra:

RAFARS

Top rafar: र्क र्त e.g. top rafars will be formed in case of following words.

धर्म .	चर्खा	
-101/	-1 -11	

RAKARS

Examples of words where Rakars are used in Hindi are given below:

Bottom rakar	ड्रम, राष्ट्र
Side rakar	व्रत, चक्र, प्रसाद,स्रोत

6.3.1.6. Diacritics

These are as under in the case of Hindi:

ं : - Anuswar रंग

ँ : -Candrabi ndu/ Anunasi ka इँट

् : - Hal ant संवत्

ः - Vi sarga द्ःख

s : - For extra length with long vowels e.g. / उपदेशेऽजनुनासिक इत्/ 15

6.3.1.7. Numerals

The international number set (Latino-Arabic set: 0,1,2,3,4,5,6,7,8,9) is used in official documents in H ndi.

Following are the numbers used in Hindi.

0 8 2 3 8 9 8 6 6 6 8

Numeral Shapes	Explanation
0	Devanāgarī Digit Zero
१	Devanāgarī Digit One
२	Devanāgarī Digit Two
3	Devanāgarī Digit Three
8	Devanāgarī Digit Four
ч	Devanāgarī Digit Five
દ્	Devanāgarī Digit Six
6	Devanāgarī Digit Seven
6	Devanāgarī Digit Eight
९	Devanāgarī Digit Nine

6.3.1.8. Punctuation Markers

Hindi uses punctuation markers from the Latin set. such as . , ; : " '()[] etc.

However, the abbreviation marker is often used in Devanagari •

Purna and Deergha Virama (full-stop/danda) Devanagari code block: U+0964, U+0965 I, II. I is used to mark the full stop and I and II are used for poetry as in the Doha of Sant Kabir.

¹⁵ Avagraha is rarely used in Hindi and is used for representing text in Sanskrit here the character is needed..

चाह मिटी, चिंता मिटी मनवा बेपरवाह । जिसको कुछ नहीं चाहिए वह शहनशाह॥ माटी कहे कुम्हार से, तु क्या रौंदे मोय । एक दिन ऐसा आएगा, मैं रौंदूगी तोय ॥ A list of punctuations is provided below:

Sr. No.	Name of the marker	Marker Shape
1.	Full Stop or Period	
2.	Question Mark	?
3.	Comma	,
4.	Exclamation Mark	!
5.	Apostrophe	,
6.	Semi Colon	;
7.	Colon	:
8.	Hyphen	-
9.	Dash	
10.	Ellipsis mark	
11.	Oblique	/
12.	Double quotation mark	" "
13.	Single quotation mark	٠ ،
14.	Cross	XXX
15.	As Above	"
16.	Round Brackets	()
17.	Square Brackets	[]
18.	Curly Brackets	{ }
19.	Abbreviation Sign	(•)
20.	Devanāgarī Danda	
21.	Devanāgarī Double Danda	

6.3.1.9 Other Symbols

These are religious, currency markers etc. included in Unicode:

گخ: Om (as written in Hindi)

☐: Rupee Sign as mandated by Government of India.

6.3.2. Consonant Mātrā Combinations.

These refer to the shapes generated when a Mātrā is adjoined to the Consonant. The layout of these is in the shape of a matrix where the first horizontal row refers to the active consonant and the first vertical column refers to the yowel-modifier.

Due to constraints of space and also for reasons of clarity, for each class a series of 3 tables are provided.

Table 1: क ख ग घ ङ च छ ज झ ञ

ਨ ड ढ ण थ ध ट ਰ द ਜ Table 2: ब भ य ₹ प দ্দ म ल व श Table 3: ष स ह क़ ख़ ग ज फ़ ड ढ Table 4

Wherever there is an X it implies that the combination does not exist. For the font developer this is an indication that for this particular combination which is not possible in the language but needs to be accommodated in the font table, a simple linear combination be provided. The script grammar document provides therefore for such combinations which could be termed as "dead" but which are required by the font developer for developing the font for the particular language.

e.g. Although the combination of $\mathbf{\vec{5}}$ +Mātrā is theoretically not possible it needs to be handled at the font level in the anticipation that a user could type this combination. The font would show the following: $\mathbf{\vec{5}}\mathbf{\vec{1}}$

The classes are as under:

6.3.2.1. refers to a simple concatenation of Consonant and Mātrā combinations.
6.3.2.2. refers to a concatenation of Consonant and Mātrā + Nasal marker combinations.
These are with Anuswara and Chandrabindu. Other diacritics such as avagraha and visarga have been avoided, since these are linear in nature, are adjoined to the combination and do not in any way modify the structure of the shapes.

6.3.2.1 Consonant and Mātrā combinations.

This set refers to a simple concatenation of Consonant and Mātrā.

Consonant and Mātrā combinations Set 1

	क	ख	ग	ਬ	ਝ	च	छ	ज	झ	স
ा	का	खा	गा	घा	Х	चा	छा	जा	झा	Х
ি	कि	खि	गि	घि	Х	चि	छि	जि	झि	Х
ी	की	खी	गी	घी	Х	ची	छी	जी	झी	Х
ു	कु	खु	गु	घु	Х	चु	छ	जु	झ	Х
્	क्	खू	गू	घू	Х	चू	छ्	जू	झू	X
ृ	कृ	खृ	गृ	घृ	Х	चृ	छ	जृ	親	X
े	के	खे	गे	घे	X	चे	छे	जे	झे	X
ॅ	कॅ	खॅ	गॅ	ਬੱ	Х	चॅ	छॅ	जॅ	झॅ	Х
্ব	कै	खै	गै	घै	Х	चै	छै	जै	झै	Х
ो	को	खो	गो	घो	Х	चो	छो	जो	झो	Х
ॉ	कॉ	खाँ	गॉ	घाँ	Х	चॉ	छाँ	जॉ	झॉ	Х
ौ	कौ	खौ	गौ	घौ	Х	चौ	ভী	जौ	झौ	Х

Remark 1- ङ and ञ are rarely used only as the first members of clusters and mostly as परसवर्ण or alternatives of अनुस्वार

Consonant and Mātrā combinations Set 2

This set is in continuation of set 1 which shows consonant and Matra combinations.

	ट	ਠ	ड	ढ	ण	ਰ	थ	द	ध	न
ा	टा	ਗ	डा	ढा	Х	ता	था	दा	धा	ना
ি	टि	ठि	डि	ढि	Х	ति	थि	दि	धि	नि
ी	टी	<u>ਰ</u> ੀ	डी	ढी	Х	ती	थी	दी	धी	नी
ു	৸	ठु	ѹ	ন্ত	Х	तु	थु	दु	धु	नु
્૮	잖	ठू	চ্ছ	₩	Х	त्	थू	दू	ध्रू	न्
ৃ	ਨਾ	ठ	ङ्	X	Х	X	થૃ	दृ	धृ	नृ
े	टे	ठे	डे	ढे	Х	ते	थे	दे	धे	ने
ॅ	ਟੱ	ਠੱ	डॅ	ठॅ	Х	ਜੱ	थॅ	दॅ	धॅ	नॅ
8	\$	8	डे	8	Х	तै	थै	\$	धै	नै
ो	टो	ਠੀ	डो	ढो	Х	तो	थो	दो	धो	नो
ॉ	टॉ	ਠੀਂ	डॉ	ढाँ	Х	तॉ	थॉ	दॉ	धॉ	नॉ
া	ਟੀ	ਠੀ	डौ	ਫੀ	Х	तौ	थौ	दौ	धौ	नौ

Consonant and Mātrā combinations Set 3

This set is in continuation of set 2 which shows consonant and Matra combinations.

	प	দ	ब	भ	म	य	र	ਕ	व	श	ঘ	स	ह
ा	पा	फा	बा	भा	मा	या	रा	ला	वा	शा	षा	सा	हा
ি	पि	फि	बि	भि	मि	यि	रि	लि	वि	গি	षि	सि	हि
ी	पी	फी	बी	भी	मी	यी	री	ली	वी	शी	षी	सी	ही
്യ	पु	फु	बु	भु	मु	यु	रु	लु	वु	शु	षु	सु	ह
્	पू	फू	बू	भू	मू	यू	冬	लू	वू	शू	ष्	सू	हू
ৃ	पृ	फृ	बृ	भृ	मृ	Х	Х	Х	वृ	शृ	Х	सृ	ह
े	पे	फे	बे	भे	मे	ये	रे	ले	वे	शे	षे	से	हे
ॅ	पॅ	फॅ	बॅ	भॅ	मॅ	यॅ	Ť	ਲੱ	वॅ	शॅ	षॅ	सॅ	हॅ
8	पै	फै	बै	भै	मै	यै	†	लै	वै	शै	В	सै	\$
ो	पो	फो	बो	भो	मो	यो	रो	लो	वो	शो	षो	सो	हो
ॉ	पॉ	फॉ	बॉ	भॉ	मॉ	यॉ	रॉ	लॉ	वॉ	शॉ	षाॅ	सॉ	हॉ

Consonant and Mātrā combinations Set 4

This set is in continuation of set 3 which shows consonant and Matra combinations for Nukta Consonants. 16

	क़	ख	ग	ज़	<u>फ</u>	ਤ	ढ़
ा	क़ा	ख़ा	गा	ज़ा	फ़ा	ड़ा	ढ़ा
ি	क़ि	ख़ि	गि	ज़ि	फ़ि	ड़ि	ढ़ि
ी	क़ी	ख़ी	गी	ज़ी	फ़ी	ड़ी	ढ़ी
ુ	कु	ख़ु	गु	ज़ु	फ़ु	ড্য	ङ
ू	क्रू	खू	ग्रू	ज़्	फ़्	ड्र	ढ़्
ृ ¹⁷	कृ	ख़ृ	गृ	ज़ृ	फ़ृ	इ	ढ़
े	क़े	ख़े	ग्रे	ज़े	फ़े	ड़े	ढ़े
ॅ	क़ॅ	ख़ॕ	गॅ	ज़ॅ	फ़ॅ	ੱ ਤ.	ढ़ॕ
8	क़ै	ख़॓	गै	ज़ै	फ़ै	<u>\$</u>	ूं ह
ो	क़ो	ख़ो	गो	ज़ो	फ़ो	ड़ो	ढ़ो
ॉ	क़ॉ	ख़ाँ	गॉ	ज़ॉ	फ़ॉ	ड़ॉ	ढ़ाँ
ী	क़ौ	ख्रौ	गौ	ज़ॏ	फ़ौ	ड़ौ	ढ़ौ

_

 $^{^{16}}$ क,ग are not recognized as part of the Consonant set by the Central Hindi Directorate.

¹⁷ This combination is rarely used but still noted as a guide for the font designer.

6.3.2.2 Consonant and Mātrā +Nasal combinations.

This set refers to a Consonant and Mātrā + Nasal marker combinations.

Consonant and Mātrā + Nasal combinations - Set 1

	क	ख	ग	घ	ਝ	च	छ	ज	झ	ञ
ं	कं	खं	गं	घं	ङं	चं	छं	जं	झं	जं
ां	कां	खां	गां	घां	ङां	चां	छां	जां	झां	ञां
िं	किं	खिं	गिं	घिं	<u> ਭਿੰ</u>	चिं	छिं	जिं	झिं	ञिं
ीं	कीं	खीं	गीं	घीं	डीं	चीं	छीं	जीं	झीं	जीं
ुं	कुं	खुं	गुं	घुं	· ডি স	<u>च</u> ुं	छं	जुं	झुं	ज ुं
्रं	क्	ख्ं	गूं	घूं	इंद	चूं	छू	जू	झ्रं	ज् रं
ૃં	कृ	खृं	गृं	घृं	· ভি	चृं	छं	जृं	झृं	जृं
ेंं	कें	खें	में	घें	ਤ ੇਂ	चें	छें	जें	झें	जें
്ഠ്	कँ	खँ	गँ	ยั	ਝੁੱ	चँ	छँ	ਤੱ	झँ	ਤੱ
ిం	कें	खें	में	धें	考:	चैं	।	<i>जैं</i>	झैं	अ ं
ोंं	कों	खों	गों	घों	ङों	चों	छों	जों	झों	ञों
ॉंं	काँ	खाँ	गाँ	घाँ	डाँ	चाँ	छाँ	जाँ	झाँ	ञाँ
ौं	कौं	खीं	गौं	घौं	ङों	चौं	छौं	जीं	झौं	औं

Consonant and Mātrā +Nasal combinations - Set 2

This set is in continuation of set 1 above which shows combinations of Consonant and M \bar{a} tr \bar{a} + Nasal marker

	ट	ਠ	ड	ढ	ण	ਰ	थ	द	ध	न
ं	टं	ਠਂ	डं	ढं	णं	तं	थं	दं	धं	नं
ां	टां	ठां	डां	ढां	णां	तां	थां	दां	धां	नां
िं	टिं	ठिं	डिं	ढिं	णिं	तिं	थिं	दिं	धिं	निं
ीं	टीं	ठीं	डीं	ढीं	णीं	तीं	थीं	दीं	धीं	नीं
ુું	टुं	ठुं	· ङ	ं डु	णुं	तुं	थुं	·सु	धुं	नुं
्रं	दूं	ठूं	इं	ढूं	णूं	तूं	थूं	ंद्र्	धूं	नूं
ृं	ट्टं	ठ्	इं	ख	णृं	तृं	થુ <u>ં</u>	<u>ਦ</u>	धृं	नृं
ेंं	ξ̈́	ठें	ਝੇਂ	ठें	णें	तें	थें	दें	धें	नें
ŏó,	č	ठॅ	डँ	শু	णॅ	ਜੱ	थँ	दँ	धँ	नँ
18										
% i	'	8	ट्रे	8	ੀਂ	तैं	थैं	दें	धं	<i>वैं</i>
ों	टों	ठों	डों	ढों	णों	तों	थों	दों	धों	नों
ॉंं	zĭّ	ਠਾੱ	डाँ	ढाँ	णाँ	ताँ	थाँ	दाँ	धाँ	नाँ
ीं	टौं	ਠੀਂ	डौं	ढीँ	णीं	तौं	थीं	दौं	धौं	नौं

-

¹⁸ Since ്,ॉ are used only for the purpose of writing loan words mainly from English. However, since such occurrences are rare, the nasal shapes of ੱਂ ,ॉ are rarely encountered in Hindi.

Consonant and Mātrā +Nasal combinations - Set 3

This set is in continuation of set 2 above which shows combinations of Consonant and $M\bar{a}tr\bar{a} + Nasal\ marker$

	प	দ	ब	भ	म	य	र	ਕ	व	श	ष	स	ह
ं	पं	फं	बं	भं	मं	यं	रं	लं	वं	शं	षं	सं	हं
ां	पां	फां	बां	भां	मां	यां	रां	लां	वां	शां	षां	सां	हां
िं	पिं	फिं	बिं	भिं	मिं	यिं	रिं	लिं	विं	शिं	षिं	सिं	हिं
ीं	पीं	फीं	बीं	भीं	मीं	यीं	रीं	लीं	वीं	शीं	षीं	सीं	हीं
ुं	पुं	फुं	बुं	भुं	मुं	युं	रुं	लुं	वुं	शुं	षुं	सुं	हुं
ूं	Ψį	फ्र्ं	बूं	भूं	मूं	यूं	ゃ	लूं	वूं	शूं	ष्	सूं	ेस्टर
ृं	ųį	फृं	बृं	भृं	मृं	Х	Х	Х	वृं	शृं	षृं	सृं	<u>;</u>
ेंं	पें	फें	बें	भें	में	यें	Ť	लें	वें	शें	षें	सें	हें
്റ് ¹⁹	Ϋ́	फॅ	बँ	भँ	मँ	यँ	रँ	ਲੱ	वँ	शॅं	षँ	सँ	हँ
ें	पें	फैं	वें	भैं	में	यैं	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	र्लें	वें	शैं	4	सैं	\$
ोंं	पों	फों	बों	भों	मों	यों	रों	लों	वों	शों	षों	सों	हों
ॉंं	पाँ	फाँ	बाँ	भाँ	माँ	याँ	राँ	लाँ	वाँ	शाँ	षाँ	साँ	हाँ
ीं	पौं	फौं	बीं	भौं	मीं	यौं	रौं	लौं	वीं	शीं	षौं	सौं	हीं

¹

¹⁹ Since ੱ,ਾਂ are used only for the purpose of writing loan words mainly from English. However, since such occurrences are rare, the nasal shapes of ੱਂ ,ਾੱਂ are rarely encountered in Hindi.

Consonant and Mātrā +Nasal combinations - Set 4

This set is in continuation of set 3 above which shows combinations of Consonant and $M\bar{a}tr\bar{a} + Nasal$ marker

	क़	ख	ग	ज़	<u>फ</u>	ड़	ढ़
ं	क़ं	ख़॔	गं	ज़ं	फ़ं	इ	· ਫ ਼
ा	क़ा	ख़ा	गा	ज़ा	फ़ा	ड़ा	ढ़ा
िं	क्रिं	ख़िं	ग़िं	ज़िं	फ़िं	ड़िं	ढ़ि
ាំ់	क़ीं	ख़ीं	गीं	ज़ीं	फ़ीं	ड़ीं	ढ़ी
ुः	<u> क</u> ु	ख़ुं	गुं	ज़ुं	फ़ु	इ.	હુ
्रं	क्रू	ख़्ं	गूं	ज़्रं	फ़्रं	ड़ॣ	ढू
ृः	क़्	ख़॔	गृं	ज़ं	फ़ुं	फू	ख
ി ം	क़ें	ख़ें	ग़ें	ज़ें	फ़ें	इं	ढ़े
്റ്. ²⁰	कॅं	ख़ॕ	ग्रॅ	ਤ ੱ	फ़ॅ	ਝੱਤ	ଂହ
ిం	क्रें	ख़ैं	भैं	ज़ैं	फ़ें	<u>\$</u>	ġ
ोंं	क़ों	ख़ों	ग़ों	ज़ों	फ़ों	ड़ों	ढ़ो
ॉंं	क्राँ	खाँ	गाँ	ज़ाँ	फ़ाँ	ड़ाँ	ढ़ाँ
ॏ॔ं	क़ौं	ख़ौं	ग़ीं	ज़ौं	फ़ॏ॔	झैं	ढ़ी

_

²⁰ Since ്, ॉ are used only for the purpose of writing loan words mainly from English. However, since such occurrences are rare, the nasal shapes of ੱਂ , ॉ are rarely encountered in Hindi.

Consonant and Mātrā + Nasal combinations: With Chandrabindu²¹ - Set 1

	क	ख	ग	घ	ङ	च	छ	ज	झ	ञ
ំ	कँ	खँ	गँ	ยั	ਝੁੱ	चँ	छँ	जँ	झँ	ਤੱ
ाँ	काँ	खाँ	गाँ	घाँ	डाँ	चाँ	छाँ	जाँ	झाँ	जाँ
िँ	किं	खिं	गिं	घिं	<u> ਭਿੰ</u>	चिं	টি	जिं	झिं	ञिं
ींँ	कीं	खीं	गीं	घीं	डीं	चीं	छीं	जीं	झीं	जीं
ु	कुँ	खुँ	गुँ	घुँ	৺ৼ৾ঽ	चुँ	छुँ	जुँ	झुँ	ग ुँ
ૣૻઁ	क्	खूं	गूं	घूं	· kiy	चूं	छू	जू	झ्रं	ज् रं
ૃઁ	कुँ	७	गुँ	ਬੁੱ	ঞ্চ	_{चॅ}	ড়	সূঁ	झँ	म <mark>ू</mark> ँ
ेंँ	कें	खें	में	घें	ਤ ੋਂ	चें	छें	जें	झें	ञें
ॅंँ	कॅं	खं	गॅं	घॅ	ङं	चॅं	छं	जें	झॅ	<u> ज</u> ं
ిం	कें	खैं	में	धें	\$	चैं	₿	<i>जैं</i>	韒	अं
ोंँ	कों	खों	गों	घों	डों	चों	छों	जों	झों	ओं
ॉॅं	कॉ	खाँ	गॉ	घाँ	ङॉ	चाँ	छाँ	जॉ	झॉ	ऑ
ॏ॑ँ	कौं	खौं	गीं	घौं	डों	चौं	छौं	जौं	झौं	औं

-

As per rule 2.6.2.3. of the Central Hindi Directorate, Chandrabindu cannot be placed over matras which are above the Shirorekha and in this case the Chandrabindu is replaced by an Anuswar.

Consonant and Mātrā +Nasal combinations With Chandrabindu - Set 2

This set is in continuation of set 1 above which shows combinations of Consonant and M \bar{a} tr \bar{a} + Chandrabindu.

	ट	ਠ	ड	ढ	ण	ਰ	थ	द	ध	न
ំ	ਣਁ	<u>ਨ</u> ੱ	ਝੱ	ढँ	णँ	ਜੱ	थँ	दँ	ម័	नँ
ाँ	टाँ	ਠਾੱ	डाँ	ढाँ	णाँ	ताँ	थाँ	दाँ	धाँ	नाँ
िँ	टिं	ठिं	डिं	ढिं	णिं	तिं	थिं	दिं	धिं	निं
ींँ	टीं	ठीं	डीं	ढीं	णीं	तीं	थीं	दीं	धीं	नीं
ુઁ	ड ुँ	ठुँ	ँ डु	डॅ	णुँ	तुँ	थुँ	दुँ	धुँ	नुँ
ૣૻઁ	ᢣᢏ	ਨੁੱ	৵৸৻	ढ़ॣॕ	णूँ	त्ँ	थूँ	दूँ	ध्रूँ	न्ँ
ૃઁ	w	ਨੁੱ	∍ல	ঞ্জ	णृँ	ਜੁੱ	થઁ	ह	धृँ	नुँ
ेंँ	ठें	ठें	डें	ढें	णें	तें	थें	दें	धें	नें
ŏŏ	č	ठें	इ	ढॅ	णें	ਜੱ	थॅं	दॅं	धॅं	नें
ిం	''	8	ट्	द्व	भैं	तें	थैं	दें	धें	हैं
ो <u>ँ</u> 22	टों	ठों	डों	ढों	णों	तों	थों	दों	धों	नों
ॉंॅ	टॉ	ਠੀਂ	डॉ	ढाँ	णॉ	तॉ	थॉ	दॉ	धाँ	नॉ
ॏ॑ँ	टौं	ਠੀਂ	डौं	ढीं	णीं	तौं	थौं	दौं	धौं	नौं

-

²² Since ്, i are used only for the purpose of writing loan words mainly from English. However, since such occurrences are rare, the nasal shapes of i are rarely encountered in Hindi.

Consonant and Mātrā +Nasal combinations With Chandrabindu - Set 3

This set is in continuation of set 2 above which shows combinations of Consonant and $M\bar{a}tr\bar{a}$ + Chandrabindu.

	ч	দ	ब	भ	म	य	₹	ਕ	व	श	ष	स	ह
ँ	प ँ	फॅ	बँ	ਮੁੱ	मॅ	यँ	ť	ਲੱ	वँ	शॅं	षँ	सँ	हँ
ाॅ	чĭ	फाँ	बाँ	भाँ	माँ	याँ	राँ	लाँ	वाँ	शाँ	षाँ	साँ	हाँ
िँ	पिं	फिं	बिं	भिं	मिं	यिं	रिं	लिं	विं	शिं	षिं	सिं	हिं
ींँ	पीं	फीं	बीं	भीं	मीं	यीं	रीं	लीं	वीं	शीं	षीं	सीं	हीं
ुुँ	чँ	फुँ	बुँ	भुँ	मुँ	युँ	रुँ	लुँ	वुँ	શુઁ	षुँ	सुँ	हुँ
ૣૻઁ	тूँ	फूँ	बूँ	भूँ	मूँ	यूँ	*	लूँ	वूँ	शूँ	षूँ	सूँ	જાહ જીહ
ૃઁ	ਧੁੱ	দূ	_{बॅ}	भृँ	मृँ	युँ	रू	लुँ	वृँ	શુઁ	षूँ	सुँ	ऋ
ेंँ	पें	फें	बें	भें	में	यें	रें	लें	वें	शें	षें	सें	हें
്റ്	पॅ	फॅ	बॅं	भॅ	में	यॅं	ť	लें	वॅं	शॅं	षॅ	सॅ	हॅं
ँ ँ	पें	फें	बें	新	में	यें	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	तें	वें	शैं	朝	सैं	\$
ोंँ	पों	फों	बों	भों	मों	यों	रों	लों	वों	शों	षों	सों	हों
ॉॅं	पॉ	फाँ	बॉ	भॉ	मॉ	याँ	रॉ	लॉ	वॉ	शॉ	षाॅ	सॉ	हाँ
ॏ॓ँ	पौं	फौं	बीं	भौं	मौं	यौं	रौं	लौं	वीं	शीं	षों	सौं	हौं

Consonant and Mātrā +Nasal combinations With Chandrabindu - Set 4

This set is in continuation of set 3 above which shows combinations of Consonant and $M\bar{a}tr\bar{a} + Chandrabindu$.

-							
	क	ख	ग	ज़	फ़	ਫ਼	ढ़
ँ	क्रँ	खँ	ग्रँ	ज़ॕ	फ़ॅं	ਝੁੱ	ढ़ँ
ा ँ	क़ाँ	खाँ	गाँ	ज़ाँ	फ़ाँ	<u>ਤ</u> ाँ	ढ़ाँ
ិែ័	क़िं	ख़िं	ग़िं	ज़िं	फ़िं	ड़िं	ढ़ि
ींँ	क़ीं	ख़ीं	गीं	ज़ीं	फ़ीं	ड़ीं	ढ़ी
ુ ઁ	कुँ	ख़ुँ	गुँ	ज़ॖॕ	نظ ة نظة	ँ इंड	ढु
ૣૢૼઁ	कूँ	ख़ूँ	गूँ	ज़्ँ		ँड्र इ	द्भ
ૃઁ	कुँ	ख़ॖॕ	गुँ	ज़ॕ	 <u> </u>	ँ डू	ढ़
ेंँ	कें	ख़ें	गें	ज़ें	फ़ें	ਝੁੱ	ढ़े
ŏŏ	क्रॅ	ख़ँ	ग्रँ	ਤੱ	ў	ਝੁੱਤ	ङ
ిం	क्रें	खें	भैं	ज़ैं	फ़ें	\$	<u>\$</u>
ोंँ	क़ों	ख़ों	गों	ज़ों	फ़ों	ड़ों	ढ़ो
ॉॅं	काँ	खाँ	गाँ	ज़ाँ	फ़ाँ	ड़ाँ	ढ़ाँ
ॏ॓ँ	क्रीं	ख्रीं	ग़ीं	ज़ीं	फ़ौं	झैं	ढ़ी

6.3.3. The Ligature Set of Hindi.

Hindi has a large set of ligatural forms. These are combinations of Consonant+Halanta+Consonant (CHC) or CHCHC or even rarer CHCHCHC. The CHC combinations which are the most frequent are arranged in the shape of a matrix: the abscissa or horizontal axis refers to the Consonant which constitutes the ligature and the ordinate or vertical axis shows the consonant which forms the ligature and which is followed by a halanta.

As in 6.3.2. the ligature sets are divided into the following

6.3.3.1 CHC (in a matrix)

6.3.3.2 CHCHC

6.3.3.3.CHCHCHC

6.3.3.1. CHC (combination of two Consonants)

These ligatures are presented as in the earlier case of Consonant+Mātrā combinations in three sets. A lot of "slots" have an X marked, showing that the ligature is not possible in the language but is theoretically possible. In these cases, the font developer is to assume that the ligature is linear in nature.

The following set shows a combination of two consonants. To know how particular combinations forms, select one consonant from the first column and second from first

row. For e.g. Combination of consonant "ক" and " ক" is ligature "ব্দক".

CE	CHC(combination of two consonants) - Set 1													
	क	ख	ग	घ	ਝ	च	छ	ज	झ	স				
क्	क्क	क्ख	क्ग	क्घ	क्ङ	क्च	क्छ	क्ज	क्झ	क्ञ				
ख्	ख्क	ख्ख	ख्ग	ख्घ	ख्ड	ख्च	ख्छ	ख्ज	ख्झ	ख ञ				
ग्	ग्क	ग्ख	ग्ग	ग्घ	ਹੁਤ	ग्च	ग्छ	ग्ज	ग्झ	ग्ञ				
घ्	घ्क	घ्ख	घ्ग	घ्घ	घ्ङ	घ्च	घ्छ	घ्ज	घ्झ	घ्ञ				
ङ्	ङ्क	ङ्ख	ङ्ग	ङ्घ	ङ्ङ	ङ्च	ङ्छ	ङ्ज	ङ्झ	ञ्ञ				
च्	च्क	च्ख	च्ग	च्घ	च्ङ	च्च	च्छ	च्ज	च्झ	च्ञ				
छ	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х				
ज्	ज्क	ज्ख	ज्ग	ज्घ	<i>ज्</i> ङ	ज्च	ज्छ	ज्ज	ज्झ	ज्ञ				
झ्	झ्क	झ्ख	झ्ग	झ्घ	झ्ङ	झ्च	झ्छ	झ्ज	झ्झ	झ्ञ				
ञ्	ञ्क	ञ्ख	ञ्ग	ञ्घ	ञ्ङ	ञ्च	স্ত	ञ्ज	ञ्झ	স্স				
ट्	ट्क	ट्ख	ट्ग	ट्घ	ट्ङ	ट्च	ट्छ	ट्ज	ट्झ	ट्ञ				
ठ्	ठ्क	ठ्ख	ठ्ग	ठ्घ	ठ्ङ	ठ्च	ठ्छ	ठ्ज	ठ्झ	ठ्ञ				
ड्	ड्क	ड्ख	ड्ग	ड्घ	ड्ङ	ड्च	ड्छ	ड्ज	ड्झ	ड्ञ				
ढ्	ढ्क	ढ्ख	ढ्ग	ढ्घ	ढ्ङ	ढ्च	ढ्छ	ढ्ज	ढ्झ	ढ्ञ				

ण्	ण्क	ण्ख	ण्ग	ण्घ	ਹਤੁ	ण्च	ण्छ	ण्ज	ण्झ	ण्ञ
त्	त्क	त्ख	त्ग	त्घ	ਨ ਝ	त्च	त्छ	त्ज	त्झ	ਟਮ
थ्	थ्क	थ्ख	थ्ग	थ्घ	थ्ङ	थ्च	থ্ড	थ्ज	थ्झ	थ्ञ
द्	द्क	द्ख	द्र	द्ध	दङ	द्च	द्छ	द्ज	द्झ	द्ञ
ध्	ध्क	ध्ख	ध्ग	ध्घ	ध्ङ	ध्च	ध्छ	ध्ज	ध्झ	ध्ञ
न्	न्क	न्ख	न्ग	न्घ	न्ड	न्च	न्छ	न्ज	न्झ	न्ञ
प्	प्क	प्ख	प्ग	प्घ	দ্রে	प्च	प्छ	प्ज	प्झ	সে
फ्	फ्क	फ्ख	फ्ग	फ्घ	फ्ङ	फ्च	फ्छ	फ्ज	फ्झ	फ्ञ
ब्	ब्क	ब्ख	ब्ग	ब्घ	ब्ङ	ब्च	ब्छ	ब्ज	ब्झ	ब्ञ
भ्	भ्क	भ्ख	भ्ग	भ्घ	ਮ <u>ਤ</u>	भ्च	भ्छ	भ्ज	भ्झ	} ञ
म्	म्क	म्ख	म्ग	म्घ	म्ङ	म्च	म्छ	म्ज	म्झ	म्ञ
य्	य्क	य्ख	य्ग	य्घ	य्ङ	य्च	य्छ	य्ज	य्झ	यञ
र्	र्क	र्ख	र्ग	र्घ	ई:	र्च	र्छ	र्ज	ई	र्ञ
ल्	ल्क	ल्ख	ल्ग	ल्घ	ल्ङ	ल्च	ત્હ	ल्ज	ल्झ	ल्ञ
व्	व्क	व्ख	व्ग	व्घ	ट्ड	व्च	व्छ	व्ज	व्झ	टञ
श्	श्क	श्ख	श्ग	श्घ	श्ङ	श्च	श्छ	श्ज	श्झ	श्ञ
ष्	ष्क	ष्ख	ष्ग	ष्घ	ष्ड	ष्च	ष्छ	ष्ज	ष्झ	ष्ञ
स्	स्क	स्ख	स्ग	स्घ	स्ङ	स्च	स्छ	स्ज	स्झ	स्ञ
ह्	ह्क	ह्ख	ह्ग	ह्घ	हङ	ह्च	ह्छ	ह्ज	ह्झ	हञ
क्	क्रक	क्ख	द्गग	क़्घ	क़ॾ	क्च	द्मछ	क़ज़	क्झ	क्रञ
ख्	ख्क	ख़्ख	ख्ग	ख्घ	ख्ङ	ख़्च	ख्छ	ख़ज़	ख्झ	ख़्ञ
ग्	ग्क	ग्ख	ग्ग	ग्घ	ग्ङ	ग्च	<u> ग्</u> छ	ग्ज	ग्झ	ग्ञ
ज़्	ज़्क	ज़्ख	ज़्ग	ज़्घ	ज़্ङ	ज़्च	ড়ড	ज़्ज	ज्झ	ज़्ञ
फ़्	फ़्क	फ़्ख	फ़ग	फ़्घ	फ़्ङ	फ़्च	फ़्छ	फ़्ज	फ़्झ	फ़्ञ
ड़	ड़्क	ड़्ख	ड़्ग	ड़्घ	ड्ङ	ड़्च	ड़्छ	ड़्ज	ड्झ	ड्ञ
ढ्	ढ्क	ढ्ख	ढ्ग	ढ्घ	ढ्ङ	ढ्च	ढ्छ	ढ़्ज	ढ्झ	ढ़्ञ

CHC Set 2:

The following set shows a combination of two consonants. To know how particular combinations forms, select one consonant from the first column and second from first row. For e.g. Combination of consonant "环" and " 飞" is ligature "灭".

CHC(combination of two consonants) - Set 2													
	ट	ਠ	ड	ढ	ण	ਰ	थ	द	ध	न			
क्	क्ट	क्ठ	क्ड	क्ढ	क्ण	क्त	क्थ	क्द	क्ध	क्न			
ख्	ख्ट	ख्ठ	ख्ड	ख्ढ	ख्ण	ख्त	ख्थ	ख्द	ख्ध	ख्न			
ग्	ग्ट	ग्ठ	ग्ड	ग्ढ	ग्ण	ग्त	ग्थ	ग्द	ग्ध	ग्न			
घ्	घ्ट	घ्ठ	घ्ड	घ्ढ	घ्ण	घ्त	घ्थ	घ्द	घ्ध	घ्न			
ङ्	ङ्ट	ङ्ठ	ङ्ड	ङ्ढ	ङ्ण	ङ्त	ङ्थ	ङ्द	ङ्ध	ङ्न			
च्	च्ट	च्ठ	च्ड	च्ढ	च्ण	च्त	च्थ	च्द	च्ध	च्न			
छ्	छट	छठ	ਹ ਤ	छढ	छण	छत	छथ	छ्द	छध	छन			
ज्	ज्ट	ज्ठ	ज्ड	ज्ढ	ज्ण	ज्त	ज्थ	ज्द	ज्ध	ज्न			
झ्	झ्ट	झ्ठ	झ्ड	झ्ढ	झ्ण	झ्त	झ्थ	झ्द	झ्ध	झ्न			
ञ्	ञ्ट	ञ्ठ	ञ्ड	ञ्ढ	ञ्ण	ञ्त	ज्थ	ञ्द	ञ्ध	ञ्न			
ट्	ट्ट	ट्ठ	ट्ड	ट्ढ	ट्ण	ट्त	ट्थ	ट्द	ट्ध	ट्न			
ठ्	ठ्ट	ठ्ठ	ठ्ड	ठ्ढ	ठ्ण	ठ्त	ठ्थ	ठ्द	ठ्ध	ठ्न			
ड्	ड्ट	ड्ठ	ड्ड	ड्ढ	ड्ण	ड्त	ड्थ	ड्द	ड्ध	ड्न			
ढ्	ढ्ट	ढ्ठ	ढ्ड	ढ्ढ	ढ्ण	ढ्त	ढ्थ	ढ्द	ढ्ध	ढ्न			
ण्	ण्ट	ण्ठ	ण्ड	ण्ढ	ण्ण	ण्त	ण्थ	ण्द	ण्ध	ण्न			
त्	त्ट	त्ठ	त्ड	त्ढ	त्ण	त	त्थ	त्द	त्ध	त्न			
थ्	थ्ट	थ्ठ	थ्ड	थ्ढ	थ्ण	थ्त	थ्थ	थ्द	થ્ધ	थ्न			
द्	द्ट	द्ठ	द्ड	द्ढ	द्ण	द्त	द्थ	द	द्ध	द्र			
ध्	ध्ट	ध्ठ	ध्ड	ध्ढ	ध्ण	ध्त	ધ્ય	ध्द	ધ્ધ	ध्न			
न्	न्ट	न्ठ	न्ड	न्ढ	न्ण	न्त	न्थ	न्द	न्ध	न्न			
प्	प्ट	प्ठ	प्ड	प्ढ	प्ण	ਸ	प्थ	प्द	प्ध	प्न			
फ्	फ्ट	फ्ठ	फ्ड	फ्ढ	फ्ण	फ्त	फ्थ	फ्द	फ्ध	फ्न			
ब्	ब्ट	ब्ठ	ब्ड	ब्ढ	ब्ण	ब्त	ब्थ	ब्द	ब्ध	ब्न			
भ्	भ्ट	भ्ठ	भ्ड	भ्ढ	भ्ण	भ्त	भ्थ	भ्द	भ्ध	भ्न			
म्	म्ट	म्ठ	म्ड	म्ढ	म्ण	म्त	म्थ	म्द	म्ध	म्न			

य्	य्ट	य्ठ	य्ड	य्ढ	य्ण	य्त	य्थ	य्द	य्ध	य्न
र्	ਣੇ	ঠ	र्ड	र्ढ	र्ण	र्त	र्थ	र्द	र्ध	र्न
ल्	ल्ट	ਕ੍ਠ	ल्ड	ल्ढ	ल्ण	ल्त	ल्थ	ल्द	ત્ધ	ल्न
व्	व्ट	व्ठ	व्ड	व्ढ	व्ण	व्त	व्थ	व्द	व्ध	व्न
श्	श्ट	श्ठ	श्ड	श्ढ	श्ण	श्त	श्थ	श्द	श्ध	প্ন
ष्	ष्ट	ष्ठ	ष्ड	ष्ढ	ष्ण	ष्त	ष्थ	ष्द	ष्ध	ष्न
स्	स्ट	स्ठ	स्ड	स्ढ	स्ण	स्त	स्थ	स्द	स्ध	स्न
ह्	हट	ह्ठ	ह्ड	ह्ढ	ह्न	ह्त	ह्थ	ह्द	ह्ध	ह्न
क्	क़्ट	ਫ਼ਾਠ	क़्ड	क़्द	क़्ण	क़्त	क़्थ	क़्द	क्ध	क्न
ख़्	ख़्ट	खठ	ख़्ड	ख़ढ	ख़्ण	ख़्त	ख़्थ	ख़्द	ख़्ध	ख़्न
ग्	ग्ट	ग्ठ	ग्ड	ग्ढ	ग्ण	ग्त	ग्थ	ग्द	ग्ध	ग्न
ज़्	ज़्ट	ज़्ठ	ज़्ड	ज़्ढ	ज़्ण	ज़्त	ज़्थ	ज़्द	ज़्ध	ज़्न
फ़्	फ़्ट	<u>फ</u> ठ	फ़्ड	फ़्द	फ़्ण	फ़्त	फ़्थ	फ़्द	फ़्ध	फ़्न
ड्	ड्ट	ड्ठ	ड़ड	ड़्ढ	ड़्ण	ड्त	ड्थ	ड़द	ड्ध	ड्न
ढ्	ढ्ट	ढ्ठ	ढ़ड	ढ्ढ	ढ़्ण	ढ़्त	ढ़्थ	ढ़द	ढ़्ध	ढ़्न

CHC SET 3:

The following set shows a combination of two consonants. To know how a particular combinations forms, select one consonant from the first column and second from first row. For e.g. Combination of consonant "吞" and "Ч" is the ligature "द्मप".

CHC(CHC(combination of two consonants) - Set 3												
	ч	দ	ब	भ	म	य	₹	ਕ	व	श	ष	स	ह
क्	क्प	क्फ	क्ब	क्भ	क्म	क्य	क्र	क्ल	क्व	क्श	क्ष	क्स	क्ह
ख्	ख्प	ख्फ	ख्ब	ख्भ	ख्म	ख्य	ख	ख्ल	ख्व	ख्श	ख्ष	ख्स	ख्ह
ग्	ग्प	ग्फ	ग्ब	ग्भ	ग्म	ग्य	ग्र	ਾ ल	ग्व	ग्श	ग्ष	ग्स	ग्ह
घ्	घ्प	घ्फ	घ्ब	घ्भ	घ्म	घ्य	घ्र	घ्ल	घ्व	घ्श	घ्ष	घ्स	घ्ह
ङ्	ङ्प	ङ्फ	ङ्ब	ङ्भ	झ	ङ्य	ङ्र	ङ्ल	ङ्व	ङ्श	ङ्ष	ङ्स	ङ्ह
च्	च्प	च्फ	च्ब	च्भ	च्म	च्य	च्र	च्ल	च्व	च्श	च्ष	च्स	च्ह
छ्	छ्प	छफ	छब	छभ	छम	छ्य	छ्	छल	छव	छ्श	छ्ष	छ्स	छ्ह
ज्	ज्प	ज्फ	ज्ब	ज्भ	ज्म	ज्य	ज्र	<i>ਤ</i> ੁਲ	ज्व	ज्श	ज्ष	ज्स	ज्ह
झ्	झ्प	झ्फ	झ्ब	झ्भ	झ्म	झ्य	誤	इन	झ्व	झ्श	झ्ष	झ्स	झ्ह
ञ्	ञ्प	ञ्फ	ञ्ब	ञ्भ	ञ्म	ञ्य	ञ्र	ञ्ल	ञ्व	ञ्श	ञ्ष	ञ्स	ञ्ह
ट्	ट्प	ट्फ	ट्ब	ट्भ	ट्म	ट्य	ट्र	ट्ल	ट्व	ट्श	ट्ष	ट्स	ट्ह
δ	ठ्प	ठ्फ	ठ्ब	ठ्भ	ठ्म	ठ्य	ठ्र	ठ्ल	ठ्व	ठ्श	ठ्ष	ठ्स	ठ्ह
ड्	ड्प	ड्फ	ड्ब	ड्भ	ड्म	ड्य	ड्र	इ्ल	ड्व	ड्श	ड्ष	ड्स	ड्ह
ढ्	ढ्प	ढ्फ	ढ्ब	ढ्भ	ढ्म	ढ्य	ढू	ढ्ल	ढ्व	ढ्श	ढ्ष	ढ्स	ढ्ह
ण्	ण्प	ण्फ	ण्ब	ण्भ	ण्म	ण्य	प्र	ਾਕ	ण्व	पश	ण्ष	ण्स	ण्ह
त्	त्प	त्फ	त्ब	त्भ	त्म	त्य	त्र	<u></u> ਨਕ	त्व	त्श	त्ष	त्स	त्ह
थ्	थ्प	थ्फ	थ्ब	थ्भ	थ्म	थ्य	थ्र	थ्ल	थ्व	ध्श	थ्ष	थ्स	थ्ह
द्	द्प	द्फ	द्ब	द्भ	द्म	द्य	द्र	द्ल	द्व	द्श	द्ष	द्स	द्ह
ध्	ध्प	ध्फ	ध्ब	ध्भ	ध्म	ध्य	ध्र	ध्ल	ध्व	ध्श	ध्ष	ध्स	ध्ह
न्	न्प	न्फ	न्ब	न्भ	न्म	न्य	ਕ	<i>ਵ</i> ਲ	न्व	न्श	न्ष	न्स	न्ह
प्	प्प	प्फ	प्ब	प्भ	प्म	प्य	प्र	ᅜল	प्व	प्श	प्ष	प्स	प्ह
फ्	फ्प	फ्फ	फ्ब	फ्भ	फ्म	फ्य	फ्र	फ्ल	फ्व	प्रश	फ्ष	फ्स	फ्ह
ब्	ब्प	ब्फ	ब्ब	ब्भ	ब्म	ब्य	ब्र	ब्ल	ब्व	ब्श	ब्ष	ब्स	ब्ह
भ्	भ्प	भ्फ	भ्ब	भ्भ	भ्म	भ्य	भ	¥ ल	भ्व	भ ् श	भ्ष	भ्स	भ्ह
म्	म्प	म्फ	म्ब	म्भ	म्म	म्य	म्र	म्ल	म्व	म्श	म्ष	म्स	म्ह

य्	य्प	य्फ	य्ब	य्भ	य्म	य्य	य्र	य्ल	य्व	य्श	य्ष	य्स	य्ह
र्	र्प	र्फ	र्ब	र्भ	र्म	र्य	र्र	र्ल	र्व	र्श	र्ष	र्स	ह
ल्	ल्प	ल्फ	ल्ब	ल्भ	ल्म	ल्य	ल्न	ल्ल	ल्व	ल्श	ल्ष	ल्स	ल्ह
व्	व्प	व्फ	व्ब	व्भ	व्म	व्य	व्र	य्ल	व्व	टश	व्ष	व्स	व्ह
श्	श्प	श्फ	श्ब	श्भ	श्म	श्य	% . ²³	श्र	श्व	श्श	श्ष	श्स	श्ह
ष्	ष्प	ष्फ	ष्ब	ष्भ	ष्म	ष्य	ष्र	ष्ल	ष्व	द्धा	ष्ष	ष्स	ष्ह
स्	स्प	स्फ	स्ब	स्भ	स्म	स्य	स्र	₹ल	स्व	स्श	स्ष	स्स	स्ह
ह्	हप	हफ	हब	हभ	ह्म	ह्य	ह्र	廄	ह्न	हश	हष	हस	हह
क्	क्रप	क़्फ	क्रब	क्रभ	क्रम	क्र्य	क्र	क़्ल	क्रव	द्भश	क्ष	क़्स	क़्ह
ख्	ख़्प	ख्फ	ख़ब	ख्भ	ख्म	ख़्य	ख़	ख़्ल	ख़्व	ख़श	ख्ष	ख्स	ख्ह
ग्	ग्प	ग्फ	ग्ब	ग्भ	ग्म	ग्य	ग्र	ग्ल	ग्व	ग्श	ग्रष	ग्स	ग्ह
ज़्	ज़्प	ज़्फ	ज़्ब	ज़्भ	ज़्म	ज़्य	ज़	ज़्ल	ज़्व	ज़्श	ज़्ष	ज़्स	ज़्ह
फ़्	फ़्प	फ़्फ	फ़ब	फ़्भ	फ़्म	फ़्य	फ़	फ़्ल	फ़्व	प्रश	फ़्ष	फ़्स	फ़्ह
इ	ड़्प	ड़्फ	ड्ब	ड्भ	ड्म	ड्य	इ	इ्ल	ड्व	ड़्श	ड्ष	ड्स	ड्ह
ढ्	ढ़्प	ढ़्फ	ढ़्ब	ढ़्भ	ढ़्म	ढ्य	ढ़	ढ़्ल	ढ़्व	ढ़्श	ढ़्ष	ढ़्स	ढ़ह

-

²³ An important combination very often mis-typed is श+् = श् which is often mis-written as श+र+ ृ श्रृ Thus शृंगार is wrongly written as श्रृंगार.

CHC SET 4:

The following set shows a combination of two consonants of which the second form is the nukta . To know how particular combinations form, select one consonant from the first column and second from first row. For e.g. The combination of consonants "吞" and "东" is ligature "存东".

CHC Set 4											
	क़	ख	ग	ज़	ਫ਼	ढ़					
क्	क्क	क्ख	क्ग	क्ज़	क्ड़	क्ढ़					
ख्	ख्क	ख्ख	ख्ग	ख् ज	ख्ड	ख्ढ					
ग्	ग्स	ग्ख	ग्ग	ग्ज	ਹੜ	ग्ढ					
घ्	स्क	घ्ख	ट ग	घ्ज	घ्ड	घ्ढ					
ङ्	ङ्क	ङ्ख	ङ्ग	ङ्ज	ङ्ड	ङ्ढ					
च्	च्क	च्ख	च्ग	च्ज़	च्ड	च्ढ					
छ्	छक़	छख	छग	छज़	छड़	छढ़					
ज्	ज्क़	ज्ख	ज्ग़	ত্তা	ज्ड़	ज्ढ़					
झ्	इ-क़	झ्ख	झ्ग	झ्ज़	इड़	झ्ढ					
ञ्	ञ्स	ञ्ख	<u>과</u>	ञ्ज	ञ्ड	ञ्ढ					
ट्	ट्क	ट्ख	ट्ग	ट्ज़	ट्ड	ट्ढ					
ठ्	ठ्क	ठ्ख	र्ग	ठ्ज	ठ्ड	ठ्ढ					
ड्	ड्क	इख़	ड्ग	इ्ज़	ड्ड	ड्ढ					
ढ्	ढ्क	ढ्ख	ढ्ग	ढ्ज	ढ्ड	ढ्ढ					
ण्	ण्क	ण्ख	ण्ग	ण्ज	ਹਤੁ	ण्ढ					
त्	त्क	त्ख	८ंग	त्ज़	त्ड़	त्ढ					
थ्	थ्क	थ्ख	थ्ग	थ्ज़	थ्ड	थ्ढ					
द्	द्क़	द्ख	द्ग	द्ज़	द्ड	द्ढ					
ध्	ध्क	ध्ख	ध्य	ध्ज	ध्ड	ध्ढ					
न्	न्स	न्ख	न्ग	न्ज़	न्ड.	न्ढ					
प्	뗘	प्ख	प्ग	प्ज	प्ड	प्ढ					

फ्	फ्क	फ्ख	फ्ग	फ्ज	फ्ड़	फ्ढ़
ब्	ब्क	ब्ख	<u>ह्य</u>	ब्ज़	ब्ड	छ
भ्	१ -क़	१ ख	9-ग	} ज़	ਮ੍ਤ	भ्द
म्	म्क	म्ख	म्ग	म्ज	म्ड	म्ढ
य्	य्क	य्ख	य्ग	य्ज	य्ड	य्ढ
र्	क़	ख़	र्ग	र्ज़	ई	कु
ल्	ल्क	ल्ख	ल्ग	ल्ज	ल्ड	ल्ढ
व्	ट्फ़	टख़	टग़	य्ज	ट ् ड	.ह
श्	श्क	श्ख	श्ग	१ज़	१ड़	१ढ़
ष्	प्क	प्ख	ट्रो	ष्ज	ष्ड	ष्ट्र
स्	स्क	स्ख	स्ग	स्ज	स्ड	स्
ह्	हक़	हख़	हग	हज़	हड़	हढ़
क्	क्क	क्ख	द्गग	क़ज़	क़ड़	क़॒ढ़
ख्	ख्क	ख्ख	ख्ग	ख़्ज	ख़्ड	ख़्ढ
ग्	<u> गं</u> क	ग्ख	ग्ग	ग्ज	गृड	गृढ
ज़्	ज़्क़	ज़्ख	ञ्ग	ज़्ज़	ज़ड़	<u>ज</u> ़
फ़्	फ़्क	फ़ख	फ़्ग	फ़्ज़	फ़्ड़	फ़्ढ
ड़्	ड़क़	ड़ख़	ड्ग	ड़्ज़	ड्ड	ड्ढ
ढ्	ढ़्क़	ढ्ख	ढ़्ग	ढ़ॖज़	ढ्ड	ढ्ढ

6.3.3.2 CHCHC (combination of three Consonants)

These are not as frequent as the CHC combinations. Only the major are listed below.

With a few exceptions these are mainly linear in nature. A majority of these are due to loan words which have entered Hindi. Combinations with rakar and rafar forms will not be considered. Similarly combinations with mātrās have not been taken into account.

क्ट्र=इलेक्ट्रोन	द्र्य=दारिद्र्य	र्थ्य=असामर्थ्य
क्ट्स=स्पैक्ट्स	द्व्य=द्व्यर्थक	र्द्ध=अर्द्ध
क्ष्ण=तीक्ष्ण	न्ट्स=स्टूडन्ट्स	र्द्र=आर्द्रता
क्ष्म=भाग्यलक्ष्मी	न्य=अनिन्य	र्द्द=अंतर्द्वेद्व
क्ष्य=अंतःसाक्ष्य	न्द्र=उपेन्द्रनाथ	ध्र्य=अंतध्र्यान
क्स्ड=फिक्स्ड	फ्ट्स=ड्राफ्ट्समैनों	ध्वं=उध्वं
गभ=दिगभमित	र्तः=पैमुर्क्तये	फ्यं=कफ्यूं
च्छव=उच्छवास	र्क्य=अतर्क्य	र्भ=निर्भात
ত্ত্ব=3ত্ত্বপ	क्र=अंतर्क्रिया	म्यं=साधम्यं
ण्ट्स=सर्वेण्ट्स	क्सं=मार्क्स	र्ल्ड=फ्रीवर्ल्ड
त्क्ष=तत्क्षण	र्घ्य=अर्घ्य	र्ल्स=चार्ल्स
त्प=उत्पत्ति	च्छं=मूच्छित	र्व्य=चतुर्व्यूह
त्त्व=तत्त्व	र्च=अंतर्ज्ञान	र्थ=पार्थ
त्प्र=उत्प्रेरक	र्ज्य=वर्ज्य	ष्यं=ईष्यां
त्म्य=तादात्म्य	र्ट्र=पोर्ट्रेट	र्स्क=लुनाचार्स्की
त्र्य=वैचित्र्य	ट्र्स=आर्ट्स	स्र्ट=फस्ट
त्स्फ=उत्स्फूर्त	ड्र्स=वर्ड्सवर्थ	ल्क्य=केल्क्यूलेशन
त्स्य=मत्स्य	र्त=अमूर्त	ल्ट्र=पोल्ट्रीफार्म
द्ग=उद्ग्रीव	र्त्र=सार्त्र	ल्ड्र=चिल्ड्रन
द्भ=उद्भांतावस्था	र्त्स=भर्त्सना	ल्स्त=तोल्स्तोय

ष्क्र=निष्क्रिय स्क्र=स्क्रिप्ट स्थ्य=अस्वास्थ्य

ष्ट्य=विशिष्ट्य स्कव=मस्कवा स्प्र=स्प्रिंगदार

ष्ट्र=अंतरराष्ट्रीय स्ट्र=आर्केस्ट्रा स्प्ल=एस्प्लेनेड

ष्प्र=निष्प्रयोजन स्त्र=अधोवस्त्र

6.3.3.3.CHCHCHC (Combination of four Consonants)

This is rare and is found only in the following which are English words transliterated into Devanagari.:

न्स्ट्रः कन्स्ट्रक्षन²⁴

 $^{^{24}}$ Cited in Wikimapia and in http://navbharattimes.indiatimes.com/new-tension-in-noida-extension/articleshow/15305178.cms

6.3.4 The Collation Order of Hindi.

Collation is one of the most important features of a script grammar. It determines the order in which a given culture indexes its characters. This is best seen in a dictionary sort where for easy search words are sorted and arranged in a specific order. Within a given script, each allo-script may have a different sort-order. Thus in Hindi the conjunct glyph क्षा is sorted along with क, since the first letter of that conjunct is क and on a similar principle ज is sorted along with ज. The same is not the case with Marathi and Nepali which admit a different sort order.

Different scripts admit different sort orders and for all high-end NLP applications, sort is a crucial feature to ensure that the applications index data as per the cultural perception of that community. In quite a few States, sort order is clearly defined by the statutory bodies of that state and hence it is crucial that such sort order be ascertained and introduced in the script grammar.

In the case of Hindi the following is the traditional sort order as determined by the experts and used in dictionaries.

31	आ	इ	ई	3	ক	ऋ	ए	Ŭ. ²⁵	ऐ	ओ	ऑ
औ	क	ख	ग	घ	ङ	च	छ	ज	झ	স	ट
ਠ	ड	ढ	ण	ਰ	थ	द	ध	न	प	फ	ब
भ	म	य	₹	ਕ	व	श	ष	स	ह		

The order as given below is pertinent to sorting by a computer program and is compliant with CLDR as laid down by Unicode and W3C.

័	ं	0:	अ	आ	इ	ई	3	ক	ऋ	ए	ऍ
ऐ	ओ	ऑ	औ	क	ख	ग	घ	ਝ	च	छ	ज
झ	ञ	ਟ	ਠ	ड	ढ	ण	ਰ	थ	द	ध	न
प	फ	ब	भ	म	य	₹	ਕ	व	श	ष	स
ह	ा	ি	ी	ુ	ૂ	ৃ	े	ॅ	8	ो	ॉ
ी	0	0									

48

 $^{^{25}}$ $\breve{\mathtt{V}}$ and $3\breve{\mathtt{H}}$ are normally not listed in traditional dictionaries, but are included as digital dictionaries do include these characters.

In Tabular format:

ំ	ं	0:	अ	आ	इ	ई	3	ক	昶	ए	ऍ
ऐ	ओ	ऑ	औ	क	ख	ग	घ	<u>ਝ</u>	च	छ	ज
झ	ञ	ਟ	ਠ	ड	ढ	ण	ਰ	थ	द	ध	न
ч	দ	ब	भ	म	य	र	ਕ	व	श	ष	स
ह	ा	ি	ी	ુ	્	ृ	े	ॅ	8	ो	ॉ
ी	্	္									

7. REFERENCES

- 1. http://www.unicode.org
- 2. ISCII'91
- 3. केंद्रिय हिंदी निदेशालय: देवनागरी लिपि तथा हिंदी वर्तनी का मानकीकरण नई दिल्ली. 2006

8. ANNEXURES

Annexure 1: Names of experts who have contributed to the script grammar


> Prepared By:

- ✓ Dr. Raimond Doctor, Consultant, C-DAC, GIST, Pune.
- ✓ Shapes in this document are based on CHD book.


> Inputs By:

- ✓ Mr. Prabhakar Pandey, Hindi Officer, C-DAC, Pune.
- ✓ Mr. Tukaram Patil, Department of Hindi.
- ✓ Dr. Sudhir Mishra, Hindi Linguist, C-DAC, Pune.
- ✓ Hindi Language expert nominated by, Director, CIIL (Dr. R. Sachdeva)


Annexure 2: Shapes of Hindi characters as per Central Hindi Directorate Hindi Vowels




Hindi Vowel Modifiers: Matras




Hindi Diacritics and Rafar(Repha) Rakar



Hindi Consonants





Annexure 3: Unicode Table of Devanāgarī ²⁶

²⁶ The Unicode chart provided is for version 5.1 since the Script Grammar was prepared at that time. No considerable change in the script grammar can be seen in the updated versions of Unicode, with the possible addition of the Rupee Sign U+02B9.