

{\rtf1\ansi\ansicpg1252\deff0\nouicompat\deflang1033{\fonttbl{\f0\fnil\fcharset0 Calibri;}}

{*\generator Riched20 10.0.19041}\viewkind4\uc1

\pard\sa200\sl276\slmult1\tx1800\tx1890\fo\fs22\lang9 1. File and Directory Management\par

Command\tab Meaning\par

ls\tab List files and directories in the current directory.\par

cd\tab Change the current working directory.\par

pwd\tab Display the current working directory.\par

mkdir\tab Create a new directory.\par

rmdir\tab Remove an empty directory.\par

rm\tab Remove files or directories.\par

cp\tab Copy files or directories.\par

mv\tab Move or rename files or directories.\par

touch\tab Create an empty file or update the timestamp of an existing file.\par

find\tab Search for files and directories within a directory.\par

locate\tab Quickly find a file using a pre-built database.\par

tree\tab Display directories and subdirectories in a tree-like format.\par

\par

2. File Viewing and Editing\par

Command\tab Meaning\par

cat\tab Concatenate and display the contents of a file.\par

less\tab View a file page by page.\par

more\tab Similar to less, but less flexible.\par

head\tab Display the first few lines of a file.\par

tail\tab Display the last few lines of a file.\par

nano\tab Open a file in the nano text editor.\par

vim\tab Open a file in the vim text editor.\par

grep\tab Search for patterns or strings in files.\par

diff\tab Compare the differences between two files.\par

\par

3. File Permissions and Ownership\par

Command\tab Meaning\par

chmod\tab Change the permissions of a file or directory.\par

chown\tab Change the owner of a file or directory.\par

chgrp\tab Change the group ownership of a file or directory.\par

umask\tab Set default file permissions for newly created files.\par

\par

4. Process Management\par

Command\tab Meaning\par

ps\tab Display information about running processes.\par

top\tab Show a real-time view of system processes.\par

htop\tab Similar to top, but more user-friendly.\par

kill\tab Terminate a process using its PID.\par

killall\tab Terminate all processes with a specific name.\par

jobs\tab List background jobs.\par

fg\tab Bring a background job to the foreground.\par

bg\tab Resume a background job.\par

\par

5. Networking\par

Command\tab Meaning\par

ping\tab Test the network connectivity to a host.\par

wget\tab Download files from the web.\par

curl\tab Transfer data from or to a server.\par

ifconfig\tab Display or configure network interfaces (deprecated, use ip).\par

ip\tab Configure and show network interfaces and routes.\par

netstat\tab Display network connections, routing tables, and more.\par

ss\tab Display network connections (modern replacement for netstat).\par

scp\tab Copy files securely between systems using SSH.\par

ssh\tab Log into a remote system securely.\par

\par

6. Disk and Storage\par

Command\tab Meaning\par

df\tab Display disk space usage.\par

du\tab Display file or directory size.\par

mount\tab Mount a filesystem or storage device.\par

umount\tab Unmount a filesystem or storage device.\par

lsblk\tab Display information about block devices.\par

fdisk\tab Partition a disk.\par

mkfs\tab Create a filesystem on a partition.\par

blkid\tab Display information about block devices and partitions.\par

\par

7. System Monitoring and Performance\par

Command\tab Meaning\par

uptime\tab Display system uptime and load averages.\par

free\tab Display memory usage.\par

vmstat\tab Show system performance statistics.\par

iostat\tab Display CPU and I/O statistics.\par

sar\tab Collect and report system activity.\par

dstat\tab Monitor system resource usage.\par

\par

8. User Management\par

Command\tab Meaning\par

whoami\tab Display the current user's username.\par
who\tab Show who is currently logged in.\par
id\tab Display the current user's ID and group information.\par
adduser\tab Add a new user.\par
useradd\tab Create a new user (similar to adduser).\par
passwd\tab Change a user's password.\par
su\tab Switch to another user account.\par
sudo\tab Execute commands as another user, typically root.\par
\par

9. Archive and Compression\par

Command\tab Meaning\par
tar\tab Archive files into a single file.\par
gzip\tab Compress files using the gzip format.\par
gunzip\tab Decompress files compressed with gzip.\par
zip\tab Compress files into a ZIP archive.\par
unzip\tab Extract files from a ZIP archive.\par
\par

10. Package Management\par

Command\tab Meaning\par
apt\tab Manage packages on Debian-based systems (e.g., Ubuntu).\par
yum\tab Manage packages on Red Hat-based systems (e.g., CentOS).\par
dnf\tab Modern package manager for Red Hat-based systems.\par
zypper\tab Manage packages on openSUSE systems.\par
snap\tab Manage snap packages.\par
\par

11. Miscellaneous\par

Command\tab Meaning\par

echo\tab Print text or variables to the terminal.\par
date\tab Display or set the system date and time.\par
cal\tab Display a calendar.\par
history\tab Show the history of commands executed.\par
alias\tab Create shortcuts for commands.\par
uname\tab Display system information.\par
man\tab Show the manual page for a command.\par
clear\tab Clear the terminal screen.\par
}