```
In [ ]: import tensorflow as tf
In [ ]: | from tensorflow import keras
In [ ]: import pandas as pd
        import numpy as np
        import matplotlib.pyplot as plt
        import random
        %matplotlib inline
In [ ]: |mnist=tf.keras.datasets.mnist
        (x_train,y_train),(x_test,y_test)=mnist.load_data()
In [ ]: |plt.matshow(x train[0])
In [ ]: |x_train=x_train/255
        x_test=x_test/255
In [ ]: |x_train[0]
In [ ]: |model=keras.Sequential([
            keras.layers.Flatten(input_shape=(28,28)),
            keras.layers.Dense(128,activation='relu'),
            keras.layers.Dense(10,activation='softmax')
        ])
In [ ]: model.summary()
In [ ]: |model.compile(optimizer='sgd',loss='sparse_categorical_crossentropy',metrics=['accuracy'])
In [ ]: history=model.fit(x_train,y_train,validation_data=(x_test,y_test),epochs=10)
In [ ]: | test_loss,test_acc=model.evaluate(x_test,y_test)
        print("Loss=%.3f" %test_loss)
        print("Accuracy=%.3f" %test_acc)
In [ ]: | n=random.randint(0,9999)
        plt.imshow(x_test[n])
        plt.show
In [ ]: | test_predict= model.predict(x_test)
        test_predict_labels=np.argmax(test_predict,axis=1)
        confusion_matrix=tf.math.confusion_matrix(labels=y_test,predictions=test_predict_labels)
        print('confusion matrix of the test set :\n', confusion_matrix)
```