

Launch AWS Academy Learn...SecurityGroup | EC2 | us-east-1Properties > Chicago_ClusterDatabricks

us-east-1.console.aws.amazon.com/emr/home?region=us-east-1#/clusterDetails/j-3146OL7DTYFO2

Account ID: 6546-5459-3683voclabs/user5000574=abhijeetsoni184@gmail.com

Amazon EMR > EMR on EC2: Clusters > Chicago_Cluster

Your cluster "Chicago_Cluster" has been successfully created.

Chicago_Cluster

Updated less than a minute ago

TerminateClone in AWS CLIClone

This EMR release reaches End of Support on Aug-01-2026 and will no longer be eligible for technical support. AWS strongly recommends that you run your workloads on the latest Amazon EMR release to receive security-critical updates and fixes. You can also use new Spark upgrade agent to modernize your existing applications on version 5.40 or higher to latest EMR version. To learn more, see [EMR Standard Support policy](#) and [Spark Upgrades](#).

▼ Summary

Cluster info

Cluster ID
j-3146OL7DTYFO2

Cluster ARN
arn:aws:elasticmapreduce:us-east-1:654654593683:cluster/j-3146OL7DTYFO2

Cluster configuration
Instance groups

Capacity
1 Primary | 1 Core | 0 Task

Applications

Amazon EMR version
emr-5.20.1

Installed applications
Ganglia 3.7.2, Hadoop 2.8.5, Hive 2.3.4, Hue 4.3.0, Tez 0.9.1

Cluster management

Log destination in Amazon S3
Logging not configured

Primary node public DNS
ec2-13-220-91-45.compute-1.amazonaws.com

Connect to the Primary node using SSH
Connect to the Primary node using SSM

Status and time

Status
Starting

Creation time
May 09, 2026, 11:01 (UTC+05:30)

Elapsed time
3 minutes, 45 seconds

PropertiesBootstrap actionsInstances (Hardware)StepsApplicationsConfigurationsMonitoringEventsTags (0)

Cluster logs

Cluster termination and node replacement

PropertiesBootstrap actionsInstances (Hardware)StepsApplicationsConfigurationsMonitoringEventsTags (0)

Application user interfaces

Applications installed on your Amazon EMR cluster publish user interfaces (UI) as websites. You can use these to monitor cluster activity.

On-cluster application UIs

On-cluster UIs are available only while your cluster is running. Use the following links to get started. To access all the application UIs, set up SSH tunneling.

Application UIs on the primary node

These require SSH tunneling to be enabled.

Application	UI URL
Ganglia	http://ec2-13-220-91-45.compute-1.amazonaws.com/ganglia/
HDFS Name Node	http://ec2-13-220-91-45.compute-1.amazonaws.com:50070/
Hue	http://ec2-13-220-91-45.compute-1.amazonaws.com:8888/
Resource Manager	http://ec2-13-220-91-45.compute-1.amazonaws.com:8088/
Tez UI	http://ec2-13-220-91-45.compute-1.amazonaws.com:8080/tez-ui

Application UIs on the core and task nodes

Application	UI URL
HDFS Data Node	http://ec2-54-234-224-35.compute-1.amazonaws.com:50075/
Node Manager	http://ec2-54-234-224-35.compute-1.amazonaws.com:8042/

Installed Applications (5)

Answer

```
hive> SELECT
>     district,
>     COUNT(*) AS total_crimes
> FROM crimes_partitioned
> GROUP BY district
> ORDER BY total_crimes DESC;
Query ID = hadoop_20260509063351_ce626128-88ed-4bb3-b0f9-28abff32fc8c
Total jobs = 1
Launching Job 1 out of 1
Status: Running (Executing on YARN cluster with App id application_1778305088465_0002)
```

	VERTICES	MODE	STATUS	TOTAL	COMPLETED	RUNNING	PENDING	FAILED	KILLED
Map 1	container	SUCCEEDED	1	1	0	0	0	0	0
Reducer 2	container	SUCCEEDED	2	2	0	0	0	0	0
Reducer 3	container	SUCCEEDED	1	1	0	0	0	0	0

VERTICES: 03/03 [=====]>] 100% ELAPSED TIME: 7.11 s

```
OK
NULL      243066
8          14706
6          14581
12         14230
4          13733
11         13300
1          12936
18         12353
19         12146
25         11894
3          11816
2          11696
9          10270
7          10206
```

```
THEFT      2029
ASSAULT    1900
CRIMINAL TRESPASS      1246
CRIMINAL DAMAGE 899
MOTOR VEHICLE THEFT    583
ROBBERY    558
```

Time taken: 8.525 seconds, Fetched: 10 row(s)

```
hive> SELECT
>     district,
>     COUNT(*) AS domestic_crime_count
> FROM crimes_partitioned
> WHERE domestic = 'true'
> GROUP BY district
> ORDER BY domestic_crime_count DESC
> LIMIT 3;
```

```
Query ID = hadoop_20260509063328_0f4825e3-6c0b-4670-bd64-b4b8555b6c8c
Total jobs = 1
Launching Job 1 out of 1
Status: Running (Executing on YARN cluster with App id application_1778305088465_0002)
```

	VERTICES	MODE	STATUS	TOTAL	COMPLETED	RUNNING	PENDING	FAILED	KILLED
Map 1	container	SUCCEEDED	1	1	0	0	0	0	0
Reducer 2	container	SUCCEEDED	1	1	0	0	0	0	0
Reducer 3	container	SUCCEEDED	1	1	0	0	0	0	0

VERTICES: 03/03 [=====]>] 100% ELAPSED TIME: 7.79 s

```
OK
6          3821
4          3448
8          3048
Time taken: 8.714 seconds, Fetched: 3 row(s)
hive>
```

Answer

```
hive> SELECT
>     primary_type,
>     COUNT(*) AS total_arrests
> FROM crimes_partitioned
> WHERE arrest = 'true'
> GROUP BY primary_type
> HAVING COUNT(*) > 500
> ORDER BY total_arrests DESC;
Query ID = hadoop_20260509063301_e3c67550-c85e-4bfb-b027-67cf5ee32215
Total jobs = 1
Launching Job 1 out of 1
Status: Running (Executing on YARN cluster with App id application_1778305088465_0002)
```

	VERTICES	MODE	STATUS	TOTAL	COMPLETED	RUNNING	PENDING	FAILED	KILLED
Map 1	container		SUCCEEDED	1	1	0	0	0	0
Reducer 2	container		SUCCEEDED	1	1	0	0	0	0
Reducer 3	container		SUCCEEDED	1	1	0	0	0	0

VERTICES: 03/03 [=====] 100% ELAPSED TIME: 7.79 s

```
OK
WEAPONS VIOLATION      5394
BATTERY 5173
NARCOTICS      4645
OTHER OFFENSE  2094
THEFT  2029
ASSAULT 1900
CRIMINAL TRESPASS      1246
CRIMINAL DAMAGE 899
MOTOR VEHICLE THEFT    583
ROBBERY 558
Time taken: 8.525 seconds, Fetched: 10 row(s)
hive>
```

VERTICES: 03/03 [=====] 100% ELAPSED TIME: 8.31 s

```
OK
THEFT  54900
BATTERY 40970
CRIMINAL DAMAGE 27250
MOTOR VEHICLE THEFT    21473
ASSAULT 20815
Time taken: 8.932 seconds, Fetched: 5 row(s)
```

```
hive> SELECT
>     crime_year,
>     COUNT(*) AS total_crimes
> FROM crimes_partitioned
> GROUP BY crime_year
> ORDER BY crime_year ASC;
Query ID = hadoop_20260509063232_c5d3d328-bbdf-4272-a13f-526b144f5a73
Total jobs = 1
Launching Job 1 out of 1
Status: Running (Executing on YARN cluster with App id application_1778305088465_0002)
```

	VERTICES	MODE	STATUS	TOTAL	COMPLETED	RUNNING	PENDING	FAILED	KILLED
Map 1	container		SUCCEEDED	1	1	0	0	0	0
Reducer 2	container		SUCCEEDED	2	2	0	0	0	0
Reducer 3	container		SUCCEEDED	1	1	0	0	0	0

VERTICES: 03/03 [=====] 100% ELAPSED TIME: 6.92 s

```
OK
NULL      240065
2022      240064
Time taken: 7.542 seconds, Fetched: 2 row(s)
hive>
```

Answer

```

Time taken: 0.063 seconds, Fetched: 2 row(s)
hive> SELECT COUNT(*) AS total_crimes
|   > FROM crimes_partitioned;
|
OK
480129
Time taken: 0.235 seconds, Fetched: 1 row(s)
hive> SELECT
|   >     primary_type,
|   >     COUNT(*) AS crime_count
|   > FROM crimes_partitioned
|   > GROUP BY primary_type
|   > ORDER BY crime_count DESC
|   > LIMIT 5;
Query ID = hadoop_20260509063139_2365b9f1-f6b1-4bfa-9348-16498208a1e8
Total jobs = 1
Launching Job 1 out of 1
Status: Running (Executing on YARN cluster with App id application_1778305088465_0002)

```

	VERTICES	MODE	STATUS	TOTAL	COMPLETED	RUNNING	PENDING	FAILED	KILLED
Map 1	container		SUCCEEDED	1	1	0	0	0	0
Reducer 2	container		SUCCEEDED	2	2	0	0	0	0
Reducer 3	container		SUCCEEDED	1	1	0	0	0	0

```

VERTICES: 03/03 [=====>] 100% ELAPSED TIME: 8.31 s

```

```

OK
THEFT      54900
BATTERY    40970
CRIMINAL DAMAGE 27250
MOTOR VEHICLE THEFT      21473
ASSAULT    20815
Time taken: 8.932 seconds, Fetched: 5 row(s)
hive>

```

```

hive> CREATE DATABASE chicago_crime_db;
OK
Time taken: 1.349 seconds
hive> USE chicago_crime_db;
OK
Time taken: 0.067 seconds
hive> CREATE EXTERNAL TABLE crimes_raw (
|   >     crime_id INT,
|   >     case_number STRING,
|   >     crime_date STRING,
|   >     block STRING,
|   >     primary_type STRING,
|   >     description STRING,
|   >     location_desc STRING,
|   >     arrest STRING,
|   >     domestic STRING,
|   >     beat INT,
|   >     district INT,
|   >     ward INT,
|   >     community_area INT,
|   >     crime_year INT,
|   >     latitude DOUBLE,
|   >     longitude DOUBLE
|   > )
|   > ROW FORMAT DELIMITED
|   > FIELDS TERMINATED BY ','
|   > STORED AS TEXTFILE
|   > LOCATION '/user/hadoop/crimes_data/';
|
OK
Time taken: 0.794 seconds
hive> SELECT * FROM crimes_raw LIMIT 10;
OK
NULL      "Case Number"      "Date"      "Block"      "IUCR"      "Primary Type"      "Description"      "Location Description"      "Arrest"      N
ULL      NULL      NULL      NULL      NULL      NULL      NULL
NULL      "JG202134"      "12/31/2022 11:55:00 PM"      "055XX W ADAMS ST"      "1477"      "WEAPONS VIOLATION"      "RECKL

```

Answer

The screenshot shows the Hue File Browser interface. The breadcrumb path is: Home / user / hive / warehouse / chicago_crime_db.db / crimes_partitioned / crime_year=2022. The file listing table is as follows:

Name	Size	User	Group	Permissions	Date
f		hadoop	hadoop	drwxrwxrwt	May 08, 2026 11:13 PM
.		hadoop	hadoop	drwxrwxrwt	May 08, 2026 11:13 PM
000000_0	1.7 MB	hadoop	hadoop	-rwxrwxrwt	May 08, 2026 11:13 PM
000001_0	1.4 MB	hadoop	hadoop	-rwxrwxrwt	May 08, 2026 11:13 PM
000002_0	1.7 MB	hadoop	hadoop	-rwxrwxrwt	May 08, 2026 11:13 PM
000003_0	1.5 MB	hadoop	hadoop	-rwxrwxrwt	May 08, 2026 11:13 PM

At the bottom of the listing, it says "Show 45 of 4 items" and "Page 1 of 1".

```
# Partition Information
# col_name      data_type      comment

crime_year      int

# Detailed Table Information
Database:        chicago_crime_db
Owner:           hadoop
CreateTime:      Sat May 09 06:11:43 UTC 2026
LastAccessTime:  UNKNOWN
Retention:       0
Location:        hdfs://ip-172-31-21-114.ec2.internal:8020/user/hive/warehouse/chicago_crime_db.db/crimes_parti
tioned
Table Type:      MANAGED_TABLE
Table Parameters:
  COLUMN_STATS_ACCURATE {\"BASIC_STATS\": \"true\"}
  numFiles              4
  numPartitions         1
  numRows               236755
  rawDataSize           189545598
  totalSize             6565057
  transient_lastDdlTime 1778307103

# Storage Information
SerDe Library:    org.apache.hadoop.hive.q1.io.orc.OrcSerde
InputFormat:      org.apache.hadoop.hive.q1.io.orc.OrcInputFormat
OutputFormat:     org.apache.hadoop.hive.q1.io.orc.OrcOutputFormat
Compressed:       No
Num Buckets:      4
Bucket Columns:   [district]
Sort Columns:     []
Storage Desc Params:
  serialization.format 1
Time taken: 0.153 seconds, Fetched: 50 row(s)
hive>
```

Answer

```

> PARTITION (crime_year=2022)
> SELECT
>   crime_id,
>   case_number,
>   crime_date,
>   block,
>   primary_type,
>   description,
>   location_desc,
>   arrest,
>   domestic,
>   beat,
>   district,
>   ward,
>   community_area,
>   latitude,
>   longitude
> FROM crimes_raw
> WHERE crime_year = 2022;
Query ID = hadoop_20260509061314_a986ebe1-7721-42d0-95ce-2b24ebca6daf
Total jobs = 1
Launching Job 1 out of 1
Status: Running (Executing on YARN cluster with App id application_1778305088465_0001)

```

	VERTICES	MODE	STATUS	TOTAL	COMPLETED	RUNNING	PENDING	FAILED	KILLED
Map 1	container		SUCCEEDED	2	2	0	0	0	0
Reducer 2	container		SUCCEEDED	4	4	0	0	0	0

VERTICES: 02/02 [=====] 100% ELAPSED TIME: 27.40 s

```

Loading data to table chicago_crime_db.crimes_partitioned partition (crime_year=2022)
OK
Time taken: 28.679 seconds

```

```

hive> CREATE TABLE crimes_partitioned (
>   crime_id INT,
>   case_number STRING,
>   crime_date STRING,
>   block STRING,
>   primary_type STRING,
>   description STRING,
>   location_desc STRING,
>   arrest STRING,
>   domestic STRING,
>   beat INT,
>   district INT,
>   ward INT,
>   community_area INT,
>   latitude DOUBLE,
>   longitude DOUBLE
> )
> PARTITIONED BY (crime_year INT)
> CLUSTERED BY (district) INTO 4 BUCKETS
> STORED AS ORC;
OK

```

Time taken: 0.075 seconds

```

hive> INSERT INTO TABLE crimes_partitioned
> PARTITION (crime_year=2022)
> SELECT
>   crime_id,
>   case_number,
>   crime_date,
>   block,
>   primary_type,
>   description,
>   location_desc,
>   arrest,
>   domestic,
>   beat,

```

...adrop@ip-172-31-21-114 ~ -- ssh -i ~/Downloads/Abhijeet-Key.pem hadoop@ec2-13-220-91-45.compute-1.amazonaws.com ...C_FLAGS=0x0 TERM=xterm-256color SSH_AUTH_SOCK=/private/tmp/com.apple.launchd.FNMF5FL96z/Listeners +

```
Last login: Sat May 9 11:17:28 on ttys000
(base) abhi@Abhijeets-MacBook-Air ~ % mongosh "mongodb+srv://cluster0.mgsle0z.mongodb.net/" --apiVersion 1 --username AbhijeetSo21
Enter password: *****
Current Mongosh Log ID: 69fed704a746ba11005a7b42
Connecting to:      mongodb+srv://<credentials>@cluster0.mgsle0z.mongodb.net/?appName=mongosh+2.8.2
Using MongoDB:      8.0.23 (API Version 1)
Using Mongosh:       2.8.2
mongosh 2.8.3 is available for download: https://www.mongodb.com/try/download/shell

For mongosh info see: https://www.mongodb.com/docs/mongodb-shell/

Atlas atlas-4xjuae-shard-0 [primary] test> use e-commerce
switched to db e-commerce
Atlas atlas-4xjuae-shard-0 [primary] e-commerce> db.orders.insertMany([
  {
    order_id: "ORD001",
    customer: "Alice",
    city: "Mumbai",
    category: "Electronics",
    product: "Laptop",
    quantity: 1,
    price: 75000,
    status: "delivered",
    date: "2024-01-15"
  },
  {
    order_id: "ORD002",
    customer: "Bob",
    city: "Delhi",
```

cloud.mongodb.com/v2/69f2cc935dedbfb5df65057#clusters

MongoDB Atlas

ORGANIZATION Abhijeet's Org - 2026... PROJECT Project 0

Clusters

Find a database deployment...

Cluster0 Connect View Monitoring Browse Collections ... FREE

Visualize Your Data

Build dashboards and charts, and embed them in your apps with MongoDB Charts.

Explore Charts Dismiss

Cluster0

VERSION	REGION	TYPE	BACKUPS	LINKED APP SERVICES	ATLAS SQL	ATLAS SEARCH
8.0.23	AWS / Mumbai (ap-south-1)	Replica Set - 3 nodes	Inactive	None Linked	Connect	Create Index

+ Add Tag

System Status: All Good

©2026 MongoDB, Inc. Status Terms Privacy Atlas Blog Contact Sales

Answer

```
...adrop@ip-172-31-21-114 ~ -- ssh -i ~/Downloads/Abhijeet-Key.pem hadoop@ec2-13-220-91-45.compute-1.amazonaws.com ...C_FLAGS=0x0 TERM=xterm-256color SSH_AUTH_SOCK=/private/tmp/com.apple.launchd.fNM5FL96z/Listeners +
|   category: "Electronics",
|   product: "Smart Watch",
|   quantity: 2,
|   price: 12000,
|   status: "pending",
|   date: "2024-05-01"
| })
| {
|   acknowledged: true,
|   insertedId: ObjectId('69fed901a746ba11005a7b48')
| }
Atlas atlas-4xjuae-shard-0 [primary] e-commerce> db.orders.find({ order_id: "ORD006" }).pretty()
[
  {
    _id: ObjectId('69fed901a746ba11005a7b48'),
    order_id: 'ORD006',
    customer: 'Rahul',
    city: 'Bangalore',
    category: 'Electronics',
    product: 'Smart Watch',
    quantity: 2,
    price: 12000,
    status: 'pending',
    date: '2024-05-01'
  }
]
Atlas atlas-4xjuae-shard-0 [primary] e-commerce> db.orders.deleteOne({ order_id: "ORD004" })
{ acknowledged: true, deletedCount: 1 }
Atlas atlas-4xjuae-shard-0 [primary] e-commerce> db.orders.find({ order_id: "ORD004" })

Atlas atlas-4xjuae-shard-0 [primary] e-commerce>

...adrop@ip-172-31-21-114 ~ -- ssh -i ~/Downloads/Abhijeet-Key.pem hadoop@ec2-13-220-91-45.compute-1.amazonaws.com ...C_FLAGS=0x0 TERM=xterm-256color SSH_AUTH_SOCK=/private/tmp/com.apple.launchd.fNM5FL96z/Listeners +
Atlas atlas-4xjuae-shard-0 [primary] e-commerce> db.orders.insertOne({
|   order_id: "ORD006",
|   customer: "Rahul",
|   city: "Bangalore",
|   category: "Electronics",
|   product: "Smart Watch",
|   quantity: 2,
|   price: 12000,
|   status: "pending",
|   date: "2024-05-01"
| })
| {
|   acknowledged: true,
|   insertedId: ObjectId('69fed901a746ba11005a7b48')
| }
Atlas atlas-4xjuae-shard-0 [primary] e-commerce> db.orders.find({ order_id: "ORD006" }).pretty()
[
  {
    _id: ObjectId('69fed901a746ba11005a7b48'),
    order_id: 'ORD006',
    customer: 'Rahul',
    city: 'Bangalore',
    category: 'Electronics',
    product: 'Smart Watch',
    quantity: 2,
    price: 12000,
    status: 'pending',
    date: '2024-05-01'
  }
]
Atlas atlas-4xjuae-shard-0 [primary] e-commerce>
```

Answer


```
...adrop@ip-172-31-21-114 ~ -- ssh -i ~/Downloads/Abhijeet-Key.pem hadoop@ec2-13-220-91-45.compute-1.amazonaws.com ...C_FLAGS=0x0 TERM=xterm-256color SSH_AUTH_SOCK=/private/tmp/com.apple.launchd.fNM5FL96z/Listeners +

    status: 'delivered',
    date: '2024-04-05'
  }
]
Atlas atlas-4xjuae-shard-0 [primary] e-commerce> db.orders.updateOne(
|   { order_id: "ORD002" },
|   { $set: { status: "shipped" } }
| )
| {
|   acknowledged: true,
|   insertedId: null,
|   matchedCount: 1,
|   modifiedCount: 1,
|   upsertedCount: 0
| }
Atlas atlas-4xjuae-shard-0 [primary] e-commerce> db.orders.find({ order_id: "ORD002" }).pretty()
| [
|   {
|     _id: ObjectId('69fed80ca746ba11005a7b44'),
|     order_id: 'ORD002',
|     customer: 'Bob',
|     city: 'Delhi',
|     category: 'Clothing',
|     product: 'Jacket',
|     quantity: 3,
|     price: 4500,
|     status: 'shipped',
|     date: '2024-02-20'
|   }
| ]
Atlas atlas-4xjuae-shard-0 [primary] e-commerce>

...adrop@ip-172-31-21-114 ~ -- ssh -i ~/Downloads/Abhijeet-Key.pem hadoop@ec2-13-220-91-45.compute-1.amazonaws.com ...C_FLAGS=0x0 TERM=xterm-256color SSH_AUTH_SOCK=/private/tmp/com.apple.launchd.fNM5FL96z/Listeners +

Atlas atlas-4xjuae-shard-0 [primary] e-commerce> db.orders.find({ status: "delivered" })
| [
|   {
|     _id: ObjectId('69fed80ca746ba11005a7b43'),
|     order_id: 'ORD001',
|     customer: 'Alice',
|     city: 'Mumbai',
|     category: 'Electronics',
|     product: 'Laptop',
|     quantity: 1,
|     price: 75000,
|     status: 'delivered',
|     date: '2024-01-15'
|   },
|   {
|     _id: ObjectId('69fed80ca746ba11005a7b45'),
|     order_id: 'ORD003',
|     customer: 'Carol',
|     city: 'Mumbai',
|     category: 'Electronics',
|     product: 'Phone',
|     quantity: 2,
|     price: 25000,
|     status: 'delivered',
|     date: '2024-03-10'
|   },
|   {
|     _id: ObjectId('69fed80ca746ba11005a7b47'),
|     order_id: 'ORD005',
|     customer: 'Eve',
|     city: 'Delhi',
|   }
| ]
```

Answer

```
...adhop@ip-172-31-21-114 ~ -- ssh -i ~/Downloads/Abhijeet-Key.pem hadoop@ec2-13-220-91-45.compute-1.amazonaws.com ...C_FLAGS=0x0 TERM=xterm-256color SSH_AUTH_SOCK=/private/tmp/com.apple.launchd.fNMSFLL96z/Listeners +
Atlas atlas-4xjuae-shard-0 [primary] e-commerce> [
  {
    _id: 'Mumbai',
    totalOrders: 2,
    averagePrice: 50000
  },
  {
    _id: 'Delhi',
    totalOrders: 2,
    averagePrice: 19750
  }
]
[
  { _id: 'Mumbai', totalOrders: 2, averagePrice: 50000 },
  { _id: 'Delhi', totalOrders: 2, averagePrice: 19750 }
]
Atlas atlas-4xjuae-shard-0 [primary] e-commerce> db.orders.aggregate([
  {
    $group: {
      _id: "$status",
      count: { $sum: 1 }
    }
  },
  {
    $match: {
      count: { $gt: 1 }
    }
  }
])
[ { _id: 'delivered', count: 3 } ]
Atlas atlas-4xjuae-shard-0 [primary] e-commerce>

...adhop@ip-172-31-21-114 ~ -- ssh -i ~/Downloads/Abhijeet-Key.pem hadoop@ec2-13-220-91-45.compute-1.amazonaws.com ...C_FLAGS=0x0 TERM=xterm-256color SSH_AUTH_SOCK=/private/tmp/com.apple.launchd.fNMSFLL96z/Listeners +
Atlas atlas-4xjuae-shard-0 [primary] e-commerce> db.orders.aggregate([
  {
    $group: {
      _id: "$city",
      totalOrders: { $sum: 1 },
      averagePrice: { $avg: "$price" }
    }
  }
])
[
  { _id: 'Bangalore', totalOrders: 1, averagePrice: 12000 },
  { _id: 'Mumbai', totalOrders: 2, averagePrice: 50000 },
  { _id: 'Delhi', totalOrders: 2, averagePrice: 19750 }
]
Atlas atlas-4xjuae-shard-0 [primary] e-commerce> [
  {
    _id: 'Mumbai',
    totalOrders: 2,
    averagePrice: 50000
  },
  {
    _id: 'Delhi',
    totalOrders: 2,
    averagePrice: 19750
  }
]
[
  { _id: 'Mumbai', totalOrders: 2, averagePrice: 50000 },
  { _id: 'Delhi', totalOrders: 2, averagePrice: 19750 }
]
Atlas atlas-4xjuae-shard-0 [primary] e-commerce>
```

Answer

Terminal output showing MongoDB Atlas aggregation queries and their results:

```
Atlas atlas-4xjuae-shard-0 [primary] e-commerce> db.orders.aggregate([
  {
    $group: {
      _id: "$category",
      totalRevenue: {
        $sum: { $multiply: ["$price", "$quantity"] }
      }
    },
  },
  {
    $sort: { totalRevenue: -1 }
  }
])
[
  { _id: 'Electronics', totalRevenue: 184000 },
  { _id: 'Clothing', totalRevenue: 13500 }
]

Atlas atlas-4xjuae-shard-0 [primary] e-commerce> db.orders.aggregate([
  {
    $group: {
      _id: "$city",
      totalOrders: { $sum: 1 },
      averagePrice: { $avg: "$price" }
    },
  }
])
[
  { _id: 'Bangalore', totalOrders: 1, averagePrice: 12000 },
  { _id: 'Mumbai', totalOrders: 2, averagePrice: 50000 },
  { _id: 'Delhi', totalOrders: 2, averagePrice: 19750 }
]
```

Screenshot of the MongoDB Atlas Cluster0 Overview page:

- Cluster:** Cluster0
- Version:** 8.0.23
- Region:** AWS Mumbai (ap-south-1)
- Cluster Tier:** Free
- Buttons:** Connect, Configuration, ...
- Tags:** Use tags to efficiently label and categorize your clusters. Any tags you apply will display here. [Learn more about tagging.](#) **ADD TAG**
- REGION:** Mumbai (ap-south-1)
- Shards:**
 - ac-seec... shard-00-01.mgsle... (SECONDARY)
 - ac-seecs... shard-00-02.mgsle... (PRIMARY)
- This is a Free Tier Cluster:** If you need a database that's better for high-performance production applications, upgrade to a dedicated cluster. **Upgrade**
- Operations R: W:** 100.0% (Last 6 Hours)
- Logical Size:** 512.0 MB max (Last 6 Hours)
- Connections:** 500 max (Last 6 Hours)

Answer

Launch AWS Academy Learn x Applications > Chicago_Clu x Clusters | Cloud: MongoDB x Databricks: Leading Data an x data - Databricks x Ask Gemini

dbc-02edc593-7837.cloud.databricks.com/explore/data/volumes/vita/dataengineering/data?o=7474647979247101

Search data, notebooks, recents, and more... workspace

New

- Home
- Learn
- Workspace
- Recents
- Catalog**
- Jobs & Pipelines
- Compute
- Discover Beta
- Marketplace

SQL

- SQL Editor
- Queries
- Dashboards
- Genie Spaces
- Alerts
- Query History
- SQL Warehouses

Data Engineering

- Runs
- Data Ingestion

AI/ML

Catalog

Serverless Starter Warehouse Serverless 2XS

Type to search...

For you All

- My organization
 - workspace
 - system
 - vita
 - dataengineering
 - Tables (1)
 - Volumes (4)
 - data**
 - flight_json
 - flight_parquet
 - parquet_data
 - default
 - information_schema
- Delta Shares Received
 - samples

Catalog Explorer > vita > dataengineering >

data

Share Upload to this volume

Overview Files Details Permissions

Description

AI generate Add

/Volumes/vita/dataengineering/data Refresh Create directory

Filter files and directories at this level

Name	Size	Last modified
airports.csv	12.03 MB	25 seconds ago
runways.csv	3.76 MB	27 seconds ago
output_csv		

About this volume

Owner abhijeetsoni184@gmail.com

Tags

Add tags

Deleting files

7 out of 7 files deleted

Answer