
```
**Second Second Second
```



Welcome to the S3 Bucket Content Service. Use /list-bucket-content to view the contents.





Welcome to the S3 Bucket Content Service. Use /list-bucket-content to view the contents.



```
- 0
 Windows PowerShell
aws_instance.flask_app: Creation complete after 12s [id=i-08974763df3c9d5a7]
Apply complete! Resources: 1 added, 0 changed, 0 destroyed.
+ CategoryInfo : ObjectNotFound: (grep:String) [], CommandNotFoundException
+ FullyQualifiedErrorId : CommandNotFoundException
PS C:\Users\abhij\http-service> curl http://13.201.82.56:5000
curl : Unable to connect to the rem
4t line:1 char:1
+ curl http://13.201.82.56:5000
      + CategoryInfo : InvalidOperation: (System.Net.HttpWebRequest:HttpWebRequest) [Invoke-WebRequest], WebException
+ FullyQualifiedErrorId : WebCmdletWebResponseException,Microsoft.PowerShell.Commands.InvokeWebRequestCommand
PS C:\Users\abhij\http-service> python3 app.py
Python was not found; run without arguments to install from the Microsoft Store, or disable this shortcut from Settings > Manage App Execution Aliases.
PS C:\Users\abhij\http-service> python3 app.py
Python was not found; run without arguments to install from the Microsoft Store, or disable this shortcut from Settings > Manage App Execution Aliases.
PS C:\Users\abhij\http-service> python --version
PS C:\Users\abnij\ntcp acrvice> python app.py
Python 3.13.1
PS C:\Users\abnij\http-service> python app.py
* Serving Flask app 'app'
* Debug mode: off
WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.

* Running on all addresses (0.0.0.0)

* Running on http://127.0.0.1:5000

* Running on http://192.168.0.107:5000
127.0.0.1 - - [31/Dec/2024 15:03:15] "GET / HTTP/1.1" 200 - 192.168.0.107 - - [31/Dec/2024 15:03:33] "GET / HTTP/1.1" 200 -
  29°C
Sunm
                                                                                    Q Search
```

