



# FLEXO PACK

## Packaging Solutions

Inspired by Nature...  
Driven by  
Cutting Edge Technologies



FLEXO PACK MACHINES PVT. LTD.

[www.flexopackmachine.com](http://www.flexopackmachine.com) | [www.flexopack.in](http://www.flexopack.in)



**Model No. FP-501-B**



### **Collar Type Packaging Machine Volumetric Cup Filler**

#### **Specifications**

Products	: Namkeen, Pulses, Granules, Tea, Fryums etc.
Filling system	: Adjustable Telescopic Disc
Filling Accuracy	: $\pm 1-1.5\%$ (Depend on nature of product)
Type of Seal	: Centre Seal and Back Seal
Filling Range	: 20 gm upto 1000 gm (depend on nature of product)
Packing material	: Heat Sealable Laminated Films
Pouch Dimensions	: Width 60-200mm, Length 50-300mm
Power Consumption	: 3.0 KW , Single Phase
Compressed Air Required	: 6CFM@6 Bar (2 H.P. Compressor)
Production Output	: 20-60 pouches per minute (Depend on nature & quantity of product)
Weight	: 550Kg (apprx.)
Machine Size (Bagger Size)	: L-1824mm, W -1220mm, H -2600 mm (Apprx.)

**Model No. FP-250**



### **Collar Type Servo Packaging Machine Volumetric Cup Filler**

#### **Specifications**

Products	: Namkeen, Pulses, Granules, Tea, Fryums etc.
Filling system	: Adjustable Telescopic Disc, Single Servo
Filling Accuracy	: $\pm 1-1.5\%$ (Depend on nature of product)
Type of Seal	: Centre Seal and Back Seal
Filling Range	: 20 gm upto 1000 gm (depend on nature of product)
Packing material	: Heat Sealable Laminated Films
Pouch Dimensions	: Width 60-200mm, Length 50-300mm
Power Consumption	: 3.5 KW , Single Phase
Compressed Air Required	: 6CFM@6 Bar (2 H.P. Compressor)
Production Output	: 20-75 pouches per minute (Depend on nature & quantity of product)
Weight	: 550Kg (apprx.)
Machine Size (Bagger Size)	: L-1824mm, W -900mm, H -2600 mm (Apprx.)



**Model No. FP- 501-C**



### Servo Auger Filler Packaging Maching

#### Specifications

Products	: Besan, Maida, Milk Powder, Spices powder & free flowing powder
Filling system	: Screw Feeder
Filling Accuracy	: $\pm 1-1.5\%$ (Depend on nature of product)
Type of Seal	: Centre Seal and Back Seal
Filling Range	: 25gm upto 1000 gm (depend on nature of product)
Packing material	: Heat Sealable Laminated Films
Pouch Dimensions	: Width 60-200mm Length 50-300mm
Power Consumption	: 5.5 KW, 3 Phase
Compressed Air Required	: 6CFM@6 Bar (2 H.P. Compressor)
Production Output	: 20-75pouches per min. (Depend on nature & quantity of product)
Weight	: 650 Kg (apprx.)
Machine Size (Bagger Size)	: L-1824mm, W - 1220mm, H -2600 mm (Apprx.)

**Model No. FP-1002**



### High Speed Mini Auger Filler Packaging Machine

#### Specifications

Products	: Besan, Maida, Milk Powder, Spices powder & free flowing powder
Filling system	: Screw Feeder
Filling Accuracy	: $\pm 1-1.5\%$ (Depend on nature of product)
Type of Seal	: Center Seal, Back & Side Seal
Filling Range	: 25gm upto 100 gm (depend on nature of product)
Packing material	: Heat Sealable Laminated Films
Pouch Dimensions	: Width 50-130mm Length 50-150mm
Power Consumption	: 3.5 KW, 3 Phase
Compressed Air Required	: 6 CFM@6 Bar (2 H.P. Compressor)
Production Output	: 20-100 pouches per minute (Depend on nature & quantity of product)
Weight	: 400 Kg (apprx.)
Machine Size (Bagger Size)	: L-900mm, W - 600mm, H -2100 mm (Apprx.)





**Model No. FP-350 VC**

## Servo Baggers

### Specifications

Products	: Namkeen, Pulses, Granules, Tea, Chips, Fryums etc.
Filling system	: 14 Head and 20 Head
Filling Accuracy	: $\pm 1-1.5\%$ (Depend on nature of product)
Type of Seal	: Center Seal and Back Seal
Filling Range	: 25gm upto 1000 gm (depend on nature of product)
Packing material	: Heat Sealable Laminated Films
Pouch Dimensions	: Width 60-200mm, Length 50-300mm
Power Consumption	: 5.5 KW, Single Phase
Compressed Air Required	: 6CFM@6 Bar (2 H.P Compressor)
Production Output	: 90-110 pouches per minute (Depend on nature & quantity of product)
Weight	: 950 Kg (apprx.)
Machine Size (Bagger Size):	L-1880mm, W - 1270mm, H -1500mm (Apprx.)



**Model No. FP-350**

## High Speed Servo Packaging Machine

### Volumetric Cup Filler

### Specifications

Products	: Namkeen, Pulses, Granules, Tea, Detergents, Fryums etc.
Filling system	: Adjustable Telescopic Disc
Filling Accuracy	: $\pm 1-1.5\%$ (Depend on nature of product)
Type of Seal	: Center Seal and Back Seal
Filling Range	: 25gm upto 1000 gm (depend on nature of product)
Packing material	: Heat Sealable Laminated Films
Pouch Dimensions	: Width 60-200mm, Length 50-300mm
Power Consumption	: 5.5 KW, Single Phase
Compressed Air Required	: 6CFM@6 Bar (2 H.P Compressor)
Production Output	: 80-95 pouches per minute (Depend on nature & quantity of product)
Weight	: 950 Kg (apprx.)
Machine Size (Bagger Size):	L-1880mm, W - 1270mm, H -2700 mm (Apprx.)

**Model No. FP-502**


### 4 Head Linear Weigher with Pneumatic Bagger

#### Specifications

Products	: Granules, Potato chips, Dry Fruit, Namkeen
Weigh Head Nos.	: 4 Heads
Filling Accuracy	: $\pm 1-1.5\%$ (Depend on nature of product)
Type of Seal	: Center Seal and Back Seal
Filling Range	: 25gm upto 1000 gm (depend on nature of product)
Packing material	: Heat Sealable Laminated Films
Pouch Dimensions	: Width 60-200mm, Length 50-300mm
Power Consumption	: 5.0 KW, Single Phase
Compressed Air Required	: 11 CFM@6 Bar (5 H.P. Compressor)
Production Output	: 25-35 pouches per minute (Depend on nature & quantity of product)
Weight	: 700 Kg (apprx.)
Bucket Material	: 1.2mm Plain S.S. 304
Machine Size (Bagger Size):	L-1160 mm, W - 950 mm, H -1478 mm (Apprx.)

**Model No. FP-1001**


### High Speed Mini Packaging Machine Volumetric Cup Filler

#### Specifications

Products	: Namkeen, Granules, Tea, Pharmaceuticals, Kurkure, Fryums etc.
Filling system	: Adjustable Telescopic Disc
Filling Accuracy	: $\pm 1-1.5\%$ (Depend on nature of product)
Type of Seal	: Centre Seal and Back Seal
Filling Range	: 25gm upto 100 gm (depend on nature of product)
Packing material	: Heat Sealable Laminated Films
Pouch Dimensions	: Width 50-130mm Length 50-150mm
Power Consumption	: 2.5 KW, Single Phase
Compressed Air Required	: 6CFM@6 Bar (3 H.P. Compressor)
Production Output	: 20-100 pouches per minute (Depend on nature & quantity of product)
Weight	: 350 Kg (apprx.)
Machine Size (Bagger Size):	L-900mm, W - 600mm, H -2100 mm (Apprx.)



**Model No. FP-504**



### 14 Head Weigher with Servo Bagger

#### Specifications

Products	: Granules, Potato Chips, Dry Fruit, Namkeen, Fryums, Kurkure etc.
Weigh Head No.	: 14 Heads
Filling Accuracy	: $\pm 1-1.5\%$ (Depend on nature of product)
Type of Seal	: Centre Seal and Back Seal
Filling Range	: 25gm upto 1000 gm (depend on nature of product)
Packing material	: Heat Sealable Laminated Films
Pouch Dimensions	: Width 60-200mm Length 50-300mm
Power Consumption	: 5.0 KW, Three Phase
Compressed Air Required	: 6CFM@6 Bar (2 H.P Compressor)
Touch Screen	: 10.4" Colour Display with touch screen
Production Output	: 80-95 pouches per minute (Depend on nature & quantity of product)
Weight	: 950 Kg (apprx.)
Material of Chassis	: 304 Stainless Steel
Thickness of Bucket	: 1.2mm Plain S.S. 304
Machine Dimensions	: L-1830mm, W - 1270mm, H -2600 mm (Aprrx.)

**Model No. FP-503**



### 10 Head Weigher With Pneumatic Bagger

#### Specifications

Products	: Granules, Potato Chips, Dry Fruit, Namkeen, Fryums, Kurkura etc.
Weigh Head No.	: 10 Heads
Filling Accuracy	: $\pm 1-1.5\%$ (Depend on nature of product)
Type of Seal	: Centre Seal and Back Seal
Filling Range	: 2.5 gm upto 2000 gm (depend on nature of product)
Packing material	: Heat Sealable Laminated Films
Pouch Dimensions	: Width 60-200mm, Length - 50-300mm
Power Consumption	: 5.0 KW, Single Phase
Compressed Air Required	: 11CFM@6 Bar (5 H.P. Compressor)
Touch Screen	: 10.4" Colour Display with touch screen
Production Output	: 60-70 pouches per minute (Depend on nature & quantity of product)
Weight	: 900 Kg (aprx.)
Material of Chassis	: 304 Stainless Steel
Thickness of Bucket	: 1.2mm Plain S.S. 304
Machine Size (Bagger Size:	L-2432mm, W -3952mm, H -4560 mm (Aprrx.)



**Model No. FP-150**



### D-Motion Type Packaging Machine Volumetric Cup Filler

#### Specifications

Products	: Paan Masala, Jeera, Mouth Freshener, Fruit Balls and Gems.
Filling system	: Adjustable Telescopic Disc
Filling Accuracy	: $\pm 1-1.5\%$ (Depend on nature of product)
Type of Seal	: Centre Seal and Back Seal
Filling Range	: 20 gm upto 100 gm (depend on nature of product)
Packing material	: Heat Sealable Laminated Films and small pouches
Pouch Dimensions	: Width 50-130mm Length 50-200mm
Power Consumption	: 3.0 KW, Single Phase
Compressed Air Required	: 6CFM@6 Bar (2 H.P. Compressor)
Production Output	: 60-350 pouches per minute (Depend on nature & quantity of product)
Weight	: 300 Kg (apprx.)
Machine Size (Bagger Size):	L-900mm, W - 900mm, H -2100 mm (Aprrx.)

**Model No. FP-301-A**



### FFS Semi Pneumatic Packaging Machine Volumetric Cup Filler

#### Specifications

Products	: Namkeen, Pulses, Granules, Tea, Spices, Fryms etc.
Filling system	: Adjustable Telescopic Disc
Filling Accuracy	: $\pm 1-1.5\%$ (Depend on nature of product)
Type of Seal	: Centre Seal and Back Seal
Filling Range	: 20 gm upto 100 gm (depend on nature of product)
Packing material	: Heat Sealable Laminated Films
Pouch Dimensions	: Width 50-130mm Length 50-200mm
Power Consumption	: 3.0 KW, Single Phase
Compressed Air Required	: 6CFM@6 Bar (2 H.P. Compressor)
Production Output	: 20-60 pouches per minute (Depend on nature & quantity of product)
Weight	: 300 Kg (apprx.)
Machine Size (Bagger Size):	L-900mm, W - 900mm, H -2100 mm (Aprrx.)



**FFS Packaging Machine  
Volumetric Cup Filler  
Model No. FP - 401**



**FFS Three /Four Side Packaging Machine  
Volumetric Cup Filler  
Model No. FP - 101**



**FFS Four Side Packaging Machine  
(Paste & Liquids)  
Model No. FP - 201**



#### **Specifications - FP 401, FP 101**

Products	: Pan Masala, Gutkha, Tea, Pulses, Granules, Spices
Filling Accuracy	: $\pm 1-1.5\%$
Type of Seal	: Center Seal and Back Seal
Filling Range	: 0.5gm to 100gm (depend on nature of product)
Packing material	: Heat Sealable Laminated Films
Pouch Dimensions	: Width 30-100mm Length - 30-150mm
Power Consumption	: 2.0 KW, Motor 1/2HP/220V Single Phase
Production Output	: 30-300 pouches per minute (Depend on nature of product)
Weight	: 300 Kg (apprx.)
Machine Size (Bagger Size:	L-750mm, W - 550mm, H -1800 mm (apprx.)

#### **Specifications - FP 201**

Products	: Shampoo, Lubricant, Oil, Paste etc.
Filling system	: Volumetric Piston Filling
Filling Accuracy	: $\pm 1-1.5\%$
Type of Seal	: Centre Seal and Back Seal
Filling Range	: 1ml to 100ml
Packing material	: Heat Sealable Laminated Films
Pouch Dimensions	: Width 40-180mm Length - 50-200mm
Power Consumption	: 2.0 KW, Motor 1/2HP/220V Single Phase
Production Output	: 20-60 pouches per minute (Depend on nature of product)
Weight	: 380 Kg (apprx.)
Machine Size (Bagger Size:	L-750mm, W - 550mm, H -1500 mm (apprx.)



## Additional Assemblies with Machines



Screw Conveyor



Blender Screw Conveyor



Bucket Elevator



Toy conveyor

**Model No. FP-800**



### Multi Track Pouch Packaging Machine

#### Specifications

Products	: Shampoo, Oil Cream Ketch-up, Powder, Liquid etc.
No. of Tracks	: Depends upon width of the pouch
Filling Accuracy	: $\pm 1\%$ (Depend on nature of product)
Type of Seal	: Four Side Seal
Filling Range	: 1ml to 50 ml (depend on nature of product)
Packing material	: Heat Sealable Laminated Films LLDPE, LDPE, Metalize Poly & Laminate
Laminate Specifications	: Width (Max.) 1600mm, Roll Dia. 700mm (Max.), Real Core I.D. - 150/76mm
Length of Pouch	: upto 250mm
Compressed Air Required	: 6 CFM@6 Bar (2 H.P. Compressor)
Touch Screen	: 7" Colour Display with touch screen
Production Output	: 300-800 pouches per minute (depend on nature & quantity of product)
Weight	: 2000 Kg (apprx.)
Material of Chassis	: 304 Stainless Steel
Hopper	: S.S. 316L, RTD for Temperature Control, Flow Meter, Level Sensor
Conveyor	: 1400mmx800mm (LxW)
Machine Dimensions	: L-2200mm, W - 1500mm, H -1900 mm (Aprrx.)

**Model No. FP-701**



### Horizontal Flow Wrap Packaging Machine

#### Specifications

Products	: Cake, Biscuit, Automobile Parts, any type of single product
Feeding Style	: Automatic / Manual
Packing Style	: Centre Seal
Filling Range	: 5gm upto 100 gm (depend on nature of product)
Packing material	: Heat Sealable Laminated Films
Pouch Dimensions	: Width 50-100mm Length - 50-150mm
Power Consumption	: 3.0 KW, Single Phase
Production Output	: 40-120 pouches per minute (Depend on packing size)
Weight	: 700 Kg (apprx.)
Machine Size (Bagger Size)	: L-1800mm, W - 1700mm, H -1100 mm (Aprrx.)



# Some of our Esteemed Clients





# FLEXO PACK

## Packaging Solutions



Scan to Download  
Catalogue



Scan to Visit Website



## Flexo Pack Machines Pvt. Ltd.

### Corporate Office :

Plot No. 48, 16/6, Mathura Road,  
Behind Jaipur Golden Transport  
Faridabad, Haryana - 121002

### Works :

Plot No. 84, Jeevan Nagar, Wazirpur HUDA Road, Greater Faridabad, Haryana - 121002

Phone : 9350577429, 9350231555, 9312047770

E-mail : [flexopacknew@yahoo.com](mailto:flexopacknew@yahoo.com), [info@flexopack.in](mailto:info@flexopack.in)

Website : [www.flexopackmachine.com](http://www.flexopackmachine.com), [www.flexopack.in](http://www.flexopack.in)

OFFICES : HYDERABAD | AHMEDABAD | MUMBAI | PATNA