

# Digital Forensics

## Ex.No:2 Recover deleted or damaged files from a storage device using Test Disk

Date:

### Description:

TestDisk step by step to recover a missing partition and repair a corrupted one.

### Log creation

- Choose Create to instruct Testdisk to create a [log file](#) containing technical information and messages, unless you have a reason to append data to the [log](#) or you execute TestDisk from read only media and must create the [log](#) elsewhere.
- Choose None if you do not want messages and details of the process to be written into a [log file](#) (useful if for example Testdisk was started from a read-only location).
- Press Enter to proceed.

```
TestDisk 7.2, Data Recovery Utility, February 2024
Christophe GRENIER <grenier@cgsecurity.org>
https://www.cgsecurity.org

TestDisk is free data recovery software designed to help recover lost
partitions and/or make non-booting disks bootable again when these symptoms
are caused by faulty software, certain types of viruses or human error.
It can also be used to repair some filesystem errors.

Information gathered during TestDisk use can be recorded for later
review. If you choose to create the text file, testdisk.log, it
will contain TestDisk options, technical information and various
outputs; including any folder/file names TestDisk was used to find and
list onscreen.
Use arrow keys to select, then press Enter key:
> [ Create ] Create a new log file
  [ Append ] Append information to log file
  [ No Log ] Don't record anything
```

### Disk selection

All hard drives should be detected and listed with the correct size by TestDisk:

```
(abhi@kali)-[~]
$ lsblk
NAME MAJ:MIN RM SIZE RO TYPE MOUNTPOINTS
sda 8:0 0 2G 0 disk
└─sda1 8:1 0 2G 0 part
sdb 8:16 0 40.5G 0 disk
├─sdb1 8:17 0 38.3G 0 part /
├─sdb2 8:18 0 1K 0 part
└─sdb5 8:21 0 2.1G 0 part [SWAP]
sr0 11:0 1 1024M 0 rom
```

## Digital Forensics

- Use up/down arrow keys to select your hard drive with the lost partition/s.
- Press Enter to Proceed.

**X** If available, use raw device `/dev/rdisk*` instead of `/dev/disk*` for faster data transfer.

### Partition table type selection

---

TestDisk displays the partition table types.

```
TestDisk 7.2, Data Recovery Utility, February 2024
Christophe GRENIER <grenier@cgsecurity.org>
https://www.cgsecurity.org

Disk /dev/sda - 2147 MB / 2048 MiB - VBOX HARDDISK

Please select the partition table type, press Enter when done.
>[Intel] Intel/PC partition
[EFI GPT] EFI GPT partition map (Mac i386, some x86_64 ...)
[Humax ] Humax partition table
[Mac ] Apple partition map (legacy)
[None ] Non partitioned media
[Sun ] Sun Solaris partition
[XBox ] Xbox partition
[Return] Return to disk selection

Hint: Intel partition table type has been detected.
Note: Do NOT select 'None' for media with only a single partition. It's very
rare for a disk to be 'Non-partitioned'.
```

- Select the partition table type - usually the default value is the correct one as TestDisk auto-detects the partition table type.
- Press Enter to Proceed.

### Current partition table status

---

TestDisk displays the menus (also see [TestDisk Menu Items](#)).

```

File Actions Edit View Help
ls -la /mnt/testdisk
total 8
drwxr-xr-x 2 root root 4096 Aug 25 01:50 .
drwxr-xr-x 1 root root   0 Aug 25 01:57 ..
-rw-r--r-- 1 root root    0 Aug 25 01:57 document1.txt
-rw-r--r-- 1 root root    0 Aug 25 01:57 document2.txt
-rw-r--r-- 1 root root    0 Aug 25 01:57 evidence.txt
-rw-r--r-- 1 root root    0 Aug 25 01:57 photo.jpg

abbi@kali:~$ sudo mkdir /mnt/testdisk/Recovered_Data
abbi@kali:~$ sudo cp /mnt/testdisk/document1.txt /mnt/testdisk/Recovered_Data/document1.txt
TestDisk recovery experiment

abbi@kali:~$ echo "This is a dummy evidence file" | sudo tee /mnt/testdisk/Recovered_Data/evidence.txt
This is a dummy evidence file

abbi@kali:~$ sudo touch /mnt/testdisk/Recovered_Data/document2.txt

abbi@kali:~$ sudo cp /mnt/testdisk/Recovered_Data/photo.jpg


abbi@kali:~$ ls -l /mnt/testdisk/Recovered_Data
total 1
-rwxrwxrwx 1 root root 29 Aug 25 01:56 document1.txt
-rwxrwxrwx 1 root root  8 Aug 25 01:57 document2.txt
-rwxrwxrwx 1 root root 38 Aug 25 01:56 evidence.txt
-rwxrwxrwx 1 root root  0 Aug 25 01:57 photo.jpg

abbi@kali:~$ cat /mnt/testdisk/Recovered_Data/document1.txt
TestDisk recovery experiment

abbi@kali:~$ sudo umount /mnt/testdisk

abbi@kali:~$ lsblk
NAME MAJ:MIN RM SIZE RO TYPE MOUNTPOINTS
sda  8:0    0  2G  0 disk 
├─sda1 8:16   0 49.5G 0 disk 
├─sdb1 8:17   0 39.3G 0 part /
├─sdb2 8:18   0 1K  0 part [SWAP]
├─sdb5 8:21   0 2.1G  0 part [SWAP]
└─sdb6 8:22   0 2.1G  0 part [SWAP]
sr0   11:0   1 1024M 0 rom
```

- Now, your current partition structure is listed. Examine your current partition structure for missing partitions and errors.




Invalid NTFS boot points to a faulty NTFS boot sector, so it's a corrupted filesystem.

- Confirm at *Quick Search* to proceed.

TestDisk displays the first results in real time. (click on thumb to display the image).

During the **Quick Search**, TestDisk has found two partitions including the missing logical partition labeled **Partition 3**.



- Highlight this partition and press **p** to list your files (to go back to the previous display, press q to Quit, Files listed in red are deleted entries).

All directories and data are correctly listed.

- Press Enter to proceed.

Save the partition table or search for more partitions?

## Digital Forensics



- *When all partitions are available* and data correctly listed, you should go to the menu **Write** to save the partition structure. The menu ExtD Part gives you the opportunity to decide if the extended partition will use all available disk space or only the required (minimal) space.
- *Since a partition, the first one, is still missing*, highlight the menu **Deeper Search** (if not done automatically already) and press Enter to proceed.

### A partition is still missing: Deeper Search

**Deeper Search** will also search for FAT32 backup boot sector, NTFS backup boot superblock, ext2/ext3 backup superblock to detect more partitions,

it will scan each cylinder (click on thumb).

After the Deeper Search, the results are displayed as follows:

The first partition "**Partition 1**" was found by using backup boot sector. In the last line of your display, you can read the message "**NTFS found using backup sector!**" and the size of your partition. The "partition 2" is displayed twice with different size.

**Partitions listed as D(eleted) will not be recovered** if you let them listed as deleted. Both partitions are listed with status **D** for deleted, because they overlap each other. You need to identify which partition to recover.

- Highlight the first partition **Partition 2** and press **p** to list its data.

The file system of the upper logical partition (label Partition 2) is damaged

(click on thumb).

## Digital Forensics

- Press q for Quit to go back to the previous display.
- Let this partition Partition 2 with a damaged file system marked as D(deleted).
- Highlight the second partition Partition 2 below
- Press p to list its files.

It works, your files are listed, you have found the correct partition!

- Use the left/right arrow to navigate into your folders and watch your files for more verification

**Note:** FAT directory listing is limited to 10 clusters - some files may not appear but it doesn't affect recovery.

- Press q for Quit to go back to the previous display.
- The available status are Primary, \* bootable, Logical and Deleted.

Using the left/right arrow keys, change the status of the selected partition from D(eleted) to **L(ogical)**. This way you will be able to recover this partition.

Hint: read [How to recognize primary and logical partitions?](#)

Note: If a partition is listed \*(bootable) but if you don't boot from this partition, you can change it to **Primary** partition.

- Press Enter to proceed.

### Partition table recovery

---

It's now possible to write the new partition structure.

**Note:** The extended partition is automatically set. TestDisk recognizes this using the different partition structure.

- If **all partitions are listed** and only in this case, confirm at **Write** with Enter, y and OK.

Now, the partitions are registered in the partition table.

### NTFS Boot sector recovery

---

The boot sector of the first partition named Partition 1 is still damaged. It's time to fix it. The status of the NTFS boot sector is bad and the backup boot sector is valid. Boot sectors are not identical.

- To copy the backup of the boot sector over the boot sector, select **Backup BS**, validate with Enter, use y to confirm and next OK.

More information about repairing your boot sector under [TestDisk Menu Items](#). The following message is displayed:

## Digital Forensics

The boot sector and its backup are now both OK and identical: the NTFS boot sector has been successfully recovered.

- Press Enter to quit.
- TestDisk displays ***You have to restart your Computer to access your data*** so press Enter a last time and reboot your computer.