


What is Zookeeper in Kafka?

Cluster Membership



Terminal Local Local (2) Local (3) Local (4) +

```
C:\Udemy\FinalProjects\01-storage-demo\scripts>zookeeper-shell.bat localhost:2181
```

```
Connecting to localhost:2181
```

```
Welcome to ZooKeeper!
```

```
JLine support is disabled
```

```
WATCHER::
```

```
WatchedEvent state:SyncConnected type:None path:null
```

```
ls
```

Run TODO Terminal

All files are up-to-date (2 minutes ago)



Kafka Cluster Architecture

Terminal: Local × Local (2) × Local (3) × Local (4) × +

```
WatchedEvent state:SyncConnected type:None path:null
```

```
ls /
```

```
[cluster, controller_epoch, controller, brokers, zookeeper, admin, isr_change_notification, consumers, log_dir_event_notification, latest_producer_id_block, config]
```

```
ls /brokers
```

```
[ids, topics, seqid]
```

```
ls /brokers/ids
```

```
[0, 1, 2]
```

Run TODO Terminal

All files are up-to-date (4 minutes ago)



Kafka Cluster Architecture

```
Terminal: Local x Local (2) x Local (3) x Local (4) x +
ls /
[cluster, controller_epoch, controller, brokers, zookeeper, admin, isr_change_notification, consumers, log_dir_event_notification, latest_producer_id_block, config]
ls /brokers
[ids, topics, seqid]
ls /brokers/ids
[0, 1, 2]
ls /brokers/ids
[0, 2]
```

Recheck Broker ID List

Kafka Cluster Architecture