

Creating Kafka Producer?

Kafka Producer API

Problem Statement

Create a simplest possible Kafka producer code that sends one million string messages to a Kafka topic

Kafka Producer



```
1 package guru.learningjournal.kafka.examples;
2
3 class AppConfigs {
4     final static String applicationID = "HelloProducer";
5     final static String bootstrapServers = "localhost:9092,localhost:9093";
6     final static String topicName = "hello-producer-topic";
7     final static int numEvents = 1000000;
8 }
9
```

```
hello-producer x log4j2.xml x AppConfigs.java x HelloProducer.java x
3 import org.apache.kafka.clients.producer.KafkaProducer;
4 import org.apache.kafka.clients.producer.ProducerConfig;
5 import org.apache.kafka.clients.producer.ProducerRecord;
6 import org.apache.kafka.common.serialization.IntegerSerializer;
7 import org.apache.kafka.common.serialization.StringSerializer;
8 import org.apache.logging.log4j.LogManager;
9 import org.apache.logging.log4j.Logger;
10
11 import java.util.Properties;
12
13 public class HelloProducer {
14     private static final Logger logger = LogManager.getLogger();
15
16     public static void main(String[] args) {
17         logger.info( s: "Creating Kafka Producer...");
18         Properties props = new Properties();
19         props.put(ProducerConfig.CLIENT_ID_CONFIG, AppConfigs.applicationID);
20         props.put(ProducerConfig.BOOTSTRAP_SERVERS_CONFIG, AppConfigs.bootstrapServers);
21         props.put(ProducerConfig.KEY_SERIALIZER_CLASS_CONFIG, IntegerSerializer.class.getName());
22         props.put(ProducerConfig.VALUE_SERIALIZER_CLASS_CONFIG, StringSerializer.class.getName());
23
24         KafkaProducer<Integer, String> producer = new KafkaProducer<Integer, String>(props);
25
26         logger.info( s: "Start Sending Messages...");
27         for(int i = 0; i < AppConfigs.numEvents; i++) {
28             producer.send(new ProducerRecord<>(AppConfigs.topicName, i, value: "Simple Message-"+i));
29         }
30         logger.info( s: "Finished Sending Messages. Closing Producer.");
31         producer.close();
32     }
33 }
34
```