

Summary - Overview

dev.azure.com/ScholarNest/SBIT

Azure DevOps ScholarNest / SBIT / Overview / Summary

S SBIT

Private

Invite

Overview

Summary

Dashboards

Wiki

Boards

Repos

Pipelines

Test Plans

Artifacts

Project settings

About this project

Help others to get on board!

Describe your project and make it easier for other people to understand it.

+ Add Project Description

Pipelines

Pipelines

Environments

Releases

Library

Task groups

Deployment groups

Project stats

Period: Last 7 days

Repos

1 Pull requests opened

5 Commits by 2 authors

Pipelines

0%

Builds succeeded

Members 1

https://dev.azure.com/ScholarNest/SBIT/ release

New release pipeline - Pipelines

dev.azure.com/ScholarNest/SBIT/_releaseDefinition?definitionId=0&a=action-create-definition&source=ReleaseNew&path=%5C

Azure DevOps ScholarNest / SBIT / Pipelines / Releases

SBIT

OverviewBoardsReposPipelinesPipelinesEnvironmentsReleasesLibraryTask groupsDeployment groupsTest PlansProject settings

All pipelines > New release pipeline

PipelineTasksVariablesRetentionOptionsHistory

Artifacts | + Add

Stages | + Add

+ Add an artifact

Schedule not set

Stage 1

Select a template

Select a template

Or start with an [Empty job](#)

Featured

 Azure App Service deployment
Deploy your application to Azure App Service. Choose from Web App on Windows, Linux, containers, Function Apps, or WebJobs.

 Deploy a Java app to Azure App Service
Deploy a Java application to an Azure Web App.

 Deploy a Node.js app to Azure App Service
Deploy a Node.js application to an Azure Web App.

 Deploy a PHP app to Azure App Service and Azure Database for MySQL
Deploy a PHP application to an Azure Web App and database to Azure Database for MySQL.

 Deploy a Python app to Azure App Service and Azure database for MySQL
Deploy a Python Django, Bottle, or Flask application to an Azure Web App and database to Azure Database for MySQL.

 Deploy to a Kubernetes cluster

Search

New release pipeline - Pipelines x +

dev.azure.com/ScholarNest/SBIT/_releaseDefinition?definitionId=0&a=action-create-definition&source=ReleaseNew&path=%5C

Azure DevOps ScholarNest / SBIT / Pipelines / Releases

SBIT +

OverviewBoardsReposPipelinesPipelinesEnvironmentsReleasesLibraryTask groupsDeployment groupsTest PlansProject settings

All pipelines > New release pipeline

PipelineTasksVariablesRetentionOptionsHistory

Artifacts | + Add

Stages | + Add

Add an artifact

Schedule not set

Stage 1

1 job, 0 task

Source type

Build

Azure Repos ...

GitHub

TFVC

5 more artifact types

Project * ①

SBIT

Source (build pipeline) * ①

SBIT

Default version * ①

Latest

Source alias * ①

_SBIT

① No version is available for **SBIT** or the latest version has no artifacts to publish. Please check the source pipeline.

Add

New release pipeline - Pipelines x +

dev.azure.com/ScholarNest/SBIT/_releaseDefinition?definitionId=0&a=action-create-definition&source=ReleaseNew&path=%5C

Azure DevOps ScholarNest / SBIT / Pipelines / Releases

Search

Save Create release ...

SBIT +

Overview

Boards

Repos

Pipelines

Pipelines

Environments

Releases

Library

Task groups

Deployment groups

Test Plans

Project settings <<

All pipelines > New release pipeline

Pipeline Tasks Variables Retention Options History

Artifacts | + Add

⚡

_SBIT

⌚

Schedule not set

⚡

Stage 1

1 job, 0 task

⌚

SBIT

Overview

Boards

Repos

Pipelines

Pipelines

Environments

Releases

Library

Task groups

Deployment groups

Test Plans

Project settings

All pipelines > New release pipeline

Save

Create release

Pipeline Tasks Variables Retention Options History

Stage 1

Deployment process

Agent job

Run on agent

Agent job ①

Remove

Display name *

Agent job

Agent selection ^

Agent pool ① | Pool information | Manage

Azure Pipelines

Agent Specification *

ubuntu-22.04

Demands ①

Name

Condition

Value

+ Add

SBIT +

All pipelines > New release pipeline

Save Create release ...

Pipeline Tasks Variables Retention Options History

Stage 1

Deployment process

Agent job

Run on agent

Add tasks

Refresh

use python



Use Python version

Use the specified version of Python from the tool cache, optionally adding it to the PATH



Python pip authenticate

Authentication task for the pip client used for installing Python distributions



Python twine upload authenticate

Authenticate for uploading Python distributions using twine. Add `-r FeedName/EndpointName --config-file $(PYPIRC_PATH)` to your twine upload command. For feeds present in this organization, use the feed name as the repository (`-r`). Otherwise, use the endpoint name defined in the service connection.

Marketplace ^

- Overview
- Boards
- Repos
- Pipelines
- Pipelines
- Environments
- Releases
- Library
- Task groups
- Deployment groups
- Test Plans
- Project settings

Search

- SBIT +
- Overview
- Boards
- Repos
- Pipelines
- Pipelines
- Environments
- Releases
- Library
- Task groups
- Deployment groups
- Test Plans
- Project settings <<

All pipelines > New release pipeline

Save Create release ...



Pipeline Tasks Variables Retention Options History

Stage 1 Deployment process

Agent job Run on agent

Use Python 3.10 Use Python version

Use Python version View YAML Remove

Task version 0.*

Display name * Use Python 3.10

Version spec * 3.10

- ☐ Disable downloading releases from the GitHub registry
- ☐ Allow downloading unstable releases

GitHub token for GitHub Actions python registry

☒ Add to PATH

Advanced

Control Options

SBIT +

All pipelines > New release pipeline

Save Create release ...

Pipeline Tasks Variables Retention Options History

Stage 1
Deployment process

Agent job
Run on agent

Use Python 3.10
Use Python version

Add tasks Refresh

extract files



Extract files

Extract a variety of archive and compression files such as .7z, .rar, .tar.gz, and .zip

Add

Marketplace ^



RemoteUnzip

Easy and fast extract your zip files on remote machine !



Secure Zip

Archive / Extract files or folders protected with a password



RemoteUnzipMultiple

Easy and fast extract your zip files on multiple

- Overview
- Boards
- Repos
- Pipelines
- Pipelines
- Environments
- Releases
- Library
- Task groups
- Deployment groups
- Test Plans
- Project settings

New release pipeline - Pipelines x +

dev.azure.com/ScholarNest/SBIT/_releaseDefinition?definitionId=1&a=definition-tasks

Azure DevOps ScholarNest / SBIT / Pipelines / Releases

Search

SBIT +

All pipelines > New release pipeline

Save Create release ...

Pipeline Tasks Variables Retention Options History

Stage 1
Deployment process

Agent job
Run on agent

Use Python 3.10
Use Python version

Extract files
Extract files

Extract files ⓘ

Task version 1.*

Display name *
Extract files

Archive file patterns * ⓘ
**/*.zip

Destination folder * ⓘ
\$(Release.PrimaryArtifactSourceAlias)/Databricks

☒ Clean destination folder before extracting ⓘ

☐ Overwrite existing files ⓘ

Path to 7z utility ⓘ

SBIT +

All pipelines > New release pipeline

💾 Save 🚀 Create release ...

Overview

Boards

Repos

Pipelines

Pipelines

Environments

Releases

Library

Task groups

Deployment groups

Test Plans

Project settings

Pipeline Tasks Variables Retention Options History

Stage 1
Deployment process

Agent job
Run on agent

Use Python 3.10
Use Python version

Extract files
Extract files

Add tasks | Refresh

bash

#! Bash
Run a Bash script on macOS, Linux, or Windows

>_ Command line
Run a command line script using Bash on Linux and macOS and cmd.exe on Windows

Marketplace ^

Script Retryer tool
That task can be used to retry several times with some delay specified script. Inline script supported. Supported languages: bash, powershell, python. It works fine on Unix and Windows agents.

Authenticated Scripts
Use a service connection with scripts instead

Stage 1

Deployment process

Agent job

Run on agent



Use Python 3.10

Use Python version



Extract files

Extract files



Install Databricks CLI

Bash

Bash ⓘ

 View YAML  Remove

Task version

3.*



Display name *

Install Databricks CLI

Type ⓘ

☐ File Path☒ Inline

Script *

pip install databricks-cli

SBIT

All pipelines > New release pipeline

Save Create release ...

Pipeline Tasks Variables Retention Options History

Stage 1

Deployment process

Agent job

Run on agent



Use Python 3.10

Use Python version



Extract files



Install Databricks CLI

Bash



Deploy Notebooks

Bash

Bash ⓘ

View YAML Remove

Task version 3.* v

Display name *

Deploy Notebooks

Type ⓘ

☐ File Path☒ Inline

Script *

```
databricks workspace import_dir --overwrite  
$(System.ArtifactsDirectory)/$(Release.PrimaryArtifactSourceAlias)/Databricks/  
/Shared/
```

Overview

Boards

Repos

Pipelines

Pipelines

Environments

Releases

Library

Task groups

Deployment groups

Test Plans

Project settings

SBIT

All pipelines > New release pipeline

Save

Create release ...

Pipeline Tasks Variables Retention Options History

Stage 1

Deployment process

Agent job

Run on agent



Use Python 3.10

Use Python version



Extract files

Extract files



Install Databricks CLI

Bash



Deploy Notebooks

Bash



Run Integration Test for Batch Job

Bash

Bash ⓘ

View YAML Remove

Task version 3.*

Display name *

Run Integration Test for Batch Job

Type ⓘ

☐ File Path☒ Inline

Script *

```
JOB_ID=$(databricks jobs create --json '{ "name": "TestRun",
"max_concurrent_runs": 1,
"tasks": [
{
"task_key": "BatchTest",
"run_if": "ALL_SUCCESS",
"notebook_task": {
"notebook_path": "/Shared/08-batch-test",
"base_parameters": {
"Environment": "qa"
}
```

New release pipeline - Pipelines x +

dev.azure.com/ScholarNest/SBIT/_releaseDefinition?definitionId=1&a=definition-tasks

Azure DevOps ScholarNest / SBIT / Pipelines / Releases

All pipelines > New release pipeline

Pipeline Tasks Variables Retention Options History

Stage 1
Deployment process

Agent job
Run on agent

Bash

Task version 3.*

1. Create a job to run the 08-batch-test notebook from the deployment folder.
2. Trigger the job and get the run id.
3. Wait for the job to complete while it is running
4. Delete the job after completion
5. Publish the job result

Deploy Notebooks
Bash

Run Integration Test for Batch Job
Bash

```
JOB_ID=$(databricks jobs create --json '{ "name": "TestRun",  
  "max_concurrent_runs": 1,  
  "tasks": [  
    {  
      "task_key": "BatchTest",  
      "run_if": "ALL_SUCCESS",  
      "notebook_task": {  
        "notebook_path": "/Shared/08-batch-test",  
        "base_parameters": {  
          "Environment": "qa"  
        }  
      }  
    }  
  ]  
}
```

SBIT

All pipelines > SBIT Deploy Pipeline

Save Create release ...

Overview

Boards

Repos

Pipelines

Pipelines

Environments

Releases

Library

Task groups

Deployment groups

Test Plans

Project settings

Pipeline Tasks Variables Retention Options History

Stage 1

Deployment process

Agent job

Run on agent

 Use Python 3.10
Use Python version Extract files
Extract files Install Databricks CLI
Bash Deploy Notebooks
Bash Run Integration Test for Batch Job
Bash

Bash ⓘ

 View YAML  Remove

Task version 3.*

Display name *

Run Integration Test for Batch Job

Type ⓘ

☐ File Path☒ Inline

Script *

```
JOB_ID=$(databricks jobs create --json '{ "name": "TestRun",
"max_concurrent_runs": 1,
"tasks": [
{
"task_key": "BatchTest",
"run_if": "ALL_SUCCESS",
"notebook_task": {
"notebook_path": "/Shared/08-batch-test",
"base_parameters": {
"Environment": "qa"
}
```


SBIT Deploy Pipeline - Pipelines x +

dev.azure.com/ScholarNest/SBIT/_releaseDefinition?definitionId=1&a=definition-tasks

Azure DevOps ScholarNest / SBIT / Pipelines / Releases

SBIT +

All pipelines > SBIT Deploy Pipeline

Pipeline Tasks Variables Retention Options History

Stage 1
Deployment process

Agent job
Run on agent

Use Python 3.10
Use Python version

Extract files
Extract files

Install Databricks CLI
Bash

Deploy Notebooks
Bash

Run Integration Test for Batch Job
Bash

Bash ⓘ

Task version 3.*

View YAML Remove

or Batch Job

File Path ☒ Inline

Script *

```
JOB_ID=$(databricks jobs create --json '{ "name": "TestRun",  
  "max_concurrent_runs": 1,  
  "tasks": [  
    {  
      "task_key": "BatchTest",  
      "run_if": "ALL_SUCCESS",  
      "notebook_task": {  
        "notebook_path": "/Shared/08-batch-test",  
        "base_parameters": {  
          "Environment": "qa"
```

1. Databricks Workspace URL

2. Access Token for Authentication

- New
- Workspace
- Recents
- Catalog
- Workflows
- Compute
- SQL
- SQL Editor
- Queries
- Dashboards
- Alerts
- Query History
- SQL Warehouses
- Data Engineering
- Job Runs
- Data Ingestion
- Delta Live Tables
- Machine Learning

Get started with Databricks

1. Databricks Workspace URL
2. Access Token for Authentication

Start the SQL warehouse

A SQL warehouse is a simple compute resource that gives you the power to process data in the cloud. We've created your first warehouse for you. To start it, click the button below.

Start warehouse

Explore sample projects

Don't have your data handy? Learn how to gain insights in just a few steps with these sample projects.

```
1 SELECT
2   COUNT(distinct(custkey))
3 FROM
4   'samples','tpch','customer'
5 WHERE
```

SQL and visualizations



KPI dashboard



Data analysis in Python

Bring in your own data

Skip onboarding

+ New

Workspace

Recents

Catalog

Workflows

Compute

SQL

SQL Editor

Queries

Dashboards

Alerts

Query History

SQL Warehouses

Data Engineering

Job Runs

Data Ingestion

Delta Live Tables

Machine Learning

Get started with Databricks

Start the SQL warehouse

A SQL warehouse is a simple compute resource that gives you the power to process data in the cloud. We've created your first warehouse for you. To start it, click the button below.

▶ Start warehouse

Explore sample projects

Don't have your data handy? Learn how to gain insights in just a few steps with these sample projects.

```
1 SELECT
2   COUNT(distinct(custkey))
3 FROM
4   'samples','tpch','customer'
5 WHERE
```

SQL and visualizations



KPI dashboard



Data analysis in Python

Bring in your own data

Skip onboarding

+ New

📁 Workspace

🕒 Recents

📊 Catalog

🔄 Workflows

☁️ Compute

SQL

📄 SQL Editor

📄 Queries

📊 Dashboards

🔔 Alerts

🕒 Query History

🏠 SQL Warehouses

Data Engineering

🔄 Job Runs

📡 Data Ingestion

📄 Delta Live Tables

Machine Learning

Get started with Databricks

🕒 Start the SQL warehouse

A SQL warehouse is a simple compute resource that gives you the power to process data in the cloud. We've created your first warehouse for you. To start it, click the button below.

[▶ Start warehouse](#)

🕒 Explore sample projects

Don't have your data handy? Learn how to gain insights in just a few steps with these sample projects.

```
1 SELECT
2   COUNT(distinct(custkey))
3 FROM
4   'samples','tpch','customer'
5 WHERE
```

SQL and visualizations



KPI dashboard



Data analysis in Python

🕒 Bring in your own data

[Skip onboarding](#)[User Settings](#)[Admin Settings](#)[Azure Portal](#)[Manage Account](#)[Log out](#)

+ New

Workspace

Recents

Catalog

Workflows

Compute

SQL

SQL Editor

Queries

Dashboards

Alerts

Query History

SQL Warehouses

Data Engineering

Job Runs

Data Ingestion

Delta Live Tables

Machine Learning

Settings

User

Profile

Preferences

Developer

Linked accounts

Notifications

User settings > Developer >

Access tokens

Personal access tokens can be used for secure authentication to the [Databricks API](#) instead of passwords.

Generate new token

Comment

Creation ↕

Expiration

For DevOps Pipeline

2023-09-14 12:48:55 IST

2023-09-24 12:48:55 IST



SBIT Deploy Pipeline - Pipelines

Access tokens - Settings - Data

adb-5416464493378122.azuredatabricks.net/settings/user/developer/access-tokens/?o=5416464493378122

Microsoft Azure databricks Search data, notebooks, recents, and more... CTRL + P

New

Workspace

Recents

Catalog

Workflows

Compute

SQL Editor

Queries

Dashboards

Alerts

Query History

SQL Warehouses

Data Engineering

Job Runs

Data Ingestion

Delta Live Tables

Machine Learning

Settings

User

Profile

Preferences

Developer

Linked accounts

Notifications

Generate new token

Comment

For DevOps Pipeline

Lifetime (days)

10

Cancel

Generate

Expiration

2023-09-24 12:48:55 IST

- SBIT
- Overview
- Boards
- Repos
- Pipelines
- Pipelines
- Environments
- Releases
- Library
- Task groups
- Deployment groups
- Test Plans
- Project settings

All pipelines > SBIT Deploy Pipeline

Save Create release ...

Pipeline Tasks Variables Retention Options History

Stage 1
Deployment process

Agent job
Run on agent

Use Python 3.10
Use Python version

Extract files
Extract files

Install Databricks CLI
Bash

Deploy Notebooks
Bash

Run Integration Test for Batch Job
Bash

Bash

View YAML Remove

Task version 3.*

Display name *

Run Integration Test for Batch Job

Type

☐ File Path ☒ Inline

Script *

```
JOB_ID=$(databricks jobs create --json '{ "name": "TestRun",  
  "max_concurrent_runs": 1,  
  "tasks": [  
    {  
      "task_key": "BatchTest",  
      "run_if": "ALL_SUCCESS",  
      "notebook_task": {  
        "notebook_path": "/Shared/08-batch-test",  
        "base_parameters": {  
          "Environment": "qa"
```

SBIT Deploy Pipeline - Pipelines

Home - Workspace - Databricks

dev.azure.com/ScholarNest/SBIT/_releaseDefinition?definitionId=1&a=definition-variables

Azure DevOps

ScholarNest / SBIT / Pipelines / Releases

Search

SBIT

Overview

Boards

Repos

Pipelines

Pipelines

Environments

Releases

Library

Task groups

Deployment groups

Test Plans

Project settings

All pipelines > SBIT Deploy Pipeline

Save

Create release

Pipeline

Tasks

Variables

Retention

Options

History

Pipeline variables

Variable groups

Predefined variables

Filter by keywords

Scope

List

Grid

Name	Value
DATABRICKS_HOST	https://adb-5416464493378122.2.azure.databricks.net
DATABRICKS_TOKEN	dapi33185697074571ae4f3ece0b21f9bb06-3

+ Add

SBIT +

Overview

Boards

Repos

Pipelines

Pipelines

Environments

Releases

Library

Task groups

Deployment groups

Test Plans

Project settings

Pipelines

Recent All Runs

New pipeline

Filter pipelines

Recently run pipelines

Pipeline

Last run

✓ SBIT

#20230919.1 • Merged PR 16: Initial Release

Just now

Batched CI for P release

19s

SBIT +

Overview

Boards

Repos

Pipelines

Pipelines

Environments

Releases

Library

Task groups

Deployment groups

Test Plans

Project settings

← SBIT

Edit

Run pipeline

Runs Branches Analytics

Description

Stages



#20230919.1 • Merged PR 16: Initial Release



Batched CI for P release d36a0ac4



Just now

19s

Pipelines - Run 20230919.1

Home - Workspace - Databricks

dev.azure.com/ScholarNest/SBIT/_build/results?buildId=34&view=results

Azure DevOps

ScholarNest / SBIT / Pipelines / SBIT / 20230919.1

Search

SBIT

Overview

Boards

Repos

Pipelines

Pipelines

Environments

Releases

Library

Task groups

Deployment groups

Test Plans

Project settings

✓ #20230919.1 • Merged PR 16: Initial Release

SBIT

Run new

This run is being retained as one of 3 recent runs by pipeline.

View retention leases

Summary

Releases

Rolling build triggered

View 5 changes

Repository and version	Time started and elapsed	Related	Tests and coverage
SBIT	Just now	0 work items	Get started
release d36a0ac4	19s	1 published	

Jobs

Name	Status	Duration
✓ Job	Success	14s

Pipelines - Run 20230919.1 logs x

Home - Workspace - Databricks x

+

dev.azure.com/ScholarNest/SBIT/_build/results?buildId=34&view=logs&j=12f1170f-54f2-53f3-20dd-22fc7dff55f9&t=1733a1a9-cfbc-56ee-4962-ab8429b6f8a0

dev.azure.com

ScholarNest

/ SBIT / Pipelines / SBIT / 20230919.1

Search

≡

🔒

🔔

👤

P

S SBIT

+

Overview

Boards

Repos

Pipelines

Pipelines

Environments

Releases

Library

Task groups

Deployment groups

Test Plans

Project settings

«

← Jobs in run #20230919.1

SBIT

Jobs

▼

✓ Job

14s

✓ Initialize job

3s

✓ Use Python 3.10

<1s

✓ Load Python dependen...

7s

✓ Checkout SBIT@release...

1s

✓ Get Changes

<1s

✓ ArchiveFiles

<1s

✓ PublishBuildArtifacts

<1s

✓ Post-job: Checkout SB...

<1s

✓ Finalize Job

<1s

✓ Report build status

<1s

✓ ArchiveFiles

🔍

View raw log

⋮

1 Starting: ArchiveFiles

2 =====

3 Task : Archive files

4 Description : Compress files into .7z, .tar.gz, or .zip

5 Version : 2.215.0

6 Author : Microsoft Corporation

7 Help : <https://docs.microsoft.com/azure/devops/pipelines/tasks/utility/archive-files>

8 =====

9 Found 10 files

10 Archiving file: 01-config.py

11 Archiving file: 02-setup.py

12 Archiving file: 03-history-loader.py

13 Archiving file: 04-bronze.py

14 Archiving file: 05-silver.py

15 Archiving file: 06-gold.py

16 Archiving file: 07-run.py

17 Archiving file: 08-batch-test.py

18 Archiving file: 10-producer.py

19 Archiving file: azure_build_pipeline.yaml

20 files=01-config.py

21 files=02-setup.py

22 files=03-history-loader.py

23 files=04-bronze.py

24 files=05-silver.py

Udemy

Releases - Pipelines

Home - Workspace - Databricks

dev.azure.com/ScholarNest/SBIT/_release?_a=releases&view=mine&definitionId=1

Azure DevOps ScholarNest / SBIT / Pipelines / Releases

Search

SBIT

Overview

Boards

Repos

Pipelines

Pipelines

Environments

Releases

Library

Task groups

Deployment groups

Test Plans

Project settings

Search all pipelines

+ New

SBIT Deploy Pipeline

No deployments found

SBIT Deploy Pipeline

Releases Deployments Analytics

Edit

Create release

All releases



No releases found

You can create a new release manually or setup triggers to create it automatically

Create a release

Releases - Pipelines

Home - Workspace - Databricks

dev.azure.com/ScholarNest/SBIT/_release?_a=releases&view=mine&definitionId=1

Azure DevOps ScholarNest / SBIT / Pipelines / Releases

SBIT

Release Release-1 has been queued

Search all pipelines

SBIT Deploy Pipeline

Stage 1

SBIT Deploy Pipeline

Releases Deployments Analytics

Release-1

20230919.... 89 release

9/19/2023, 9:00:57 PM

Stage 1

Releases - Pipelines

Home - Workspace - Databricks

dev.azure.com/ScholarNest/SBIT/_release?_a=deployments&view=mine&definitionId=1

Azure DevOps ScholarNest / SBIT / Pipelines / Releases

Search

SBIT

Overview

Boards

Repos

Pipelines

Pipelines

Environments

Releases

Library

Task groups

Deployment groups

Test Plans

Project settings

Search all pipelines

+ New

SBIT Deploy Pipeline

Stage 1

SBIT Deploy Pipeline

Edit

Create release

Releases

Deployments

Analytics

Stage	Release	Build	Branch
Stage 1	Release-1	20230919.1	release

SBIT Deploy Pipeline - Release-1 x Home - Workspace - Databricks x +

dev.azure.com/ScholarNest/SBIT/_releaseProgress?releaseId=1&environmentId=1&a=release-environment-logs

Azure DevOps ScholarNest / SBIT / Pipelines / Releases / SBIT Deploy Pipeline / Release-1

SBIT +

Overview

Boards

Repos

Pipelines

Pipelines

Environments

Releases

Library

Task groups

Deployment groups

Test Plans

Project settings

SBIT Deploy Pipeline > Release-1 > Stage 1 In progress

Pipeline Tasks Variables Logs Tests Deploy Cancel Refresh Download all logs Edit ...

Deployment attempt #2 In progress

Agent job In progress

Install Databricks CLI 9s

Obtaining dependency information for urllib3<2.0.0,>=1.26.7 from https://files.pythonhosted.org/packages/c5/05/c214b32d21c0b465506f95c4f28ccbcba15022e000b043b72b3df7728471/urllib3-1.26.16-py2.py3-none-any.whl.metadata
Downloading urllib3-1.26.16-py2.py3-none-any.whl.metadata (48 kB)
48.4/48.4 kB 11.0 MB/s eta 0:00:00
Collecting charset-normalizer<4,>=2 (from requests>=2.17.3->databricks-cli)
Obtaining dependency information for charset-normalizer<4,>=2 from https://files.pythonhosted.org/packages/a4/65/057bf29660aae6ade0816457f8db4e749e5c0bfa2366eb5f67db9912fa4c/charset_normalizer-3.2.0-cp310-cp310-manylinux_2_17_x86_64.manylinux2014_x86_64.whl.metadata
Downloading charset_normalizer-3.2.0-cp310-cp310-manylinux_2_17_x86_64.manylinux2014_x86_64.whl.metadata (31 kB)
Collecting idna<4,>=2.5 (from requests>=2.17.3->databricks-cli)
Downloading idna-3.4-py3-none-any.whl (61 kB)
61.5/61.5 kB 17.1 MB/s eta 0:00:00
Collecting certifi>=2017.4.17 (from requests>=2.17.3->databricks-cli)
Obtaining dependency information for certifi>=2017.4.17 from https://files.pythonhosted.org/packages/4c/dd/2234eab22353ffc7d94e8d13177aaa050113286e93e7b40eae01fbf7c3d9/certifi-2023.7.22-py3-none-any.whl.metadata
Downloading certifi-2023.7.22-py3-none-any.whl.metadata (2.2 kB)
Downloading click-8.1.7-py3-none-any.whl (97 kB)
97.9/97.9 kB 16.0 MB/s eta 0:00:00
Downloading PyJWT-2.8.0-py3-none-any.whl (22 kB)
Downloading requests-2.31.0-py3-none-any.whl (62 kB)
62.6/62.6 kB 16.2 MB/s eta 0:00:00

SBIT Deploy Pipeline - Release-1 x Home - Workspace - Databricks x +

dev.azure.com/ScholarNest/SBIT/_releaseProgress?releaseId=1&environmentId=1&a=release-environment-logs

Azure DevOps ScholarNest / SBIT / Pipelines / Releases / SBIT Deploy Pipeline / Release-1

SBIT +

SBIT Deploy Pipeline > Release-1 > Stage 1 In progress

Pipeline Tasks Variables Logs Tests Deploy Cancel Refresh Download all logs Edit ...

Deployment attempt #2 In progress

Agent job In progress

Agent job

Pool: Azure Pipelines · Agent: Hosted Agent

Started: 9/19/2023, 9:22:58 PM 58s

Initialize job · succeeded 3s

Dqwnload artifact - _SBIT - DatabricksBuild · succeeded 1s

Use Python 3.10 · succeeded <1s

Extract files · succeeded <1s

Install Databricks CLI · succeeded 12s

Deploy Notebooks · succeeded 7s

Run Integration Test for Batch Job 32s

WARN: Your CLI is configured to use Jobs API 2.0. In order to use the latest Jobs features please upgrade to 2.1: 'databricks jobs configure --version=2.1'. Future versions of this CLI will default to the new Jobs API. Learn more at <https://docs.databricks.com/dev-tools/cli/jobs-cli.html>

Status PENDING

WARN: Your CLI is configured to use Jobs API 2.0. In order to use the latest Jobs features please upgrade to 2.1: 'databricks jobs configure --version=2.1'. Future versions of this CLI will