

# A Compilation of My Publications

Abhishek Kumar

2021-04-30



# Contents

<b>Preface</b>	<b>5</b>
<b>1 Shivalik, Siwalik, Shiwalik or Sivalik: Which one is an appropriate term for the foothills of Himalayas?</b>	<b>7</b>
1.1 Abstract . . . . .	9
1.2 Introduction . . . . .	9
1.3 Data and Methods . . . . .	10
1.4 Results and Discussion . . . . .	11
1.5 Conclusion . . . . .	15
1.6 Acknowledgement . . . . .	17
<b>2 Literature</b>	<b>19</b>
<b>3 Methods</b>	<b>21</b>
<b>4 Applications</b>	<b>23</b>
4.1 Example one . . . . .	23
4.2 Example two . . . . .	23
<b>5 Final Words</b>	<b>25</b>



# Preface





## Chapter 1

# Shivalik, Siwalik, Shiwalik or Sivalik: Which one is an appropriate term for the foothills of Himalayas?



## Shivalik, Siwalik, Shiwalik or Sivalik: Which one is an appropriate term for the foothills of Himalayas?

Abhishek Kumar<sup>1</sup>, Meenu Patil<sup>2</sup>, and A. N. Singh<sup>3\*</sup>

<sup>1</sup>Department of Botany, Panjab University, Chandigarh-160014, India, abhikumar8@pu.ac.in; abhikumar.pu@gmail.com

<sup>2</sup>Department of Botany, Panjab University, Chandigarh-160014, India, patilmeenu@pu.ac.in; patilmeenu2@gmail.com

<sup>3</sup>Department of Botany, Panjab University, Chandigarh-160014, India, ansingh@pu.ac.in; dranand1212@gmail.com

**Abstract:** Various spelling variants such as Siwalik, Shivalik, Shiwalik and Sivalik, have been introduced in the literature while referring to foothills of the Himalayas. These spelling variants are creating hindrances to acquiring a complete knowledge about the region. Therefore, the present study has applied bibliometric analysis to resolve the inconsistency about the usage of these terms. Here, we have shown that the term 'Siwalik' was most dominant in the available literature. Our analysed results strongly favoured the use of the term 'Siwalik' as it is the oldest and most frequently used term in both the major databases Scopus and Web of Science. India is the country that contributes the most to these variations in the spelling and also the articles published in Indian Journals have these variations. Therefore, we strongly recommend the use of the term 'Siwalik' while referring to the region. Thus, the present article can serve as a guide to adopt a suitable term for the authors and publishers.

**Index Terms:** Bibliometric Analysis, Shivalik, Shiwalik, Sivalik, Siwalik

### I. INTRODUCTION

The Himalayas is the younger most mountain system of the world which can be divided into the greater Himalayas, the lesser Himalayas and the outer Himalayas depending on the average elevations (Burrard & Hayden, 1907; Wadia, 1944). The outer Himalayas or the southernmost foothills of the Himalayas, ranging from elevations of 600-1200 m are also referred as the 'Siwaliks' (Bose, 1972; Burrard & Hayden, 1907; Wadia, 1944). These hills are distributed parallel to the Himalayan hills from the Brahmaputra valley to the Potwar Plateau of Pakistan (Krishnan, 1943) and cover the Indian states of Jammu and

formed during the upper Miocene to Pliocene epoch and are chiefly consist of clay, sandstones and conglomerates (Bose, 1972; Vredenburg, 1910). This region is well-known for its rich vertebrate faunal deposits, indicating that a rich diversity of plants would have supported these animals (Wadia, 1944). The silicified wood or the whole tree trunks can be found in sandstones, whereas leaf impressions in shales of the same region were also reported, which supports the abundance of vegetation (Vredenburg, 1910; Wadia, 1944).

However, the literature indicates large inconsistencies in the spelling use while describing these foothills and as many as four spelling variants viz. Siwalik (Cautley, 1839; Shukla & Bora, 2019), Shiwalik (Batra & Batra, 1963; Kaur, Kumar, Mehra, & Mishra, 2019), Shivalik (Campbell, 1879; Kumar & Sankhyani, 2019) and Sivalik (Asiatic Society of Bengal, 1836; Ghosh, 2016) are used. These inconsistencies are not prevalent only in scientific literature, but also exist in the non-scientific literature such as various governmental reports of India (like the annual reports of the ministry of environment forest and climate change, MoEFCC; The Project Tiger, Forest Survey of India, Zoological Survey of India, etc.), Gazettes of India (The Gazette of India and its States, Encyclopaedias ("Shiwalik Hills," 2019; The Editors of the Encyclopaedia Britannica, 2011) and dictionaries (Lexico Dictionaries, 2019). Therefore, it is imperative to resolve these conflicts of the spelling usages, so as to maintain uniformity and avoid any confusions in the future. Here, we have addressed this issue by providing evidence through vote-counting approach (i.e. the total number of publications for each spelling variant) and years of publications so as to track their



## 1.1 Abstract

Various spelling variants such as Siwalik, Shivalik, Shiwalik and Sivalik, have been introduced in the literature while referring to foothills of the Himalayas. These spelling variants are creating hindrances to acquiring a complete knowledge about the region. Therefore, the present study has applied bibliometric analysis to resolve the inconsistency about the usage of these terms. Here, we have shown that the term ‘Siwalik’ was most dominant in the available literature. Our analysed results strongly favoured the use of the term ‘Siwalik’ as it is the oldest and most frequently used term in both the major databases Scopus and Web of Science. India is the country that contributes the most to these variations in the spelling and also the articles published in Indian Journals have these variations. Therefore, we strongly recommend the use of the term ‘Siwalik’ while referring to the region. Thus, the present article can serve as a guide to adopt a suitable term for the authors and publishers.

## 1.2 Introduction

The Himalayas is the younger most mountain system of the world which can be divided into the greater Himalayas, the lesser Himalayas and the outer Himalayas depending on the average elevations (Burrard and Hayden, 1907; Wadia, 1944). The outer Himalayas or the southernmost foothills of the Himalayas, ranging from elevations of 600-1200 m are also referred as the ‘Siwaliks’ (Bose, 1972; Burrard and Hayden, 1907; Wadia, 1944). These hills are distributed parallel to the Himalayan hills from the Brahmaputra valley to the Potwar Plateau of Pakistan (Krishnan, 1943) and cover the Indian states of Jammu and Kashmir, Punjab, Himachal Pradesh, Haryana, Uttarakhand, Uttar Pradesh and Assam (Yadav et al., 2015). The distribution of Siwaliks in North-western region of India is depicted in Figure 1.1.

However, available evidence indicate that the Siwaliks were formed during the upper Miocene to Pliocene epoch and are chiefly consist of clay, sandstones and conglomerates (Vredenburg, 1910; Bose, 1972). This region is well-known for its rich vertebrate faunal deposits, indicating that a rich diversity of plants would have supported these animals (Wadia, 1944). The silicified wood or the whole tree trunks can be found in sandstones, whereas leaf impressions in shales of the same region were also reported, which supports the abundance of vegetation (Vredenburg, 1910; Wadia, 1944). However, the literature indicates large inconsistencies in the spelling use while describing these foothills and as many as four spelling variants viz. Siwalik (Cautley, 1839; Shukla and Bora, 2019), Shiwalik (Batra and Batra, 1963; Kaur et al., 2019), Shivalik (Campbell, 1879; Kumar and Sankhyan, 2019) and Sivalik (Asiatic Society of Bengal, 1836; Ghosh, 2016) are used. These inconsistencies are not prevalent only in scientific literature, but also exist in the non-scientific literature such as various governmental re-




Figure 1.1: The geographic distribution of the Siwaliks in the North-western region of India. Data were acquired from the Bhukosh portal of the Geological Survey of India (<http://bhukosh.gsi.gov.in/>)

ports of India (like the annual reports of the ministry of environment forest and climate change, MoEFCC; The Project Tiger, Forest Survey of India, Zoological Survey of India, etc.), Gazettes of India (The Gazette of India and its States, Encyclopaedias (Editors of the Columbia Encyclopedia, 2019; Editors of the Encyclopaedia Britannica, 2011) and dictionaries (Lexico Dictionaries, 2019). Therefore, it is imperative to resolve these conflicts of the spelling usages, so as to maintain uniformity and avoid any confusions in the future. Here, we have addressed this issue by providing evidence through votecounting approach (i.e. the total number of publications for each spelling variant) and years of publications so as to track their origin and abundance in the literature.

### 1.3 Data and Methods

We have explored the literature using all the variant terms as keywords (Shivalik\*, Shiwalik\*, Sivalik\* and Siwalik\*) from available databases: Google Scholar, Web of Science [v5.30] (WoS) and Scopus. Since we had access to Scopus (1878-2019) and Web of Science (1989-2019) databases, a bibliometric analysis of both the databases was performed using the package bibliometrix (Aria and Cuccurullo, 2017) in R programming language (R Core Team, 2020). The data were acquired from both the databases on 16 July 2019. Specifically, the distribution of these terms has been analysed across different databases, year (yearly produc-

tion of publications and documents), countries (country of the corresponding author from publications) and sources like journals, books, proceedings, etc.

## 1.4 Results and Discussion

The results of the vote count approach from different databases have indicated the dominance of the term Siwalik and the distribution pattern of these terms is shown in Figure 1.2.

```
library(ggplot2)
sw <- read.csv("./data/siwalik-terms/terms-in-database.csv")
sw_longer <- tidyr::pivot_longer(sw, cols = -db, names_to = "terms", values_to = "y")
ggplot(data = sw_longer, aes(x = db, y = y, fill = terms)) +
  geom_bar(stat = "identity", position = "fill", width = 0.7, color = "black") +
  scale_y_continuous(labels = scales::percent_format()) +
  scale_fill_brewer(palette = "Paired") +
  labs(x = "", y = "") +
  theme_bw() +
  theme(legend.position = "bottom", legend.title = element_blank())
```




Figure 1.2: The distribution of Spelling variants (in the title of publications) among different scientific databases

Each selected database depicted the same pattern i.e. the term ‘Siwalik’ was most dominant whereas the term ‘Sivalik’ was least represented. On the other hand, the terms ‘Shivalik’ and ‘Shiwalik’ were more or less equally represented.

Further, the annual production of published articles in the Scopus and Web of Science database has revealed that the number of publications with term ‘Siwalik’ has exponentially increased, whereas it is only during the past two decades when the usage of the terms ‘Shivalik’ and ‘Shiwalik’ has become more frequent (Figure 1.3).

```
library(ggplot2)
df <- read.csv("../data/siwalik-terms/AnnSciProd.csv")
ggplot(data = df, aes(x = Year, y = Articles, color = Term)) +
  geom_point(shape = 21) +
  geom_smooth(se = FALSE, span = 1) +
  labs(x = "Year", y = "Articles") +
  theme_bw() +
  theme(legend.position = "bottom", legend.title = element_blank(),
        axis.title = element_text(face = "bold"))
```




Figure 1.3: The trend of annual scientific production of publications with spelling variants from both the Scopus and Web of Science database. The smooth lines were fitted using the loess ( $y \sim x$ ) method

Furthermore, the analysis of Scopus and Web of Science database revealed that the term ‘Siwalik’ was the oldest term (1878) which has increased rapidly and continues to increase, but the term ‘Shivalik’ (1955) and ‘Shiwalik’ (1973) were relatively recent terms which are increasing only during the recent decades. Another term ‘Sivalik’ is also one of the oldest terms (1880) but the usage of this term has been diminished during the past decades (Figure 1.3). However, a more extensive survey of available literature from other sources (Internet Archive and

Biodiversity Heritage Library) suggested that the term ‘Sivalik’ was the oldest term and first appeared in 1836 (Asiatic Society of Bengal, 1836). Though the usage of the term ‘Siwalik’ can be traced from 1528 A. D. in memoirs of the Emperor Babar (Burrard and Hayden, 1907), the term was first introduced to scientific literature in 1839 by Capt. P. T. Cautley (a palaeontologist) and Hugh Falconer (a geologist and botanist) of the East India Company, who surveyed the hills located near to the Haridwar a pilgrimage site dedicated to Lord Shiva, therefore, the hills were termed as - Siwalik hills (Cautley, 1839; Sorkhabi, 2010). Similarly, the term ‘Shivalik’ seems to be first introduced by J. P. Campbell in 1879 while describing his observations on the Glacial period from India (Campbell, 1879) and this term seems to be second most frequently used term in modern literature. Further, the term ‘Shiwalik’ was first observed in 1963 while describing the Discomycetes fungi from the region (Batra and Batra, 1963). Thus, the term ‘Sivalik’ was the oldest followed by ‘Siwalik’ and ‘Shivalik’ whereas the term ‘Shiwalik’ is the most recently used term. The dominance of the term ‘Siwalik’ may be due to its popularity, widespread use and is one of the oldest terms. All these terms are inspired by Lord Shiva, but it is the perception of author and subsequent translation into English which may have caused the observed variations in the spellings. Most of the early researchers who explored the area were non-native foreigners (from Britain, USA, etc.) and they named this hilly region according to their perception. That’s why the terms ‘Siwalik’ and ‘Sivalik’ were prevalent during the past century. However, the Indian authors have explored the region only during the past 4-5 decades, and they have introduced the terms ‘Shiwalik’ and ‘Shivalik’ referring to its correct translation.

The origin of these terms across countries was evaluated by analysing the ten most frequent countries with the corresponding author in their publications with different terms. The distribution of these terms across countries is represented in Figure 1.4.

```
library(ggplot2)
df <- read.csv("./data/siwalik-terms/CorrAuthCount.csv")
ggplot(data = df, aes(x = Articles, y = Country, fill = Term)) +
  geom_bar(stat = "identity", position = "fill", width = 0.6, color = "black") +
  scale_x_continuous(labels = scales::percent_format()) +
  scale_fill_brewer(palette = "Paired") +
  facet_wrap(~dbsource) +
  theme_bw() +
  theme(legend.position = "bottom", legend.title = element_blank())
```

The variation of spellings of these terms is most commonly originates from India and therefore the publications from the country India are most diverse in the use of these terms. However, some countries like China, France, Germany, Nepal and Thailand have also used different spelling variants whereas other countries have used either of the spelling consistently. Since a large part of these foothills




Figure 1.4: The distribution of terms in the countries of the corresponding author

is shared by India; therefore, the country has the greatest number of publications mentioning these terms. The distribution of these terms across the top ten most relevant sources (like Journals, Books, etc.) is represented in Figure 1.5 and these spelling variants were prevalent within some journals like Annals of Agri Bio Research, Current Science, Indian Journal of Agricultural Sciences, Indian Journal of Ecology, Journal of Human Evolution, Nature and Palaeogeography, Palaeoclimatology, Palaeoecology. But this variation is less prominent in the Web of Science as compared to Scopus (Figure 1.5).

```
library(ggplot2)
df <- read.csv("./data/siwalik-terms/relevant-sources.csv")
ggplot(data = df, aes(x = Y, y = Source, fill = Sw)) +
  geom_bar(stat = "identity", position = "fill", width = 0.7, color = "black") +
  scale_x_continuous(labels = scales::percent_format()) +
  scale_fill_brewer(palette = "Paired") +
  facet_wrap(~db) +
  labs(x = "", y = "") +
  theme_bw() +
  theme(legend.position = "bottom", legend.title = element_blank())
```

It has been further observed that the term ‘Siwalik’ was most consistently used in the fields of Geosciences and related fields which is still in practice. On the other hand, almost all the terms were used interchangeably in agricultural and biological sciences or other fields. General information about bibliometric indicators of the publications with the terms from the Scopus and Web of Science database is presented in Table 1.1.

```
library(kableExtra)
df <- read.csv("./data/siwalik-terms/biblio-table.csv")
df %>% kbl(digits = 2, col.names = c("Bibliometric Indicator",
  rep(x = c("Siwalik", "Shivalik", "Shiwalik",
    "Sivalik"), 2)),
  caption = "Bibliometric indicators for the publications with spelling variants") %>%
  kable_classic() %>%
  add_header_above(c(" " = 1, "Web of Science" = 4, "Scopus" = 4))
```

## 1.5 Conclusion

Based on our results, we strongly advocate the usage of the term ‘Siwalik’. However, the term ‘Shivalik’ can also be considered as a correct translation based on the pilgrimage site dedicated to Lord Shiva. Therefore, keeping subject-specific usage of terms in the view, we suggest that the authors from the geosciences should consistently use the term ‘Siwalik’ (as most of them are following the



Figure 1.5: The distribution of terms in the top 10 most relevant sources of publications (Journals, Books, etc.) for each term in Scopus and Web of Science database



Table 1.1: Bibliometric indicators for the publications with spelling variants

Bibliometric Indicator	Web of Science				Scopus			
	Siwalik	Shivalik	Shiwalik	Sivalik	Siwalik	Shivalik	Shiwalik	Sivalik
Total Number of Documents	890.00	72.00	59.00	2.00	1167.00	141.00	99.00	18.00
Average Citations per Document	23.35	10.94	7.73	5.50	22.69	7.69	5.32	13.50
Total Number of Authors	1552.00	180.00	142.00	9.00	1797.00	304.00	217.00	17.00
Documents per Author	0.57	0.40	0.41	0.22	0.65	0.46	0.45	1.00
Authors per Document	1.74	2.50	2.41	4.50	1.54	2.16	2.19	0.90
Co-Authors per Document	3.75	3.65	3.32	4.50	3.26	3.17	3.38	2.00
Collaboration Index	1.91	2.59	2.54	4.50	1.77	2.39	2.28	0.90

same) whereas other fields including agricultural and biological sciences should use the term ‘Shivalik’ instead of ‘Shiwalik’ or ‘Sivalik’. Hence, the authors from India and neighbouring countries, who are most actively engaged in scientific research in this region and frequently use these terms should take care to adopt any one of the above terms consistently. Similarly, the editors and publishers from the related fields are also requested to look for the consistency of the usage of a specific term in their respective Journals or publications.

## 1.6 Acknowledgement

Authors are grateful to the Chairperson, Department of Botany, Panjab University, Chandigarh, for providing all the necessary facilities required for the work. Both of us (Abhishek and Meenu) are also thankful to the University Grants Commission, Government of India, New Delhi for financial support in the form of Junior Research Fellowships.



## Chapter 2

# Literature

Here is a review of existing methods.



## Chapter 3

# Methods

We describe our methods in this chapter.



## Chapter 4

# Applications

Some *significant* applications are demonstrated in this chapter.

### 4.1 Example one

### 4.2 Example two





## Chapter 5

# Final Words

We have finished a nice book.



# Bibliography

- Aria, M. and Cuccurullo, C. (2017). bibliometrix : An r-tool for comprehensive science mapping analysis. *Journal of Informetrics*, 11(4):959–975.
- Asiatic Society of Bengal, . (1836). *Asiatic Researches, or, Transactions of the Society instituted in Bengal for inquiring into the history and antiquities, the arts, sciences and literature of Asia.*, volume 19. Bengal Military Orphan Press, Calcutta.
- Batra, L. and Batra, S. (1963). Indian discomycetes. *University of Kansas Science Bulletin*, 44(6):109–256.
- Bose, S. (1972). *Geography of the Himalaya*. National Book Trust, New Delhi.
- Burrard, S. and Hayden, H. (1907). *A Sketch of the Geography and Geology of the Himalaya Mountains and Tibet*. Superintendent Government Printing, India, Calcutta, 1 edition.
- Campbell, J. (1879). Glacial periods. *Quarterly Journal of the Geological Society of London*, 35:98–137.
- Cautley, P. (1839). Xix.—note on a fossil ruminant genus allied to giraffidæ in the siwalik hills. *Annals and Magazine of Natural History*, 3(16):167–169.
- Editors of the Columbia Encyclopedia, . (2019). Shiwalik hills.
- Editors of the Encyclopaedia Britannica, . (2011). Siwalik range.
- Ghosh, N. (2016). Modern designs: History and memory in le corbusier’s chandigarh. *Journal of Architecture and Urbanism*, 40(3):220–228.
- Kaur, M., Kumar, A., Mehra, R., and Mishra, R. (2019). Age-dependent ingestion and inhalation doses due to intake of uranium and radon in water samples of shiwalik himalayans of jammu and kashmir, india. *Environmental Monitoring and Assessment*, 191(4).
- Krishnan, M. (1943). *Geology of India and Burma*. Higginbothams (Private) Ltd., Madras, 1 edition.

- Kumar, V. and Sankhyan, V. (2019). Musculoskeletal injuries: Prevalence and severity in free-range rhesus macaques (*macaca mulatta*) of himalayan shivalik hills, northern india. *Biological Rhythm Research*, pages 1–11.
- Lexico Dictionaries, . (2019). Siwalik hills. Definition of SIWALIK HILLS by Oxford Dictionary on Lexico.com also meaning of SIWALIK HILLS.
- R Core Team (2020). *R: A Language and Environment for Statistical Computing*. R Foundation for Statistical Computing, Vienna, Austria.
- Shukla, U. and Bora, D. (2019). The lower siwalik foreland basin sedimentation in the kumaun himalaya (india): A transition from megafan setting to incised valley fills. *Journal of Geodynamics*, 129:219–236.
- Sorkhabi, R. (2010). Geologic formation of the himalaya. *Himalayan Journal*, 66(1):1–6.
- Vredenburg, E. (1910). *A Summary of the Geology of India*. Thacker, Spink & Co, Calcutta.
- Wadia, D. (1944). *Geology of India*. MacMillan and Co., Limited, London, 2 edition.
- Yadav, R., Panwar, P., Arya, S., and Mishra, P. (2015). Revisit of shivalik region in different states of northwestern india. *Journal of the Geological Society of India*, 86(3):351–360.