

Packages, Interfaces and String Handling:

**SIMATS**
ENGINEERING

SIMATS Online Programming Lab
JAVA PROGRAMMING

B THARUN KUMAR
192424356RC

QUESTIONS 20 / 20 completed

Palindrome

PALINDROME
Write a Java program to check if a given string is a palindrome or not.**PROGRAM EDITOR** Java Run Save

OUTPUT

The string is a palindrome.

INPUT

121

**SIMATS**
ENGINEERING

SIMATS Online Programming Lab
JAVA PROGRAMMING

B THARUN KUMAR
192424356RC

QUESTIONS 20 / 20 completed

Occurrence

OCCURRENCE
Write a Java program to count the number of occurrences of a given character in a string.**PROGRAM EDITOR** Java Run Save

OUTPUT

String: programming
Character: m
Number of occurrences: 2

INPUT

Your INPUT goes here!

**SIMATS**
ENGINEERING

SIMATS Online Programming Lab
JAVA PROGRAMMING

B THARUN KUMAR
192424356RC

QUESTIONS 20 / 20 completed

Check

CHECK
Write a Java program to check if a given string contains only digits.**PROGRAM EDITOR** Java Run Save

OUTPUT

The string contains only digits.

INPUT

Your INPUT goes here!

**SIMATS**
ENGINEERING

SIMATS Online Programming Lab
JAVA PROGRAMMING

B THARUN KUMAR
192424356RC

QUESTIONS 20 / 20 completed

Length

LENGTH
Write a Java program to find the length of the longest substring without repeating characters in a given string.**PROGRAM EDITOR** Java Run Save

OUTPUT

String: abcabcbb
Length of longest substring: 3

INPUT

Your INPUT goes here!



SIMATS Online Programming Lab
JAVA PROGRAMMING

B THARUN KUMAR
192424356RC

QUESTIONS 20 / 20 completed
Lower
Write a Java program to convert a given string to lowercase.

PROGRAM EDITOR

Java

Run

Save

```
1 public class Main {
2     public static void main(String[] args) {
3
4         String str = "HELLO WORLD";
5         String lower = str.toLowerCase();
6         System.out.println("Original String: " + str);
7         System.out.println("Lowercase String: " + lower);
8     }
9 }
10
11 }
```

OUTPUT

Original String: HELLO WORLD
Lowercase String: hello world

INPUT
Your INPUT goes here!



SIMATS Online Programming Lab
JAVA PROGRAMMING

B THARUN KUMAR
192424356RC

QUESTIONS 20 / 20 completed
Remove
Write a Java program to remove all white spaces from a given string.

PROGRAM EDITOR

Java

Run

Save

```
1 public class Main {
2     public static void main(String[] args) {
3
4         String str = "Hello World Java Programming";
5         String result = str.replaceAll("\\s", "");
6         System.out.println("Original String: " + str);
7         System.out.println("String after removing white spaces: " + result);
8     }
9 }
10
11 }
```

OUTPUT

Original String: Hello World Java Programming
String after removing white spaces: HelloWorldJavaProgramming

INPUT
Your INPUT goes here!



SIMATS Online Programming Lab
JAVA PROGRAMMING

B THARUN KUMAR
192424356RC

QUESTIONS 20 / 20 completed
Reverse
Write a Java program to reverse a given string.

PROGRAM EDITOR

Java

Run

Save

```
1 public class Main {
2     public static void main(String[] args) {
3
4         String str = "Hello World";
5         String reverse = "";
6         for (int i = str.length() - 1; i >= 0; i--) {
7             reverse = reverse + str.charAt(i);
8         }
9         System.out.println("Original String: " + str);
10        System.out.println("Reversed String: " + reverse);
11    }
12 }
13
14 }
```

OUTPUT

Original String: Hello World
Reversed String: dlroW olleH

INPUT
Your INPUT goes here!



SIMATS Online Programming Lab
JAVA PROGRAMMING

B THARUN KUMAR
192424356RC

QUESTIONS 20 / 20 completed
Concatenate
Write a Java program to concatenate two given strings.

PROGRAM EDITOR

Java

Run

Save

```
1 public class Main {
2     public static void main(String[] args) {
3
4         String str1 = "Hello";
5         String str2 = "World";
6
7         String result = str1 + " " + str2;
8         System.out.println("First String: " + str1);
9         System.out.println("Second String: " + str2);
10        System.out.println("Concatenated String: " + result);
11    }
12 }
13
14 }
```

OUTPUT

First String: Hello
Second String: World
Concatenated String: Hello World

INPUT
Your INPUT goes here!



SIMATS Online Programming Lab
JAVA PROGRAMMING

B THARUN KUMAR
192424356RC

QUESTIONS 20 / 20 completed

Repeat

REPEAT
Write a Java program to find the first non-repeated character in a given string.

PROGRAM EDITOR Java Run Save

```
1 public class Main {
2     public static void main(String[] args) {
3
4         String str = "swiss";
5         char result = '\0';
6
7         for (int i = 0; i < str.length(); i++) {
8
9             char ch = str.charAt(i);
10            int count = 0;
11
12            for (int j = 0; j < str.length(); j++) {
13                if (str.charAt(j) == ch) {
14                    count++;
15                }
16            }
17
18            if (count == 1) {
19                result = ch;
20                break;
21            }
22        }
23    }
24 }
```

OUTPUT

```
String: swiss
First non-repeated character: w
```

INPUT
Your INPUT goes here!



SIMATS Online Programming Lab
JAVA PROGRAMMING

B THARUN KUMAR
192424356RC

QUESTIONS 20 / 20 completed

Frequent

FREQUENT
Write a Java program to find the most frequent word in a given string.

PROGRAM EDITOR Java Run Save

```
1 public class Main {
2     public static void main(String[] args) {
3
4         String str = "java is easy and java is powerful";
5
6         String[] words = str.split(" ");
7
8         String mostFrequent = "";
9         int maxCount = 0;
10
11        for (int i = 0; i < words.length; i++) {
12
13            int count = 0;
14
15            for (int j = 0; j < words.length; j++) {
16                if (words[i].equals(words[j])) {
17                    count++;
18                }
19            }
20
21            if (count > maxCount) {
22                mostFrequent = words[i];
23                maxCount = count;
24            }
25        }
26    }
27 }
```

OUTPUT

```
String: java is easy and java is powerful
Most frequent word: java
Number of occurrences: 2
```

INPUT
Your INPUT goes here!



SIMATS Online Programming Lab
JAVA PROGRAMMING

B THARUN KUMAR
192424356RC

QUESTIONS 20 / 20 completed

Substring

SUBSTRING
Write a Java program to create a substring from a given string.

PROGRAM EDITOR Java Run Save

```
1 public class Main {
2     public static void main(String[] args) {
3
4         String str = "Hello World";
5
6         int start = 0;
7         int end = 5;
8
9         String substring = str.substring(start, end);
10
11        System.out.println("Original String: " + str);
12        System.out.println("Substring: " + substring);
13    }
14 }
```

OUTPUT

```
Original String: Hello World
Substrings: Hello
```

INPUT
Your INPUT goes here!



SIMATS Online Programming Lab
JAVA PROGRAMMING

B THARUN KUMAR
192424356RC

QUESTIONS 20 / 20 completed

Compare

COMPARE
Write a Java program to compare two strings lexicographically.

PROGRAM EDITOR Java Run Save

```
1 public class Main {
2     public static void main(String[] args) {
3
4         String str1 = "apple";
5         String str2 = "banana";
6
7         int result = str1.compareTo(str2);
8
9         System.out.println("First String: " + str1);
10        System.out.println("Second String: " + str2);
11
12        if (result == 0) {
13            System.out.println("Both strings are equal.");
14        } else if (result < 0) {
15            System.out.println("First string comes before the second string.");
16        } else {
17            System.out.println("First string comes after the second string.");
18        }
19    }
20 }
```

OUTPUT

```
First String: apple
Second String: banana
First string comes before the second string.
```

INPUT
Your INPUT goes here!



SIMATS Online Programming Lab
JAVA PROGRAMMING

B THARUN KUMAR
192424356RC

QUESTIONS 20 / 20 completed

Suffix

SUFFIX
Write a Java program to check if a given string ends with a specific suffix.

PROGRAM EDITOR

Java

Run

Save

```
1 public class Main {
2     public static void main(String[] args) {
3
4         String str = "HelloWorld";
5         String suffix = "World";
6
7         if (str.endsWith(suffix)) {
8             System.out.println("The string ends with the given suffix.");
9         } else {
10             System.out.println("The string does not end with the given suffix.");
11         }
12     }
13 }
```

OUTPUT

The string ends with the given suffix.

INPUT

Your INPUT goes here!



SIMATS Online Programming Lab
JAVA PROGRAMMING

B THARUN KUMAR
192424356RC

QUESTIONS 20 / 20 completed

Find

FIND
Write a Java program to find the index of a given character or substring in a given string.

PROGRAM EDITOR

Java

Run

Save

```
1 public class Main {
2     public static void main(String[] args) {
3
4         String str = "HelloWorld";
5         String suffix = "World";
6
7         if (str.endsWith(suffix)) {
8             System.out.println("The string ends with the given suffix.");
9         } else {
10             System.out.println("The string does not end with the given suffix.");
11         }
12     }
13 }
```

OUTPUT

The string ends with the given suffix.

INPUT

Your INPUT goes here!



SIMATS Online Programming Lab
JAVA PROGRAMMING

B THARUN KUMAR
192424356RC

QUESTIONS 20 / 20 completed

Upper

UPPER
Write a Java program to convert a given string to uppercase.

PROGRAM EDITOR

Java

Run

Save

```
1 public class Main {
2     public static void main(String[] args) {
3
4         String str = "hello world";
5
6         String upper = str.toUpperCase();
7
8         System.out.println("Original String: " + str);
9         System.out.println("Uppercase String: " + upper);
10     }
11 }
```

OUTPUT

Original String: hello world
Uppercase String: HELLO WORLD

INPUT

Your INPUT goes here!



SIMATS Online Programming Lab
JAVA PROGRAMMING

B THARUN KUMAR
192424356RC

QUESTIONS 20 / 20 completed

RM-Char

RM-CHAR
Write a Java program to remove a specified character from a given string.

PROGRAM EDITOR

Java

Run

Save

```
1 public class Main {
2     public static void main(String[] args) {
3
4         String str = "programming";
5         char ch = 'm';
6
7         String result = str.replace(String.valueOf(ch), "");
8
9         System.out.println("Original String: " + str);
10        System.out.println("Character to remove: " + ch);
11        System.out.println("String after removing character: " + result);
12    }
13 }
```

OUTPUT

Original String: programming
Character to remove: m
String after removing character: prograing

INPUT

Your INPUT goes here!



SIMATS Online Programming Lab
JAVA PROGRAMMING

B THARUN KUMAR
192424356RC

QUESTIONS: 20 / 20 completed

Replace

REPLACE

Write a Java program to replace a specified character with another character in a given string.

PROGRAM EDITOR

Java

Run

Save

```
1 public class Main {
2     public static void main(String[] args) {
3
4         String str = "programming";
5
6         char oldChar = 'm';
7         char newChar = 'x';
8
9         String result = str.replace(oldChar, newChar);
10
11         System.out.println("Original String: " + str);
12         System.out.println("Character to replace: " + oldChar);
13         System.out.println("New character: " + newChar);
14         System.out.println("String after replacement: " + result);
15     }
16 }
```

OUTPUT

Original String: programming
Character to replace: m
New character: x
String after replacement: proxxingxxing

INPUT

Your INPUT goes here!



SIMATS Online Programming Lab
JAVA PROGRAMMING

B THARUN KUMAR
192424356RC

QUESTIONS: 20 / 20 completed

Split

SPLIT

Write a Java program to split a given string into an array of substrings based on a specified delimiter.

PROGRAM EDITOR

Java

Run

Save

```
1 public class Main {
2     public static void main(String[] args) {
3
4         String str = "Java,Python,C,C++";
5         String delimiter = ",";
6
7         String[] result = str.split(delimiter);
8
9         System.out.println("Original String: " + str);
10        System.out.println("Substrings:");
11
12        for (int i = 0; i < result.length; i++) {
13            System.out.println(result[i]);
14        }
15    }
16 }
```

OUTPUT

Original String: Java,Python,C,C++
Substrings:
Java
Python
C
C++

INPUT

Your INPUT goes here!



SIMATS Online Programming Lab
JAVA PROGRAMMING

B THARUN KUMAR
192424356RC

QUESTIONS: 20 / 20 completed

Trim

TRIM

Write a Java program to trim a given string and remove leading and trailing spaces.

PROGRAM EDITOR

Java

Run

Save

```
1 public class Main {
2     public static void main(String[] args) {
3
4         String str = " Hello World ";
5
6         String result = str.trim();
7
8         System.out.println("Original String: " + str);
9         System.out.println("Trimmed String: " + result);
10    }
11 }
```

OUTPUT

Original String: Hello World
Trimmed String: Hello World

INPUT

Your INPUT goes here!



SIMATS Online Programming Lab
JAVA PROGRAMMING

B THARUN KUMAR
192424356RC

QUESTIONS: 20 / 20 completed

Convert

CONVERT

Write a Java program to convert a given string to a char array.

PROGRAM EDITOR

Java

Run

Save

```
1 public class Main {
2     public static void main(String[] args) {
3
4         String str = "Hello";
5
6         char[] chars = str.toCharArray();
7
8         System.out.println("Original String: " + str);
9         System.out.println("Character Array:");
10
11        for (int i = 0; i < chars.length; i++) {
12            System.out.println(chars[i]);
13        }
14    }
15 }
```

OUTPUT

Original String: Hello
Character Array:
H
e
l
l
o

INPUT

Your INPUT goes here!