

Powerful Tile **BONDING**



Renafix, A range of superior polymer modified high strength tile adhesives and grouts. The product range is suitable for all kinds of tiles and stone applications on various substrates. The Renafix range includes 5 types of tile adhesives and grout.

Renafix 201 - Grey

Product Description :

Polymer modified grey cement based adhesive suitable for porous tiles like ceramic/clay tiles and natural stones of regular size. This product is recommended for all cement-based substrates like concrete, cement plaster, cement screed etc.

Key Features :

- Ideal for new construction ceramic flooring
- Interior application, polymer based
- Better workability
- Convenient to use
- Single component, just add water



Renafix 211 - Grey / White

Product Description :

Advanced polymer enriched cement based tile adhesive, suitable for application of ceramic tiles and natural stones for interior floors, interior walls upto 3 meters and vitrified tiles for interior floor applications. It is also suitable for tile on tile application.

Key Features :

- Interior application, polymer based
- Better workability and durability
- Superior adhesion
- High strength
- No water curing required



Renafix 222 - Grey / White

Product Description :

A grey cement based thin set tile adhesive with enhanced 'high-bond' polymers. It is suitable for fixing all types of ceramic, semi-vitreous, vitrified tiles and natural stones on a variety of substrates.

Key Features :

- Superior bonding with all cementitious substrates
- Sag resistant for vertical application
- Tile on tile application
- Water and shock resistant
- Slip resistance as per BIS norms



Renafix 333 - Grey

Product Description :

Highly polymer modified, thin-set adhesive for fixing all types of tiles and stones on floor and wall application in interiors and exteriors. Shock absorption property makes it perfect to fix granites and stones in heavy traffic areas.

Key Features :

- Superior shear bond strength
- Water and shock resistant
- Sag resistant
- Highly flexible
- Sustains heat ageing



Renafix 444 - White

Product Description :

Highly polymer modified with high flexibility and enhanced properties of slip resistance and excellent bond strength required for fixing large format tiles, big stones and granites on vertical and horizontal surfaces in interiors and exteriors.

Key Features :

- Higher shear bond strength
- Absorbs dynamic load
- Sustains heat ageing
- Highly deformable
- High durability and flexibility
- Water and shock resistant



Renafix - Tile Grout

Product Description :

Renafix Cementitious Grout is a high performance joint filler, suitable for filling tile gaps and joints upto 5mm in width. It can be used for both internal and external applications, on walls and floors. Renafix Cementitious Grouts are available in various vibrant colors.

Key Features :

- Water resistant
- Weather resistant
- Easy application and maintenance
- Can withstand physical and thermal movements
- Superior bonding



PACKING

Available in 1Kg Unit
(1kg X 10 Pouches in a carton box)

Renaatus Procon Private Limited



73738 73738

Corporate Office

No:139, VIBGYOR,
Kodambakkam High Road
Nungambakkam, Chennai – 600034

Registered Office

No:156, Mullamparapu,
N.G. Palayam (Post)
Erode, Tamil Nadu – 638115.

Maldives

Renaatus Ithaamuiy,
Hulhumale,
Maldives.

Renacon Factory - 1

I26, I27, Kadappanthangal Village,
Karikkanthangak (PO),
Kalavi (Via) Arcot (T.K)
Vellore (Dt)- 632506, Tamil Nadu

Renacon Factory - 2

B-54, B-55
Sipcot Industrial Growth Centre
Gangaikondan, Tirunelveli- 627352
Tamil Nadu

Renacon Factory - 3

SF No.183-189
Sipcot Industrial
Growth Centre, Ingur Village,
Perundurai-638058, Tamil Nadu