

# Discreet 12.9.5.24

HIBA MUHAMMED  
EE23BTECH11026

## PROBLEM STATEMENT

If  $S_1, S_2, S_3$  are the sum of the first  $n$  natural numbers, their squares, and their cubes, respectively, show that

$$9(S_2)^2 = (S_3)(1+8(S_1))$$

## SOLUTION

Sequence	Expression	Description
$s_1$	$\frac{n(n+1)}{2}$	sum of n natural numbers
$s_2$	$\frac{n(n+1)(2n+1)}{6}$	sum of squares
$s_3$	$\left(\frac{n(n+1)}{2}\right)^2$	sum of cubes
$x_1$	$x_1(n) = nu(n)$	
$x_2$	$x_2(n) = n^2u(n)$	
$x_3$	$x_3(n) = n^3u(n)$	

TABLE I  
INPUT EQUATIONS

$$nu(n) \xleftrightarrow{Z} \frac{z^{-1}}{(1-z^{-1})^2}, \quad |z| > 1 \quad (1)$$

$$n^2u(n) \xleftrightarrow{Z} \frac{z^{-1}(z^{-1}+1)}{(1-z^{-1})^3}, \quad |z| > 1 \quad (2)$$

$$n^3u(n) \xleftrightarrow{Z} \frac{z^{-1}(1+4z^{-1}+z^{-2})}{(1-z^{-1})^4}, \quad |z| > 1 \quad (3)$$

$$n^4u(n) \xleftrightarrow{Z} \frac{z^{-1}(1+11z^{-1}+11z^{-2}+z^{-3})}{(1-z^{-1})^5} \quad (4)$$

$$x(n) \xleftrightarrow{Z} X(z) \quad (5)$$

$$y(x) = x(n) * u(n) \quad (6)$$

$$Y(z) = X(z) \cdot u(z) \quad (7)$$

from (1) to (7)

1)

$$X_1(z) = \frac{z^{-1}}{(1-z^{-1})^2}, \quad |z| > 1 \quad (8)$$

$$Y_1(z) = \frac{z^{-1}}{(1-z^{-1})^3} \quad (9)$$

$$Y_1(z) = \frac{-1}{(1-z^{-1})^2} + \frac{1}{(1-z^{-1})^3} \quad (10)$$

$$y_1(n) = n \frac{(n+1)}{2} u(n) \quad (11)$$

$$(12)$$

2)

$$X_2(z) = \frac{z^{-1}(z^{-1} + 1)}{(1 - z^{-1})^3}, \quad |z| > 1 \quad (13)$$

$$Y_2(z) = \frac{z^{-1}(z^{-1} + 1)}{(1 - z^{-1})^4} \quad (14)$$

$$Y_2(z) = \frac{1}{(1 - z^{-1})^2} - \frac{3}{(1 - z^{-1})^3} + \frac{2}{(1 - z^{-1})^4} \quad (15)$$

$$y_2(n) = \frac{(n)(n+1)(2n+1)}{6} u(n) \quad (16)$$

$$(17)$$

3)

$$X_3(z) = \frac{z^{-1}(1 + 4z^{-1} + z^{-2})}{(1 - z^{-1})^4}, \quad |z| > 1 \quad (18)$$

$$Y_3(z) = \frac{z^{-1}(1 + 4z^{-1} + z^{-2})}{(1 - z^{-1})^5} \quad (19)$$

$$Y_3(z) = \frac{-1}{(1 - z^{-1})^2} + \frac{7}{(1 - z^{-1})^3} - \frac{12}{(1 - z^{-1})^4} + \frac{6}{(1 - z^{-1})^5} \quad (20)$$

$$y_3(n) = \left( \frac{(n)(n+1)}{2} \right)^2 u(n) \quad (21)$$

$$y_2^2 = (y_3)(1 + 8(y_1))$$

$$\text{LHS} = 9(y_2)^2 = 9 \left( \frac{(n+1)(n)(2n+1)}{6} \right)^2 u(n) \quad (22)$$

$$= n^6 u(n)^2 + 3n^5 u(n)^2 + \frac{13}{4} n^4 u(n)^2 + \frac{3}{2} n^3 u(n)^2 + \frac{1}{4} n^2 u(n)^2 \quad (23)$$

$$= n^6 + 3n^5 + \frac{13}{4} n^4 + \frac{3}{2} n^3 + \frac{1}{4} n^2 \quad n \geq 0 \quad (24)$$

$$\text{RHS} = (y_3)(1 + 8(y_1)) = \left( \frac{(n+1)(n+2)}{2} \right)^2 u(n)(1 + 8 \left( \frac{(n+1)(n+2)}{2} \right) u(n)) \quad (25)$$

$$= n^6 u(n)^3 + 3n^5 u(n)^3 + 3n^4 u(n)^3 + \frac{1}{4} n^4 u(n)^2 + n^3 u(n)^3 + \frac{1}{2} n^3 u(n)^2 + \frac{1}{4} n^2 u(n)^2 \quad (26)$$

$$= n^6 + 3n^5 + \frac{13}{4} n^4 + \frac{3}{2} n^3 + \frac{1}{4} n^2 \quad n \geq 0 \quad (27)$$

LHS=RHS

$$9(S_2)^2 = (S_3)(1 + 8(S_1))$$




Fig. 1. Simulation vs Theory for  $y_1(n)$




Fig. 2. Simulation vs Theory for  $y_2(n)$




Fig. 3. Simulation vs Theory for  $y_3(n)$