

LAB Assignment 11.1

Task Description #1 – Stack Implementation

Task: Use AI to generate a Stack class with push, pop, peek, and is_empty methods.

Sample Input Code:

class Stack:

pass

Expected Output:

- A functional stack implementation with all required methods and docstrings.

```
week 11 > stack.py > ...
1  #generate a code to demonstrate the stack and its operations in python
2  class Stack:
3      def __init__(self):
4          self.stack = []
5
6      def push(self, item):
7          """Add an item to the top of the stack."""
8          self.stack.append(item)
9
10     def pop(self):
11         """Remove and return the item at the top of the stack. Raises an error if the stack is
12         if not self.is_empty():
13             return self.stack.pop()
14         else:
15             raise IndexError("Stack is empty")
16
17     def peek(self):
18         """Return the item at the top of the stack without removing it. Raises an error if the
19         if not self.is_empty():
20             return self.stack[-1]
21         else:
22             raise IndexError("Stack is empty")
23
24     def is_empty(self):
25         """Check if the stack is empty."""
26         return len(self.stack) == 0
27
28     def size(self):
29         """Return the number of items in the stack."""
30         return len(self.stack)
```

```
Drive/Desktop/AIAC/week 11/stack.py"
Stack after pushing 1, 2, 3: [1, 2, 3]
Top item (peek): 3
Stack size: 3
Popped item: 3
Stack after popping: [1, 2]
```

Task Description #2 – Queue Implementation

Task: Use AI to implement a Queue using Python lists.

Sample Input Code:

```
class Queue:
    pass
```

Expected Output:

- FIFO-based queue class with enqueue, dequeue, peek, and size methods.

#Code :

```
week 11 > queue.py > ...
1  #implement data structures queue and its operations in python
2  class Queue:
3      def __init__(self):
4          self.queue = []
5
6      def enqueue(self, item):
7          """Add an item to the end of the queue."""
8          self.queue.append(item)
9
10     def dequeue(self):
11         """Remove and return the item at the front of the queue. Raises an error if the queue is empty"""
12         if not self.is_empty():
13             return self.queue.pop(0)
14         else:
15             raise IndexError("Queue is empty")
16
17     def peek(self):
18         """Return the item at the front of the queue without removing it. Raises an error if the queue is empty"""
19         if not self.is_empty():
20             return self.queue[0]
21         else:
22             raise IndexError("Queue is empty")
23
24     def is_empty(self):
25         """Check if the queue is empty."""
26         return len(self.queue) == 0
27
28     def size(self):
29         """Return the number of items in the queue."""
30         return len(self.queue)
```

Output :

```
PS C:\Users\User\OneDrive\Desktop\AIAC> & C:/Users/User/OneDrive/Desktop/AIAC/week 11/queue.py
Queue after enqueueing 1, 2, 3: [1, 2, 3]
Front item (peek): 1
Queue size: 3
Dequeued item: 1
Queue after dequeuing: [2, 3]
```

Task Description #3 – Linked List

Task: Use AI to generate a Singly Linked List with insert and display methods.

Sample Input Code:

```
class Node:
```

```
    pass
```

```
class LinkedList:
```

```
    pass
```

Expected Output:

- A working linked list implementation with clear method documentation.

Code :

```
week 11 > linkedlist.py > ...
1  #generate a code to demonstrate the linked list and its operations in python
2  class Node:
3      def __init__(self, data):
4          self.data = data
5          self.next = None
6
7  class LinkedList:
8      def __init__(self):
9          self.head = None
10
11     def append(self, data):
12         new_node = Node(data)
13         if not self.head:
14             self.head = new_node
15         else:
16             current = self.head
17             while current.next:
18                 current = current.next
19             current.next = new_node
20
21     def display(self):
22         elements = []
23         current = self.head
24         while current:
25             elements.append(current.data)
26             current = current.next
27         return elements
28 # Demonstration of linked list operations
```

OUTPUT:

```
PS C:\Users\User\OneDrive\Desktop\AIAC> & C:/Users/User/OneDrive/Desktop/AIAC/week 11/linkedlist.py"
Linked List elements: [1, 2, 3]
```

Task Description #4 – Binary Search Tree (BST)

Task: Use AI to create a BST with insert and in-order traversal methods.

Sample Input Code:

```
class BST:
```

```
    pass
```

Expected Output:

- BST implementation with recursive insert and traversal methods.

code:

```
week 11 > Bst.py > ...
1  #generate a code to demonstrate the binary search tree and its operations in python
2  class TreeNode:
3      def __init__(self, key):
4          self.left = None
5          self.right = None
6          self.val = key
7  class BinarySearchTree:
8      def __init__(self):
9          self.root = None
10
11     def insert(self, key):
12         if self.root is None:
13             self.root = TreeNode(key)
14         else:
15             self._insert_recursively(self.root, key)
16
17     def _insert_recursively(self, node, key):
18         if key < node.val:
19             if node.left is None:
20                 node.left = TreeNode(key)
21             else:
22                 self._insert_recursively(node.left, key)
23         else:
24             if node.right is None:
25                 node.right = TreeNode(key)
26             else:
27                 self._insert_recursively(node.right, key)
28
29     def inorder_traversal(self):
30         return self._inorder_recursively(self.root)
```

Output:

```
Drive/Desktop/AIAC/week 11/Bst.py"
Inorder Traversal of the BST: [2, 3, 4, 5, 6, 7, 8]
PS C:\Users\User\OneDrive\Desktop\AIAC>
```

Task Description #5 – Hash Table

Task: Use AI to implement a hash table with basic insert, search, and delete methods.

Sample Input Code:

```
class HashTable:
```

```
    pass
```

Expected Output:

- Collision handling using chaining, with well-commented methods.

Code :

```
week 11 > hashtab.py > ...
1  #generate a code to demonstrate the hash table and its operations in python
2  class HashTable:
3      def __init__(self):
4          self.table = {}
5
6      def insert(self, key, value):
7          """Insert a key-value pair into the hash table."""
8          self.table[key] = value
9
10     def search(self, key):
11         """Search for a value by its key. Returns the value if found, else returns None."""
12         return self.table.get(key, None)
13
14     def delete(self, key):
15         """Delete a key-value pair from the hash table. Raises an error if the key is not found"""
16         if key in self.table:
17             del self.table[key]
18         else:
19             raise KeyError("Key not found in hash table")
20
21     def display(self):
22         """Display the contents of the hash table."""
23         return self.table
```

Output :

```
Drive/Desktop/AIAC/week 11/hashtab.py"
Hash Table after insertions: {'name': 'Alice', 'age': 30, 'city': 'New York'}
Search for 'name': Alice
Search for 'age': 30
Search for 'country' (not found): None
Hash Table after deleting 'age': {'name': 'Alice', 'city': 'New York'}
'Key not found in hash table'
PS C:\Users\User\OneDrive\Desktop\AIAC>
```

Task Description #6 – Graph Representation

Task: Use AI to implement a graph using an adjacency list.

Sample Input Code:

```
class Graph:
```

```
    pass
```

Expected Output:

- Graph with methods to add vertices, add edges, and display connections.

#Code :

```
week 11 > graph.py > ...
1  #generate code to demonstrate the graph and its operations in python
2  class Graph:
3      def __init__(self):
4          self.graph = {}
5
6      def add_edge(self, u, v):
7          """Add an edge between vertices u and v."""
8          if u not in self.graph:
9              self.graph[u] = []
10         if v not in self.graph:
11             self.graph[v] = []
12         self.graph[u].append(v)
13         self.graph[v].append(u) # For undirected graph
14
15     def display(self):
16         """Display the graph as an adjacency list."""
17         return self.graph
```

Output :

```
● PS C:\Users\User\OneDrive\Desktop\AIAC> & C:/Users/User/AppData/Local/Pyt
Drive/Desktop/AIAC/week 11/graph.py"
Graph adjacency list: {1: [2, 3], 2: [1, 4], 3: [1, 4], 4: [2, 3]}
○ PS C:\Users\User\OneDrive\Desktop\AIAC>
```

Task Description #7 – Priority Queue

Task: Use AI to implement a priority queue using Python's heapq module.

Sample Input Code:

```
class PriorityQueue:
```

```
    pass
```

Expected Output:

- Implementation with enqueue (priority), dequeue (highest priority) and display methods.

```

week 11 > priority que.py > ...
1  #generate code to demonstrate the priority queue and its operations in python
2  import heapq
3  class PriorityQueue:
4      def __init__(self):
5          self._queue = []
6          self._index = 0
7
8      def push(self, item, priority):
9          heapq.heappush(self._queue, (priority, self._index, item))
10         self._index += 1
11
12     def pop(self):
13         return heapq.heappop(self._queue)[-1]
14     def peek(self):
15         return self._queue[0][-1] if self._queue else None
16     def is_empty(self):
17         return not self._queue
18     def size(self):
19         return len(self._queue)

```

Output :

```

Drive/Desktop/AIAC/week 11/priority que.py"
Priority Queue after adding tasks: ['task2', 'task1', 'task3']
Peek at highest priority task: task2
Size of the priority queue: 3
Popped item: task2
Priority Queue after popping: ['task3', 'task1']

```

Task Description #8 – Dequeue

Task: Use AI to implement a double-ended queue using `collections.deque`.

Sample Input Code:

```
class DequeDS:
```

```
    pass
```

Expected Output:

- Insert and remove from both ends with docstrings.

```

1 #generate a code to demonstrate the deque and its operations in python
2 class Deque:
3     def __init__(self):
4         self.deque = []
5
6     def add_front(self, item):
7         """Add an item to the front of the deque."""
8         self.deque.insert(0, item)
9
10    def add_rear(self, item):
11        """Add an item to the rear of the deque."""
12        self.deque.append(item)
13
14    def remove_front(self):
15        """Remove and return the item at the front of the deque. Raises an error if the deque is empty"""
16        if not self.is_empty():
17            return self.deque.pop(0)
18        else:
19            raise IndexError("Deque is empty")
20
21    def remove_rear(self):
22        """Remove and return the item at the rear of the deque. Raises an error if the deque is empty"""
23        if not self.is_empty():
24            return self.deque.pop()
25        else:
26            raise IndexError("Deque is empty")
27
28    def peek_front(self):
29        """Return the item at the front of the deque without removing it. Raises an error if the deque is empty"""
30        if not self.is_empty():
31            return self.deque[0]

```

```
PS C:\Users\User\OneDrive\Desktop\AIAC> & C:/Users/User/AppData/Local/Programs/Microsoft Python/P...  
Drive/Desktop/AIAC/week 11/deque.py"  
Deque after adding 0 at front and 1, 2 at rear: [0, 1, 2]  
Front item (peek): 0  
Rear item (peek): 2  
Deque size: 3  
Removed front item: 0  
Removed rear item: 2  
Deque after removing front and rear items: [1]
```

Scenario:

1. Student Attendance Tracking – Daily log of students entering/exiting the campus.

2. Event Registration System – Manage participants in events with quick search and removal.
3. Library Book Borrowing – Keep track of available books and their due dates.
4. Bus Scheduling System – Maintain bus routes and stop connections.
5. Cafeteria Order Queue – Serve students in the order they arrive.

Student Task:

- For each feature, select the most appropriate data structure from the list below:
 - Stack
 - Queue
 - Priority Queue
 - Linked List
 - Binary Search Tree (BST)
 - Graph
 - Hash Table
 - Deque
- Justify your choice in 2–3 sentences per feature.
- Implement one selected feature as a working Python program with AI-assisted code generation.

Expected Output:

- A table mapping feature → chosen data structure → justification.
- A functional Python program implementing the chosen feature with comments and docstrings.

Feature	Data Structure	Justification
Student Attendance Tracking	Hash Table	Student attendance can be stored using student ID as a key. Hash tables allow very fast lookup and update of attendance records. This makes it efficient to track daily entry and exit of students.
Event Registration System	Binary Search Tree (BST)	Event participants can be stored in sorted order based on ID or name. BST allows efficient insertion, deletion, and searching operations. This helps manage participants quickly.

Library Book Borrowing	Priority Queue	Some books may have higher priority (e.g., reserved books or urgent academic needs). Priority queue allows books with higher priority to be issued first. This ensures important requests are handled earlier.
Bus Scheduling System	Graph	Bus stops and routes are connected like a network. Graph data structure represents connections between stops effectively. It helps in finding routes between different locations.
Cafeteria Order Queue	Queue	Students are served in the order they arrive at the cafeteria. Queue follows the FIFO (First In First Out) principle. This ensures fair and orderly service.

Student Attendance Tracking :

```

week 11 > student attendance.py > ...
1  #generate code for student attendance tracking system in python using hash table
2  class AttendanceTracker:
3      def __init__(self):
4          self.attendance = {}
5
6      def mark_attendance(self, student_id, date):
7          """Mark attendance for a student on a specific date."""
8          if student_id not in self.attendance:
9              self.attendance[student_id] = []
10             self.attendance[student_id].append(date)
11
12     def get_attendance(self, student_id):
13         """Get the attendance record for a specific student."""
14         return self.attendance.get(student_id, [])
15
16     def display_attendance(self):
17         """Display the attendance records for all students."""
18         return self.attendance

```

Output :

```

● PS C:\Users\User\OneDrive\Desktop\AIAC> & C:/Users/User/AppData/Local/Python/pythoncore-3.14-64/
Drive/Desktop/AIAC/week 11/student attendance.py"
Attendance for S001: ['2024-06-01', '2024-06-02']
Attendance for S002: ['2024-06-01']
All attendance records: {'S001': ['2024-06-01', '2024-06-02'], 'S002': ['2024-06-01']}
○ PS C:\Users\User\OneDrive\Desktop\AIAC>

```

Library Book Borrowing

```
week 11 > book borrow.py > Library
1  #Library Book Borrowing - Keep track of available books and their due dates.
2  class Library:
3      def __init__(self):
4          self.books = {}
5
6      def add_book(self, title, due_date):
7          self.books[title] = due_date
8
9      def borrow_book(self, title):
10         if title in self.books:
11             due_date = self.books.pop(title)
12             print(f"You have borrowed '{title}'. It is due on {due_date}.")
13         else:
14             print(f"Sorry, '{title}' is not available.")
15
16     def return_book(self, title, due_date):
17         self.books[title] = due_date
18         print(f"You have returned '{title}'. It is now available for borrowing.")
19
20     def display_available_books(self):
21         if self.books:
22             print("Available books:")
23             for title, due_date in self.books.items():
24                 print(f"'{title}' - Due on {due_date}")
25         else:
26             print("No books are currently available.")
```

Output :

```
PS C:\Users\User\OneDrive\Desktop\AIAC> & C:/Users/User/AppData/Local/Py
Drive/Desktop/AIAC/week 11/book borrow.py"
You have borrowed 'The Great Gatsby'. It is due on 2024-07-01.
You have borrowed '1984'. It is due on 2024-08-01.
Available books:
'To Kill a Mockingbird' - Due on 2024-07-15
You have returned 'The Great Gatsby'. It is now available for borrowing.
Available books:
'To Kill a Mockingbird' - Due on 2024-07-15
'The Great Gatsby' - Due on 2024-09-01
```

Task Description #10: Smart Hospital Management System – Data Structure Selection

A hospital wants to develop a Smart Hospital Management System that handles:

1. Patient Check-In System – Patients are registered and treated in order of arrival.
2. Emergency Case Handling – Critical patients must be treated first.
3. Medical Records Storage – Fast retrieval of patient details using ID.
4. Doctor Appointment Scheduling – Appointments sorted by time.
5. Hospital Room Navigation – Represent connections between wards and rooms.

Student Task

- For each feature, select the most appropriate data structure from the list below:
 - Stack
 - Queue
 - Priority Queue
 - Linked List
 - Binary Search Tree (BST)
 - Graph
 - Hash Table
 - Deque
- Justify your choice in 2–3 sentences per feature.
- Implement one selected feature as a working Python program with AI-assisted code generation.

Expected Output:

- A table mapping feature → chosen data structure → justification.
- A functional Python program implementing the chosen feature with comments and docstrings

Feature	Data Structure	Justification
Patient Check-In System	Queue	Patients are treated in the order they arrive. Queue follows the FIFO (First In First Out) principle. This ensures fair processing of patients.
Emergency Case Handling	Priority Queue	Emergency patients must be treated before normal patients. Priority queue processes elements based on priority instead of arrival order. This ensures critical cases are handled first.

Medical Records Storage	Binary Search Tree (BST)	Patient records can be stored based on patient ID. BST allows efficient searching, insertion, and retrieval of records. This helps doctors quickly access patient information.
Doctor Appointment Scheduling	Linked List	Appointments can be added or removed dynamically throughout the day. Linked list allows easy insertion and deletion without shifting data. This makes schedule management flexible.
Hospital Room Navigation	Graph	Hospital rooms and wards are connected like a network. Graph data structure represents connections between rooms effectively. It helps in finding paths between different hospital areas.

```

week 11 > patient checkin.py > PatientCheckInSystem > queue_size
1  # generate code for patient Check-In System - Patients are registered and treated in order of
2  class Patient:
3      def __init__(self, name):
4          self.name = name
5  class PatientCheckInSystem:
6      def __init__(self):
7          self.queue = []
8
9      def check_in(self, patient):
10         """Add a patient to the check-in queue."""
11         self.queue.append(patient)
12
13     def treat_patient(self):
14         """Treat the next patient in the queue. Raises an error if the queue is empty."""
15         if not self.is_empty():
16             return self.queue.pop(0)
17         else:
18             raise IndexError("No patients in the queue")
19
20     def peek_next_patient(self):
21         """Return the next patient to be treated without removing them from the queue. Raises
22         if not self.is_empty():
23             return self.queue[0]
24         else:
25             raise IndexError("No patients in the queue")
26
27     def is_empty(self):
28         """Check if there are no patients in the queue."""
29         return len(self.queue) == 0
30
31     def queue_size(self):
32         """Return the number of patients in the queue."""

```

Output :

```

The Great Gatsby - Due on 2024-09-01
● PS C:\Users\User\OneDrive\Desktop\AIAC> & C:/Users/User/AppData/Local/Python/pythoncore-3.14-64/python.exe "c:/Users/User/OneDrive/Desktop/AIAC/week 11/patient checkin.py"
Patients in queue: ['Alice', 'Bob', 'Charlie']
Next patient to be treated (peek): Alice
Number of patients in queue: 3
Treated patient: Alice
Patients in queue after treating one patient: ['Bob', 'Charlie']

```

Doctor Appointment Scheduling

```

week 11 > docter appointment.py > ...
1  #generate code for Doctor Appointment Scheduling - Appointments sorted by time use priority
2  import heapq
3  class DoctorAppointment:
4      def __init__(self):
5          self.appointments = []
6          self._index = 0
7
8      def schedule_appointment(self, patient_name, appointment_time):
9          """Schedule an appointment for a patient at a specific time."""
10         heapq.heappush(self.appointments, (appointment_time, self._index, patient_name))
11         self._index += 1
12
13     def next_appointment(self):
14         """Return the next appointment without removing it from the schedule."""
15         return self.appointments[0] if self.appointments else None
16
17     def attend_appointment(self):
18         """Attend the next appointment and remove it from the schedule."""
19         return heapq.heappop(self.appointments) if self.appointments else None
20
21     def is_schedule_empty(self):
22         """Check if there are no appointments scheduled."""
23         return not self.appointments
24
25     def schedule_size(self):
26         """Return the number of appointments scheduled."""
27         return len(self.appointments)

```

Output :

```

● PS C:\Users\User\OneDrive\Desktop\AIAC> & C:/Users/User/AppData/Local/Python/pythoncore-3.14-64/python.exe "c:/Users/User/OneDrive/Desktop/AIAC/week 11/docter appointment.py"
Appointments scheduled: [('2024-07-01 09:00', 'Bob'), ('2024-07-01 10:00', 'Alice'), ('2024-07-01 11:00', 'Charlie')]
Next appointment (peek): ('2024-07-01 09:00', 1, 'Bob')
Number of appointments scheduled: 3
Attended appointment: ('2024-07-01 09:00', 1, 'Bob')
Appointments after attending one: [('2024-07-01 10:00', 'Alice'), ('2024-07-01 11:00', 'Charlie')]
Is the schedule empty? False
Is the schedule empty after attending all appointments? True
○ PS C:\Users\User\OneDrive\Desktop\AIAC>

```

Task Description #11: Smart City Traffic Control System

A city plans a Smart Traffic Management System that includes:

1. Traffic Signal Queue – Vehicles waiting at signals.
2. Emergency Vehicle Priority Handling – Ambulances and fire trucks prioritized.
3. Vehicle Registration Lookup – Instant access to vehicle details.
4. Road Network Mapping – Roads and intersections connected logically.
5. Parking Slot Availability – Track available and occupied slots.

Student Task

- For each feature, select the most appropriate data structure from the list below:
 - Stack
 - Queue
 - Priority Queue
 - Linked List
 - Binary Search Tree (BST)
 - Graph
 - Hash Table
 - Deque
- Justify your choice in 2–3 sentences per feature.
- Implement one selected feature as a working Python program with AI-assisted code generation.

Expected Output:

- A table mapping feature → chosen data structure → justification.
- A functional Python program implementing the chosen feature with comments and docstrings.

Feature	Data Structure	Justification
Traffic Signal Queue	Queue	Vehicles wait at traffic signals in the order they arrive. Queue follows the FIFO (First In First Out) principle. This ensures vehicles move in an organized order.

Emergency Vehicle Priority Handling	Priority Queue	Ambulances and fire trucks must move before normal vehicles. Priority queue allows vehicles with higher priority to be processed first. This helps emergency vehicles pass quickly.
Vehicle Registration Lookup	Hash Table	Vehicle details can be stored using the registration number as a key. Hash tables allow very fast search and retrieval of records. This makes vehicle lookup efficient.
Road Network Mapping	Graph	Roads connect intersections forming a network. Graph data structure represents connections between different roads and junctions. It helps in route planning and navigation.
Parking Slot Availability	Stack	In some parking systems, the last parked vehicle exits first. Stack follows the LIFO (Last In First Out) principle. This makes it suitable for parking management in limited spaces.

Traffic Signal Queue:


```

week 11 > traffic signal.py > ...
1  #generate code for traffic signal queue using queue data structure in python
2  from collections import deque
3  class TrafficSignalQueue:
4      def __init__(self):
5          self.queue = deque()
6
7      def add_vehicle(self, vehicle):
8          """Add a vehicle to the traffic signal queue."""
9          self.queue.append(vehicle)
10
11     def remove_vehicle(self):
12         """Remove and return the vehicle at the front of the queue. Raises an error if the queue is empty"""
13         if not self.is_empty():
14             return self.queue.popleft()
15         else:
16             raise IndexError("Traffic signal queue is empty")
17
18     def peek_vehicle(self):
19         """Return the vehicle at the front of the queue without removing it. Raises an error if the queue is empty"""
20         if not self.is_empty():
21             return self.queue[0]
22         else:
23             raise IndexError("Traffic signal queue is empty")
24
25     def is_empty(self):
26         """Check if the traffic signal queue is empty."""
27         return len(self.queue) == 0
28
29     def size(self):
30         """Return the number of vehicles in the traffic signal queue."""
31         return len(self.queue)

```

Output :

```

PS C:\Users\User\OneDrive\Desktop\AIAC> & C:/Users/User/AppData/Local/Python/Python39-64/Scripts/python.exe C:/Users/User/OneDrive/Desktop/AIAC/week 11/traffic signal.py
Traffic signal queue after adding vehicles: ['Car', 'Bus', 'Motorcycle']
Next vehicle to pass (peek): Car
Number of vehicles in queue: 3
Vehicle passing through the signal: Car
Traffic signal queue after one vehicle passes: ['Bus', 'Motorcycle']
Is the traffic signal queue empty? False
Is the traffic signal queue empty after all vehicles pass? True
PS C:\Users\User\OneDrive\Desktop\AIAC>

```

Parking Slot Availability :

```

week 11 > parking slot.py > ParkingLot > park_car
1  #generate code for Parking Slot Availability using stack
2  class ParkingLot:
3      def __init__(self, capacity):
4          self.capacity = capacity
5          self.stack = []
6
7      def park_car(self, car_number):
8          if len(self.stack) < self.capacity:
9              self.stack.append(car_number)
10             print(f"Car {car_number} parked.")
11         else:
12             print("Parking lot is full. Cannot park the car.")
13
14     def leave_parking(self):
15         if self.stack:
16             car_number = self.stack.pop()
17             print(f"Car {car_number} left the parking lot.")
18         else:
19             print("Parking lot is empty. No cars to leave.")
20
21     def available_slots(self):
22         return self.capacity - len(self.stack)

```

```

Drive/Desktop/AIAC/week 11/parking slot.py"
Car ABC123 parked.
Car XYZ789 parked.
Car LMN456 parked.
Available slots: 2
: Car LMN456 left the parking lot.

```

Task Description #12: Smart E-Commerce Platform – Data Structure

Challenge

An e-commerce company wants to build a Smart Online Shopping System with:

1. Shopping Cart Management – Add and remove products dynamically.
2. Order Processing System – Orders processed in the order they are placed.
3. Top-Selling Products Tracker – Products ranked by sales count.
4. Product Search Engine – Fast lookup of products using product ID.
5. Delivery Route Planning – Connect warehouses and delivery

Student Task

- For each feature, select the most appropriate data structure from the list below:
 - Stack
 - Queue
 - Priority Queue
 - Linked List
 - Binary Search Tree (BST)
 - Graph
 - Hash Table
 - Deque
- Justify your choice in 2–3 sentences per feature.
- Implement one selected feature as a working Python program with AI-assisted code generation.

Feature	Data Structure	Justification
Shopping Cart Management	Linked List	Products can be added or removed dynamically from the shopping cart. Linked lists allow easy insertion and deletion without shifting elements. This makes cart management flexible.
Order Processing System	Queue	Orders must be processed in the order they are placed. Queue follows the FIFO (First In First Out) principle. This ensures fair order processing.
Top-Selling Products Tracker	Priority Queue	Products can be ranked based on the number of sales. Priority queue helps retrieve the highest selling products quickly. This is useful for displaying trending products.
Product Search Engine	Hash Table	Products can be searched using product ID. Hash tables provide very fast lookup operations. This allows quick retrieval of product details.
Delivery Route Planning	Graph	Warehouses and delivery locations are connected like a network. Graph data structure represents these connections effectively. It helps find the best delivery routes.

Shopping Cart Management :

```
week 11 > 📁 shopping cart.py > ...
1  #generate a code for Shopping Cart Management using linkedin list
2  class Node:
3      def __init__(self, item):
4          self.item = item
5          self.next = None
6  class ShoppingCart:
7      def __init__(self):
8          self.head = None
9
10     def add_item(self, item):
11         new_node = Node(item)
12         if not self.head:
13             self.head = new_node
14         else:
15             current = self.head
16             while current.next:
17                 current = current.next
18             current.next = new_node
19
20     def remove_item(self, item):
21         current = self.head
22         previous = None
23         while current:
24             if current.item == item:
25                 if previous:
26                     previous.next = current.next
27                 else:
28                     self.head = current.next
29                 return True # Item removed
30             previous = current
31             current = current.next
32         return False # Item not found
```

Output :

```

PS C:\Users\User\OneDrive\Desktop\AIAC> & C:/Users/User/AppData/Local/Python/Python38-64/Scripts/python.exe C:/Users/User/OneDrive/Desktop/AIAC/week 11/shopping cart.py
Shopping Cart Items: ['Apple', 'Banana', 'Orange']
Shopping Cart Items after removing Banana: ['Apple', 'Orange']
Shopping Cart Items after attempting to remove Grapes: ['Apple', 'Orange']
PS C:\Users\User\OneDrive\Desktop\AIAC>

```

Top-Selling Products Tracker:

```

week 13 > top selling.py > ...
1 #generate a code for Top-Selling Products Tracker using priority queue
2 import heapq
3 class TopSellingProductsTracker:
4     """A class to track the top-selling products using a priority queue."""
5
6     def __init__(self):
7         """Initializes the TopSellingProductsTracker with an empty priority queue."""
8         self.products = []
9
10    def add_product(self, product_name, sales):
11        """
12        Adds a product and its sales to the tracker.
13
14        Args:
15            product_name (str): The name of the product.
16            sales (int): The number of sales for the product.
17        """
18        heapq.heappush(self.products, (-sales, product_name))
19
20    def get_top_selling_products(self, n):
21        """
22        Retrieves the top N selling products.
23
24        Args:
25            n (int): The number of top-selling products to retrieve.
26
27        Returns:
28            list: A list of tuples containing the product name and sales.
29        """
30        top_products = heapq.nsmallest(n, self.products)
31        return [(product_name, -sales) for sales, product_name in top_products]

```

Output :

```

PS C:\Users\User\OneDrive\Desktop\AIAC> & C:/Users/User/AppData/Local/Python/Python38-64/Scripts/python.exe C:/Users/User/OneDrive/Desktop/AIAC/week 13/top selling.py
[('Product B', 150), ('Product C', 120)]
PS C:\Users\User\OneDrive\Desktop\AIAC>

```

Task #13: Smart Logistics & Warehouse Management

Scenario:

A logistics company wants to implement:

1. Shipment Processing
2. Urgent Shipment Priority
3. Product Lookup by Code
4. Warehouse Network Connectivity
5. Inventory Add/Remove Operations

Student Task

- For each feature, select the most appropriate data structure from the list below:
 - Stack
 - Queue
 - Priority Queue
 - Linked List
 - Binary Search Tree (BST)
 - Graph
 - Hash Table
 - Deque
- Justify your choice in 2–3 sentences per feature.
- Implement one selected feature as a working Python program with AI-assisted code generation.

Expected Output:

- A table mapping feature → chosen data structure → justification.
- A functional Python program implementing the chosen feature with comments and docstrings.

Feature	Data Structure	Justification
Shipment Processing	Queue	Shipments are processed in the order they arrive. Queue follows the FIFO (First In First Out) principle. This ensures fair and systematic shipment handling.

Urgent Shipment Priority	Priority Queue	Some shipments may be urgent and need faster delivery. Priority Queue processes shipments based on priority instead of arrival order. This ensures urgent shipments are delivered first.
Product Lookup by Code	Binary Search Tree (BST)	Products can be stored using their product code in a sorted structure. BST allows efficient searching, insertion, and deletion operations. This helps quickly retrieve product information.
Warehouse Network Connectivity	Graph	Warehouses and transport routes are connected like a network. Graph data structure represents connections between warehouses efficiently. It helps find routes between different warehouses.
Inventory Add/Remove Operations	Linked List	Inventory items are frequently added or removed. Linked List allows easy insertion and deletion without shifting elements. This makes inventory management flexible.

Warehouse Network Connectivity :

```

week 13 > warehouse connect.py > WarehouseNetwork > are_connected > visited
1  # write a python program for Warehouse Network Connectivity using graphs
2  class WarehouseNetwork:
3      """A class to represent a warehouse network using a graph."""
4
5      def __init__(self):
6          """Initializes the WarehouseNetwork with an empty graph."""
7          self.graph = {}
8
9      def add_warehouse(self, warehouse_name):
10         """
11         Adds a warehouse to the network.
12
13         Args:
14             warehouse_name (str): The name of the warehouse.
15         """
16         if warehouse_name not in self.graph:
17             self.graph[warehouse_name] = []
18
19     def connect_warehouses(self, warehouse1, warehouse2):
20         """
21         Connects two warehouses in the network.
22
23         Args:
24             warehouse1 (str): The name of the first warehouse.
25             warehouse2 (str): The name of the second warehouse.
26         """
27         if warehouse1 in self.graph and warehouse2 in self.graph:
28             self.graph[warehouse1].append(warehouse2)
29             self.graph[warehouse2].append(warehouse1)
30

```

Output :

```

PS C:\Users\User\OneDrive\Desktop\AIAC> & C:/Users/User/OneDrive/Desktop/AIAC/week 13/warehouse connect.py"
True
False

```

Inventory Add/Remove Operations:


```

week 13 > 📄 inventor.py > ...
1  #generate a code for Inventory Add/Remove Operations using linked list
2  class InventoryNode:
3      """A node in the inventory linked list."""
4
5      def __init__(self, product_name, quantity):
6          """
7              Initializes the InventoryNode with the given product name and quantity.
8
9              Args:
10                 product_name (str): The name of the product.
11                 quantity (int): The quantity of the product in stock.
12             """
13             self.product_name = product_name
14             self.quantity = quantity
15             self.next = None
16  class InventoryLinkedList:
17      """A linked list to manage inventory add/remove operations."""
18
19      def __init__(self):
20          """Initializes the InventoryLinkedList with an empty head."""
21          self.head = None
22
23      def add_product(self, product_name, quantity):
24          """
25              Adds a product to the inventory. If the product already exists, it updates the quantity
26
27              Args:
28                 product_name (str): The name of the product.
29                 quantity (int): The quantity of the product to add.
30             """
31             if self.head is None:
32                 self.head = InventoryNode(product_name, quantity)

```

Output :

```

● PS C:\Users\User\OneDrive\Desktop\AIAC> & C:\Users\User\OneDrive\Desktop\AIAC\week 13\inventor.py
Current Inventory:
Product: Product A, Quantity: 150
Product: Product B, Quantity: 150

Inventory after removing Product A:
Product: Product A, Quantity: 30
Product: Product B, Quantity: 150

Inventory after removing Product B:
Product: Product A, Quantity: 30
● PS C:\Users\User\OneDrive\Desktop\AIAC>

```

Task Description #14: Smart Banking Management System – Data Structure Challenge

A bank plans to develop a Smart Banking System that includes:

1. **Customer Service Token System** – Customers are served in order of arrival.
2. **Loan Approval Priority Handling** – High-value or urgent loans processed first.
3. **Account Information Lookup** – Fast retrieval of customer details using Account Number.
4. **Transaction History Management** – Maintain chronological transaction records.
5. **ATM Network Connectivity** – Represent connections between ATMs across cities.

Student Task:

- For each feature, select the most appropriate data structure from the list below:
 - Stack
 - Queue
 - Priority Queue
 - Linked List
 - Binary Search Tree (BST)
 - Graph
 - Hash Table
 - Deque
- Justify your choice in 2–3 sentences per feature.
- Implement one selected feature as a working Python program with AI-assisted code generation.

Feature

**Data
Structure**

Justification

Customer Service Token System	Queue	Customers are served in the order they arrive at the bank. Queue follows the FIFO (First In First Out) principle. This ensures fair service and organized customer handling.
Loan Approval Priority Handling	Priority Queue	Some loan requests may be urgent or high value. Priority Queue processes requests based on priority instead of arrival order. This allows important loans to be processed first.
Account Information Lookup	Hash Table	Customer account details can be stored using account numbers as keys. Hash tables allow very fast searching and retrieval of information. This helps bank staff quickly access customer records.
Transaction History Management	Binary Search Tree (BST)	Transactions can be stored in sorted order using transaction ID or time. BST allows efficient insertion and searching operations. This helps manage and retrieve transaction records easily.
ATM Network Connectivity	Graph	ATMs in different cities are connected like a network. Graph data structure represents connections between ATMs efficiently. It helps in managing routes and connectivity between locations.

The screenshot shows a Visual Studio Code editor with a Python file named `demo1.py`. The code implements a `CustomerQueue` class with methods for enqueueing and dequeueing customers. The terminal output shows the execution of the script, which prints the names of the first two customers in the queue.

```

191
192
193 """
194 A bank plans to develop a Smart Banking System that includes:
195 1. Customer Service Token System - Customers are served in order of arrival.
196 Implement code using a queue data structure to manage customer service tokens, ensuring that customers are served in the order they arrive.
197 """
198
199 class CustomerQueue:
200     def __init__(self):
201         self.customers = []
202
203     def enqueue(self, customer):
204         self.customers.append(customer)
205
206     def dequeue(self):
207         if not self.is_empty():
208             return self.customers.pop(0)
209         return None # Queue is empty
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2199
2200
2201
2202
2203
2204
2205
2206
2207
2208
2209
2210
2211
2212
2213
2214
2215
2216
2217
2218
2219
2220
2221
2222
2223
2224
2225
2226
2227
2228
2229
2230
2231
2232
2233
2234
2235
2236
2237
2238
2239
2240
2241
2242
2243
2244
2245
2246
2247
2248
2249
2250
2251
2252
2253
2254
2255
2256
2257
2258
2259
2260
2261
2262
2263
2264
2265
2266
2267
2268
2269
2270
2271
2272
2273
2274
2275
2276
2277
2278
2279
2280
2281
2282
2283
2284
2285
2286
2287
2288
2289
2290
2291
2292
2293
2294
2295
2296
2297
2298
2299
2300
2301
2302
2303
2304
2305
2306
2307
2308
2309
2310
2311
2312
2313
2314
2315
2316
2317
2318
2319
2320
2321
2322
2323
2324
2325
2326
2327
2328
2329
2330
2331
2332
2333
2334
2335
2336
2337
2338
2339
2340
2341
2342
2343
2344
2345
2346
2347
2348
2349
2350
2351
2352
2353
2354
2355
2356
2357
2358
2359
2360
2361
2362
2363
2364
2365
2366
2367
2368
2369
2370
2371
2372
2373
2374
2375
2376
2377
2378
2379
2380
2381
2382
2383
2384
2385
2386
2387
2388
2389
2390
2391
2392
2393
2394
2395
2396
2397
2398
2399
2400
2401
2402
2403
2404
2405
2406
2407
2408
2409
2410
2411
2412
2413
2414
2415
2416
2417
2418
2419
2420
2421
2422
2423
2424
2425
2426
2427
2428
2429
2430
2431
2432
2433
2434
2435
2436
2437
2438
2439
2440
2441
2442
2443
2444
2445
2446
2447
2448
2449
2450
2451
2452
2453
2454
2455
2456
2457
2458
2459
2460
2461
2462
2463
2464
2465
2466
2467
2468
2469
2470
2471
2472
2473
2474
2475
2476
2477
2478
2479
2480
2481
2482
2483
2484
2485
2486
2487
2488
2489
2490
2491
2492
2493
2494
2495
2496
2497
2498
2499
2500
2501
2502
2503
2504
2505
2506
2507
2508
2509
2510
2511
2512
2513
2514
2515
2516
2517
2518
2519
2520
2521
2522
2523
2524
2525
2526
2527
2528
2529
2530
2531
2532
2533
2534
2535
2536
2537
2538
2539
2540
2541
2542
2543
2544
2545
2546
2547
2548
2549
2550
2551
2552
2553
2554
2555
2556
2557
2558
2559
2560
2561
2562
2563
2564
2565
2566
2567
2568
2569
2570
2571
2572
2573
2574
2575
2576
2577
2578
2579
2580
2581
2582
2583
2584
2585
2586
2587
2588
2589
2590
2591
2592
2593
2594
2595
2596
2597
2598
2599
2600
2601
2602
2603
2604
2605
2606
2607
2608
2609
2610
2611
2612
2613
2614
2615
2616
2617
2618
2619
2620
2621
2622
2623
2624
2625
2626
2627
2628
2629
2630
2631
2632
2633
2634
2635
2636
2637
2638
2639
2640
2641
2642
2643
2644
2645
2646
2647
2648
2649
2650
2651
2652
2653
2654
2655
2656
2657
2658
2659
2660
2661
2662
2663
2664
2665
2666
2667
2668
2669
2670
2671
2672
2673
2674
2675
2676
2677
2678
2679
2680
2681
2682
2683
2684
2685
2686
2687
2688
2689
2690
2691
2692
2693
2694
2695
2696
2697
2698
2699
2700
2701
2702
2703
2704
2705
2706
2707
2708
2709
2710
2711
2712
2713
2714
2715
2
```

Task Description #15: Online Learning Management System – Data

Structure Selection

An online education platform wants to develop a Learning Management System that handles:

1. **Student Login Authentication** – Quick validation of user credentials.
2. **Assignment Submission Queue** – Submissions processed in order of upload.
3. **Top Performer Ranking** – Rank students based on scores.
4. **Course Prerequisite Structure** – Represent subject dependencies.
5. **Undo Feature in Online Editor** – Reverse recent actions.

Student Task:

- Select the most appropriate data structure for each feature from the given list.
- Justify your selection in 2–3 sentences per feature.
- Implement one selected feature in Python using AI-assisted code generation.

Expected Output:

- Feature → Data Structure → Justification table.
- Functional Python program with proper documentation.

Feature	Data Structure	Justification
Student Login Authentication	Hash Table	Student login credentials can be stored using username as a key. Hash tables allow very fast lookup and validation of user information. This makes authentication quick and efficient.
Assignment Submission Queue	Queue	Assignments are processed in the order they are submitted by students. Queue follows the FIFO (First In First Out) principle. This ensures fair processing of submissions.

Top Performer Ranking	Priority Queue	Students can be ranked based on their scores. Priority Queue helps retrieve students with highest marks first. This is useful for displaying top performers.
Course Prerequisite Structure	Graph	Courses may depend on other prerequisite courses. Graph structure represents relationships between subjects. It helps track course dependencies easily.
Undo Feature in Online Editor	Stack	Stack follows the LIFO (Last In First Out) principle. The last action performed can be undone first. This makes it suitable for implementing undo functionality.

```

week 13 > demo1.py > ...
1  class AssignmentQueue:
2      """Queue implementation for handling assignment submissions.
3
4      This class manages assignment submissions from students.
5      Submissions are processed in the order they are received
6      using the FIFO (First In First Out) principle.
7      """
8
9      def __init__(self):
10         """Initialize an empty assignment queue."""
11         self.queue = []
12
13     def submit_assignment(self, student):
14         """Add a student's assignment to the queue.
15
16         Args:
17             student (str): Name of the student submitting the assignment.
18         """
19         self.queue.append(student)
20         print(student, "submitted assignment")
21
22     def process_submission(self):
23         """Process the first assignment in the queue.
24
25         Removes the earliest submitted assignment and marks it as checked.
26         """
27         if self.queue:
28             student = self.queue.pop(0)
29             print(student, "assignment checked")
30         else:
31             print("No submissions available")
32

```

Output :

```

PS C:\Users\User\OneDrive\Desktop\AIAC> & C:/Users/Us
Drive/Desktop/AIAC/week 13/demo1.py"
Rahul submitted assignment
Anita submitted assignment
Vikram submitted assignment
Submission Queue: ['Rahul', 'Anita', 'Vikram']
Rahul assignment checked
PS C:\Users\User\OneDrive\Desktop\AIAC> 

```

Task Description #16: Smart Airport Management System – Data

Structure Challenge

An airport authority plans to implement:

1. **Passenger Check-In Queue** – Process passengers in order of arrival.
2. **Emergency Landing Priority** – Aircraft in emergency get priority.
3. **Flight Information Lookup** – Fast search using Flight ID.
4. **Air Route Connectivity** – Airports connected via routes.
5. **Boarding Process (Last-In First-Out Cabin Storage)** – Overhead luggage management simulation.

Student Task:

- Choose suitable data structures from the provided list.
- Provide 2–3 sentence justification per feature.
- Implement one feature in Python with comments and docstrings

Feature	Data Structure	Justification
Passenger Check-In Queue	Queue	Passengers are processed in the order they arrive at the airport check-in counter. Queue follows the FIFO (First In First Out) principle. This ensures fair and orderly passenger processing.
Emergency Landing Priority	Priority Queue	Aircraft in emergency situations must land before normal flights. Priority Queue allows aircraft with higher priority to be processed first. This ensures safety and quick response.

Flight Information Lookup	Hash Table	Flight details can be stored using flight ID as a key. Hash tables allow very fast lookup operations. This helps airport staff quickly retrieve flight information.
Air Route Connectivity	Graph	Airports are connected through flight routes forming a network. Graph data structure represents these connections effectively. It helps in managing and analyzing flight paths.
Boarding Process (Cabin Storage Simulation)	Stack	Overhead cabin storage often follows a last-in first-out pattern. Stack allows the most recently placed luggage to be removed first. This simulates luggage handling in overhead bins.

week 13 > demo1.py > ...

```
1 class PassengerQueue:
2     """Queue implementation for airport passenger check-in system.
3
4     This class manages passengers arriving at the airport.
5     Passengers are processed in the order they arrive
6     following the FIFO (First In First Out) principle.
7     """
8
9     def __init__(self):
10         """Initialize an empty passenger queue."""
11         self.queue = []
12
13     def add_passenger(self, name):
14         """Add a passenger to the check-in queue.
15
16         Args:
17             name (str): Name of the passenger.
18         """
19         self.queue.append(name)
20         print(name, "added to check-in queue")
21
22     def process_passenger(self):
23         """Process the first passenger in the queue."""
24         if self.queue:
25             passenger = self.queue.pop(0)
26             print(passenger, "checked in successfully")
27         else:
28             print("No passengers in queue")
29
30     def display(self):
31         """Display all passengers waiting in queue."""
32         print("Passenger Queue:", self.queue)
```

Output :

```
● PS C:\Users\User\OneDrive\Desktop\AIAC> & C:/Use
Drive/Desktop/AIAC/week 13/demo1.py"
Rahul added to check-in queue
Anita added to check-in queue
Vikram added to check-in queue
Passenger Queue: ['Rahul', 'Anita', 'Vikram']
Rahul checked in successfully
○ PS C:\Users\User\OneDrive\Desktop\AIAC> █
```


Task Description #17: Smart Social Media Platform – Data Structure

Selection

A social media company wants to develop a system that includes:

1. **News Feed Generation** – Display posts chronologically.
2. **Trending Hashtags Tracker** – Rank hashtags by usage frequency.
3. **User Profile Search** – Quick lookup using username.
4. **Friend Network Representation** – Represent user connections.
5. **Message Undo Feature** – Allow last sent message to be withdrawn.

Student Task:

- Select appropriate data structures from the list.
- Justify your choices clearly.
- Implement one selected feature as a Python program using AI-assisted code generation.

Expected Output:

- Table mapping features to data structures with justification.
- Working Python code with docstrings and comments.

Feature	Data Structure	Justification
News Feed Generation	Linked List	Posts appear chronologically and new posts are continuously added. Linked lists allow easy insertion of new posts without shifting elements. This helps maintain the feed efficiently.
Trending Hashtags Tracker	Priority Queue	Hashtags can be ranked based on frequency of usage. Priority queue allows the most frequently used hashtags to appear first. This helps display trending topics quickly.
User Profile Search	Hash Table	User profiles can be stored using usernames as keys. Hash tables allow very fast lookup and retrieval. This helps quickly find user profiles.

Friend Network Representation	Graph	Users and their friendships form a network structure. Graph represents connections between users effectively. It helps analyze relationships and connections between people.
Message Undo Feature	Stack	Stack follows the LIFO (Last In First Out) principle. The most recent message action can be undone first. This makes it suitable for undo functionality.

```

week 13 > demo1.py > ...
1  class MessageStack:
2      """Stack implementation for message undo feature.
3
4      This class stores sent messages and allows
5      the most recent message to be undone using
6      the LIFO (Last In First Out) principle.
7      """
8
9      def __init__(self):
10         """Initialize an empty message stack."""
11         self.stack = []
12
13     def send_message(self, message):
14         """Add a message to the stack.
15
16         Args:
17             message (str): The message sent by the user.
18         """
19         self.stack.append(message)
20         print("Message sent:", message)
21
22     def undo_message(self):
23         """Undo the most recently sent message."""
24         if self.stack:
25             message = self.stack.pop()
26             print("Message undone:", message)
27         else:
28             print("No messages to undo")
29
30     def display(self):
31         """Display all messages in the stack."""
32         print("Messages:", self.stack)

```

```

PS C:\Users\User\OneDrive\Desktop\AIAC> & C:/Users/User/OneDrive/Desktop/AIAC/week 13/demo1.py"
Message sent: Hello
Message sent: How are you?
Message sent: See you soon
Messages: ['Hello', 'How are you?', 'See you soon']
Message undone: See you soon
PS C:\Users\User\OneDrive\Desktop\AIAC> 

```

Task #18: Smart University Hostel Management

Scenario:

A university wants to build a hostel management system that manages:

1. Room Allotment
2. Medical Emergency Handling
3. Student Record Retrieval
4. Hostel Block Connectivity
5. Visitor Entry Log

Student Task

- For each feature, select the most appropriate data structure from the list below:
 - Stack
 - Queue
 - Priority Queue
 - Linked List
 - Binary Search Tree (BST)
 - Graph
 - Hash Table
 - Deque
- Justify your choice in 2–3 sentences per feature.
- Implement one selected feature as a working Python program with AI-assisted code generation.

Expected Output:

- A table mapping feature → chosen data structure → justification.
- A functional Python program implementing the chosen feature with comments and docstrings.

Feature	Data Structure	Justification
---------	----------------	---------------

Room Allotment	Queue	Students are allotted hostel rooms in the order they apply. Queue follows the FIFO (First In First Out) principle. This ensures fair and organized room allocation.
Medical Emergency Handling	Priority Queue	Students with medical emergencies must receive immediate attention. Priority Queue processes cases based on urgency instead of arrival order. This ensures critical situations are handled first.
Student Record Retrieval	Hash Table	Student records can be stored using student ID as a key. Hash tables allow very fast lookup and retrieval operations. This helps administrators access records quickly.
Hostel Block Connectivity	Graph	Hostel blocks and facilities are connected like a network. Graph data structure represents these connections effectively. It helps in navigation and infrastructure planning.
Visitor Entry Log	Stack	The most recent visitor entry may need to be checked or removed first. Stack follows the LIFO (Last In First Out) principle. This makes it useful for maintaining visitor logs.

week 13 > demo1.py > ...

```
1 class HostelQueue:
2     """Queue implementation for hostel room allotment.
3
4     This class manages students waiting for hostel rooms.
5     Rooms are allotted in the order students apply
6     following the FIFO (First In First Out) principle.
7     """
8
9     def __init__(self):
10         """Initialize an empty hostel queue."""
11         self.queue = []
12
13     def add_student(self, name):
14         """Add a student to the hostel waiting list.
15
16         Args:
17             name (str): Name of the student.
18         """
19         self.queue.append(name)
20         print(name, "added to hostel waiting list")
21
```

- PS C:\Users\User\OneDrive\Desktop\AIAC> & C:/Users/User/OneDrive/Desktop/AIAC/week 13/demo1.py
Rahul added to hostel waiting list
Anita added to hostel waiting list
Vikram added to hostel waiting list
Hostel Waiting List: ['Rahul', 'Anita', 'Vikram']
Room allotted to Rahul
- PS C:\Users\User\OneDrive\Desktop\AIAC>

Task #19: Smart Electricity Distribution System

Scenario:

An electricity board plans to develop a system that includes:

1. Complaint Handling
2. Fault Priority Handling
3. Consumer Record Lookup
4. Power Grid Connectivity
5. Meter Reading History Tracking

Student Task

- For each feature, select the most appropriate data structure from the list below:
 - Stack
 - Queue
 - Priority Queue
 - Linked List
 - Binary Search Tree (BST)
 - Graph
 - Hash Table
 - Deque
- Justify your choice in 2–3 sentences per feature.
- Implement one selected feature as a working Python program with AI-assisted code generation.

Expected Output:

- A table mapping feature → chosen data structure → justification.
- A functional Python program implementing the chosen feature with comments and docstrings.

Feature	Data Structure	Justification
Complaint Handling	Queue	Consumer complaints are handled in the order they are received. Queue follows the FIFO (First In First Out) principle. This ensures fair processing of complaints.

Fault Priority Handling	Priority Queue	Some faults may be critical and require immediate attention. Priority Queue processes issues based on urgency rather than arrival order. This ensures serious problems are resolved first.
Consumer Record Lookup	Hash Table	Consumer information can be stored using consumer ID as a key. Hash tables allow very fast lookup and retrieval. This helps quickly access consumer details.
Power Grid Connectivity	Graph	Power stations and substations are connected like a network. Graph data structure represents these connections effectively. It helps analyze and manage power distribution routes.
Meter Reading History Tracking	Linked List	Meter readings are recorded regularly over time. Linked lists allow easy insertion of new readings without shifting data. This helps maintain a chronological record.

```

week 13 > demo1.py > ...
1  class ComplaintQueue:
2      """Queue implementation for electricity complaint handling.
3
4      This class manages consumer complaints in the order
5      they are received using the FIFO (First In First Out) principle.
6      """
7
8      def __init__(self):
9          """Initialize an empty complaint queue."""
10         self.queue = []
11
12     def register_complaint(self, complaint):
13         """Add a complaint to the queue.
14
15         Args:
16             complaint (str): Complaint description from consumer.
17         """
18         self.queue.append(complaint)
19         print("Complaint registered:", complaint)
20

```

Complaint resolved: Power outage in Block A

- PS C:\Users\User\OneDrive\Desktop\AIAC> & C:/Users/User/AppData/Local/Python/pythoncore-3.14-64/python Drive/Desktop/AIAC/week 13/demo1.py"

Complaint registered: Power outage in Block A

Complaint registered: Low voltage in Street 5

Complaint registered: Meter not working

Pending Complaints: ['Power outage in Block A', 'Low voltage in Street 5', 'Meter not working']

Complaint resolved: Power outage in Block A

- PS C:\Users\User\OneDrive\Desktop\AIAC>