

HTML and CSS

1. Write a HTML script to display employee details like name, address, mobile number, email ID etc similar to a telephone directory.

Program

```
<html>
  <head>
    <title>My First Website HTML</title>
  </head>
  <body>
    <h1><mark>Phone Book</mark></h1>

    <div id="address1">
      Name :<b>Micheal Jackson</b><br>
      Email ID :<u>michael346danceacademy@hotmail.in</u><br>
      Mobile :<u>+442015462358</u><br>
      Old Phone Number :<strike>+446695326580</strike><br>
      Address :<i>1750 East 4th Street, Los Angeles, California .</i>

    </div>
    <hr>
    <div id="address2">
      Name :<b>Charlie Puth</b><br>
      Email ID :<u>charlie50Dangerous@gmail.com</u><br>
      Mobile :<u>+441920462355</u><br>
      Old Phone Number :<strike>+445562321997</strike><br>
      Address :<i>3909 Witmer Road, Niagara Falls, New York .</i>

    </div>
    <hr>
    <div id="address3">
      Name :<b>Justin Bieber</b><br>
      Email ID :<u>bieber16@yahoo.com</u><br>
      Mobile :<u>+446595462399</u><br>
      Old Phone Number :<strike>+449995326508</strike><br>
      Address :<i>125 Micheal street, Bergen, Norway .</i>

    </div>
    <hr>

  </body>
</html>
```

OUTPUT:

Phone Book

Name :Micheal Jackson
Email ID :michael346danceacademy@hotmail.in
Mobile :+442015462358<
Old Phone Number :+446695326560
Address :1750 East 4th Street,Los Angeles,California .

Name :Charlie Puth
Email ID :charlie50Dangerous@gmail.com
Mobile :+441920462355
Old Phone Number :+44556224097
Address :3909 Witmer Road,Niagara Falls, New York .

Name :Justin Bieber
Email ID : bieber16@yahoo.com
Mobile :+446595462399
Old Phone Number :+449995326506
Address :125 Micheal street,Bergen,Norway .

2. Write a HTML program to display nested list to list down all the elements serviced by an event management company. The list should be a nested list with main events and sub events.

```
<html>

<head>

    <title>Nested list</title>

</head>

<body>

    <h2>Nested list</h2>

    <ol type= "I">

        <li><b>Wedding</b>

            <ol>

                <li>Bridal party</li>

                <li>Engagement</li>

                <li>Caterer</li>

                <li>Wedding ceremony</li>

                <li>Wedding reception</li>

            </ol>

        </li>

        <li><b>Corporate</b>

            <ol>

                <li>Seminars and Conferences</li>

                <li>Appreciation Events</li>

                <li>Team Building Events</li>

                <li>Product Launch Events</li>

                <li>Shareholder Meetings</li>

            </ol>

        </li>

    </ol>

</body>

</html>
```


Exhibition

Aerophilately

Astrophilately

Fight against Forgeries

Maximaphily

Philatelic literature

Trade Shows

 Argentina

Bolivia

Brazil

Canada

Chile

Stage Events

Birthday party

Surprise party

Dinner party

Garden party

Cocktail party

</body>

OUTPUT:

Nested list

I. Wedding

1. Bridal party
2. Engagement
3. Caterer
4. Wedding ceremony
5. Wedding reception

II. Corporate

1. Seminars and Conferences
2. Appreciation Events
3. Team Building Events
4. Product Launch Events
5. Shareholder Meetings

III. Exhibition

1. Aerophilately
2. Astrophilately
3. Fight against Forgeries
4. Maximaphily
5. Philatelic literature

IV. Trade Shows

1. Argentina
2. Bolivia
3. Brazil
4. Canada
5. Chile

V. Stage Events

1. Birthday party
2. Surprise party
3. Dinner party
4. Garden party
5. Cocktail party

3. Write a HTML and CSS script to create a web page with table structure containing alternative backgrounds using class selector functionalities.

```
<html>
```

```
<head>
```

<title>My First Website</title>

<style>

.serviceDescription,.aboutUs{color:#df0174;background-color:#81daf5;}

</style>

</head>

<body>

<h1>Pink Frag Event Organizer</h1>

<hr>

<h2>Service Description</h2>

<p class="serviceDescription">We are indulged in offering a Promotional Event Management.

These services are provided by our team of professionals as
per the requirement of the client.

These services are highly praised for their features like
sophisticated technology, effective results and reliability. We offer
these services in a definite time frame and at affordable rates.

</p>

<hr>

<h2>Features</h2>

<h5>Customized services</h5>

<h5>On-time completion</h5>

<h5>Execution in tandem with clients demand</h5>

<hr>

<h2>About Us</h2>

<p class="aboutUs"> Pink Frag Event is a reputed organization,
which has come into being in 2009, as a Sole Proprietorship
Firm, with a sole aim of achieving the trust and support of
large customers. We have indulged our all endeavors towards
offering trustworthy Wedding Event Management, Promotional

Event Management, Birthday Party Management and many more.

All our services are reliable and offered keeping the exact customers preferences and choice in mind. To offer these services, we have hired specialized professionals, who are capable of understanding as well as accomplishing the specific customers desires.

We have adopted modern technology, to cope up with the challenges of industry. We keep all quality parameters in mind, so that we cannot make any compromise in terms of the excellence of products. </p>

<h3></h3><hr>

<h2>Contact Us</h2>

<h3>Address</h3>

<p>14/509A,Sterlin Street,Nungambakkam

Chennai - 600034.</p>

<h3>Mobile</h3>

<p>Manager-9596645125</p>

<h3>Landline</h3>

<p>0422-2727272</p>

<h3>EMail</h3>

<p>pinkfragevent123@gmail.com pinkfragOfficial@gmail.com

</p>

</body>

</html>

OUTPUT:

Service Description

We are indulged in offering a Promotional Event Management. These services are provided by our team of professionals as per the requirement of the client. These services are highly praised for their features like sophisticated technology, effective results and reliability. We offer these services in a definite time frame and at affordable rates.

Features

Customized services

On-time completion

Execution in tandem with clients demand

About Us

Pink Frag Event is a reputed organization, which has come into being in 2009, as a Sole Proprietorship Firm, with a sole aim of achieving the trust and support of large customers. We have indulged our all endeavors towards offering trustworthy Wedding Event Management, Promotional Event Management, Birthday Party Management and many more. All our services are reliable and offered keeping the exact customers preferences and choice in mind. To offer these services, we have hired specialized professionals, who are capable of understanding as well as accomplishing the specific customers desires. We have adopted modern technology, to cope up with the challenges of industry. We keep all quality parameters in mind, so that we cannot make any compromise in terms of the excellence of products.

Contact Us

Address

14/509A, Sterlin Street, Nungambakkam Chennai - 600034.

Mobile

Manager-9996645125

Landline

0422-2727272

EMail

pinkfragevent123@gmail.com pinkfragOfficial@gmail.com

JAVASCRIPT

5. Write a HTML and javascript program to implement a simple banking application. The application should provide features like withdraw, deposit, balance enquiry etc.

```
<html>

<head>

<script>
    var bal=1000;
    function Withdraw()
    {
        var amount=document.getElementById("number").value;
        bal=bal-Number(amount)
        if(bal<500)
        {
            document.getElementById("amount").innerHTML="Amount less than 500";
        }
        else
        {
            document.getElementById("amount").innerHTML=bal;
        }
    }

    function Deposit()
    {
        var amount=document.getElementById("number").value;
        var amt=Number(amount);
        bal=bal+amt;
        document.getElementById("amount").innerHTML=bal;
    }
}
```

```
</script>
</head>
<body>
  <center>
    <h1>Bank</h1>
    <h2>Amount withdraw and deposit</h2>
    <p>
      Enter the amount:<input type="number" id="number" value=""/>
    </p>
    <button id="button1" onclick="Withdraw()"> Withdraw</button>
    <button id="button2" onclick="Deposit()">Deposit</button>
    <p id="amount">1000</p>
  </center>
</body>
</html>
```

OUTPUT:

Bank

Amount withdraw and deposit

Enter the amount:

1000

6. Write a HTML and javascript program to create a registration page havinf fields name,username,email Id,password & re-enter password and apply validation using match & equal functions.

```
<html>
```

```
<head>
```

```
<script>
```

```
function registration(){
```

```
    document.getElementById("fail").innerHTML="";
```

```
    document.getElementById("success").innerHTML="";
```

```
    var pwd=document.getElementById("password").value;
```

```
    var repwd=document.getElementById("repassword").value;
```

```
    var flag=1;
```

```
    if(pwd=="" && repwd=="")
```

```
    {
```

```
        document.getElementById("fail").innerHTML="Password and Re-type password cannot be empty";
```

```
        flag=0;
```

```
    }
```

```
    else {
```

```
        var pwdPat=/^(?=.*[A-Z])(?=.*[a-z])(?=.*[0-9])(?=.*[!@#$%&*])[A-Za-z0-9!@#$%&*]{8,}$/;
```

```
        if(pwdPat.test(pwd)==false)
```

```
        {
```

```
document.getElementById("fail").innerHTML="Passwords must contain at least eight
characters,including uppercase,lowercase letters,numbers and special characters.";
```

```
flag=0;
```

```
}
```

```
}
```

```
if(pwd!="" && repwd!="" && pwd != repwd)
```

```
{
```

```
document.getElementById("fail").innerHTML="Password and Re-Type Password doesn't
match";
```

```
flag=0;
```

```
}
```

```
else if(flag==1)
```

```
{
```

```
document.getElementById("success").innerHTML="Login Successful";
```

```
}
```

```
}
```

```
</script>
```

```
</head>
```

```
<body>
```

```
<center>
```

```
<h1>Registration Page</h1>
```

```
<p>Username <input type="text" id="name" value=""/></p>
```

```
<p>
```

```
Password <input type="password" id="password" value=""/>
```

```
<div id="fail" style="color:red;"></div>
```

```
</p>
```

```
<p>Re-Type Password <input type="password" id="repassword" value=""/></p>
```

```
<input type="button" id="register" onclick="registration()" value="Register"/>
```

```
<div id="success" style="color:green;"></div>
```

```
</center>
```

```
</body>
```

```
</html>
```

OUTPUT:

Registration Page

Username

Password

Re-Type Password

J QUERY

7.write a HTML and J Query program to create a webpage to fetch the details of the event and display the invitation.

Program:

```
<html>
```

```
  <head>
```

```
    <title>Create Invitation</title>
```

```
    <meta charset="UTF-8">
```

```
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
    <script src="https://code.jquery.com/jquery-1.12.4.js"></script>
```

```
    <script src="https://code.jquery.com/ui/1.12.1/jquery-ui.js"></script>
```

```
  <script>
```

```
    $(document).ready(function(){
```

```
      $("#create").click(function(){
```

```
        var b = $("#bride").val();
```

```
        var bg = $("#bridegroom").val();
```

```
        var q = $("#quotes").val();
```

```
        var v = $("#venue").val();
```

```
        var d = $("#date").val();
```

```
        $(".input").hide();
```

```
$("#*").css("background-color","violet");
```

```
$("#h3").css("background-color","blue");
```

```
$("#content,#destination").css("background-color","pink");
```

```
$("#h3").html(b + " &" + bg + " Cordially Invites You");
```

```
$("#content").html(q);
```

```
$("#destination").html("@ " + v + " on " + d);
```

```
});
```

```
});
```

```
</script>
```

```
</head>
```

```
<body>
```

```
<center>
```

```
<div class="input">
```

```
<h2>Create Your Invitation</h2>
```

```
<p>Bride : <input type="text" id="bride" value="" /> </p>
```

```
<p>Bridegroom : <input type="text" id="bridegroom" value="" /> </p>
```

```
<p>Quotes : <input type="text" id="quotes" value="" /> </p>
```

```
<p>Venue : <input type="text" id="venue" value="" /> </p>
```

```
<P>Date : <input type="text" id="date" value="" /> </P>
```

```
<button id="create">Create</button>
```



```
</div>

<div id="invitation">
  <h3></h3>
  <p id="content"></p>
  <p id="destination"></p>
</div>
</center>
</body>
</html>
```

OUTPUT:

Create Your Invitation

Bride :

Bridegroom :

Quotes :

Venue :

Date :

Create

8. Write a HTML and JQuery program to design a webpage to accept event organizer name from the user and display it on the webpage.

Program:

```
DOCTYPE html>

<html>

<head>

<script src="https://ajax.googleapis.com/ajax/libs/jquery/1.8/jquery.min.js"></script>

<script>

    $(document).ready(function(){

        $("#display").click(function(){

            var name = $("#eventOrganizer").val();

            $("#result").html("Organizer Name :" + name);

        });

    });

</script>

</head>

<body style="background-color:pink">

    <center>

        <h2>Event Organization</h2>

        <p>Event Organizer : <input id="eventOrganizer" type="text" value=""/></p>

        <button id="display">Display</button>

        <div id="result"></div>

    </center>

</body>

</html>
```

OUTPUT:

!DOCTYPE html>

Event Organization

Event Organizer :

Display

BOOTSTRAP

9. Write a HTML and bootstrap program to display glyphicons like envelop, print, search etc. Also, create buttons having glyphicons as links to carry out specific tasks.

Program

```
<html>
<head>
    <script src="https://code.jquery.com/jquery-1.12.4.js"></script>
    <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css">
    <script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js"></script>
    <script>
        $(document).ready(function(){
            $("#result").hide();
            $("#login").click(function(){
                $("#loginform").hide();
                var name=$("#username").val();
                $("#message").html("Welcome "+name);
                $("#result").show();
            });
        });
    </script>
<style>
```

```
.head{
    color: #00b6d8;
}

.loginform{
    background: #00b6d8;
    border-bottom: 4px solid #0091aa;
    padding: 35px;
    color: #fff;
    margin: 0;
    margin-right: 30px;
    margin-bottom: 50px;
    margin-top: 30px;
    width: 500px;
}

h2 {
    font-size: 30px;
}

.form-title {
    margin: 0;
    font-family: 'OfficinaSansITCStd-Bold';
}

.label {
    display: inline-block;
    max-width: 100%;
    margin-bottom: 5px;
    font-weight: 700;
}

.orange-bt {
    background: #fda42b;
```

```
    text-decoration: none;
}
.glyphicon{
    font-size:18px;
    width:130px;
    height:50px;
    padding-bottom: 80px;
    padding-top: 10px;
    border: ridge #fda42b;
    font-weight:600;
    color : #00b6d8;
}
.glyphicon-user{
    font-size:50px ! important;
    border:none;
    color:#fda42b;
}
.loginform input{
    padding: 8px 5px;
    border: 1px solid #0091aa;
    width: 256px;
    color: #333;
}
.glyphicon-asterisk{
    font-size:10px ! important;
    border:none;
    color:red !important;
    padding-bottom: 10px !important;
    width:10px !important;
```

```
padding-left: 5px;
padding-right: 10px;
}
.row{
margin-left: 10px;
margin-right: 10px;
}
#message{
color : #00b6d8;
}
.col-md-4 .glyphicon{
font-size:40px !important;
padding-bottom: 80px;
padding-top: 10px;
font-weight:600;
color : #00b6d8;
border:none;
text-align: center;
width:490px;
min-height:200px;

}
.col-md-4 {
padding-bottom: 10px;
padding-top:10px;
}
.border{
border : 1px ridge #f9f3f3 ;
background-color: white !important;
```

```
margin-left: 10px;
margin-bottom: 10px;
}
li{
list-style: none;
}
body{
background-color: #f3eeeebf;
}
p{
font-size: 20px;
color:black;
}
</style>

</head>

<body>
<center>
<h1>Event Force</h1>
<table>
<tr>
<td><span class="glyphicon glyphicon-film">Event</span></td>
<td><span class="glyphicon glyphicon-lamp">Service Stories</span></td>
<td><span class="glyphicon glyphicon-picture">Webinars Seminar</span></td>
<td><span class="glyphicon glyphicon-list">Live News</span></td>
<td><span class="glyphicon glyphicon-book">eBooks novels</span></td>
</tr>
</table>
```



```

<div class="loginform">
  <h2>Client Login</h2>
  <span class="glyphicon glyphicon-user"></span>
  <p>Fill in the form to log into Eventsforce</p>
  <table>Account Name <i class="glyphicon glyphicon-asterisk"></i></table>
  <input type="text" id="name" value="">
  <table>Username <i class="glyphicon glyphicon-asterisk"></i></table>
  <input type="text" id="username" value="">
  <table>password <i class="glyphicon glyphicon-asterisk"></i></table>
  <input type="password" id="password" value="">
  <button class="orange-bt btn btn block" id="login">Login</button>
</div>
<div id="result">
  <div id="message"></div>
  <div class="row">
    <div class="col-sm-4"><span class="glyphicon glyphicon-pencil">Event Registration</span>
    <p>Set up dynamic,online registration with our event planning system.</p>
  </div>
    <div class="col-sm-4"><span class="glyphicon glyphicon-phone-alt">MOBILE APPS FOR
EVENTS</span>
    <p>Innovative app development for conference.</p>
  </div>
    <div class="col-sm-4"><span class="glyphicon glyphicon-erase">ON-SITE CHECK-IN
EVENTS</span>
    <p>check in registration,collect fees and badges wirelessly onsite.</p>
  </div>
</div>
</div>
</center>

```

</body>

</html>

Content text:

H1 - Events Force

p - Fill in the form to log into Eventsforce

H3 - Event Registration

H3 - MOBILE APPS FOR EVENTS


H3 - ON-SITE CHECK-IN APPS

p - Set up dynamic, online registration with our event planning system.

p - Innovative app development for conferences.

p - Check in registrants, collect fees and print badges wirelessly onsite.


OUTPUT:



The image displays a web interface for 'Event Force'. At the top, there is a navigation bar with five links: 'Event', 'Service Stories', 'Webinars Seminar', 'Live News', and 'eBooks novels'. Below this, a large blue box contains the 'Client Login' section. It features a user icon, the text 'Fill in the form to log into Eventsforce', and three input fields: 'Account Name', 'Username', and 'password'. A 'Login' button is positioned at the bottom right of the login form.

Event	Service Stories	Webinars Seminar	Live News	eBooks novels
-------	-----------------	------------------	-----------	---------------

Client Login



Fill in the form to log into Eventsforce

Account Name

Username password

