1

NCERT 10.3.3.3.6

EE24BTECH11032- John Bobby

Question:

A die has two faces each with number 1 and three faces with number 2 and one face with number 3. Find P(1 or 3)

Theoretical solution:

Total outcomes = 6.

Favorable outcomes = 2 + 1 = 3.

$$P(1 \text{ or } 3) = \frac{\text{Favorable outcomes}}{\text{Total outcomes}} = \frac{3}{6} = \frac{1}{2}.$$

Computational solution:

The PMF for the die is:

$$P(X = k) = \begin{cases} \frac{2}{6}, & k = 1\\ \frac{3}{6}, & k = 2\\ \frac{1}{6}, & k = 3\\ 0, & \text{otherwise} \end{cases}$$

The cumulative distribution function (CDF) of the given die is:

$$F(k) = \begin{cases} 0, & k < 1 \\ \frac{2}{6}, & 1 \le k < 2 \\ \frac{5}{6}, & 2 \le k < 3 \\ 1, & k \ge 3 \end{cases}$$

Conclusion

Probability for the face 1 or 3 to occur is:

As both the events are disjoint

$$P(X = 1 \text{ or } X = 3) = P(X = 1) + P(X = 3) = \frac{2}{6} + \frac{1}{6} = \frac{1}{2}$$




Fig. 1. PMF plot




Fig. 2. CDF plot