

F420 --- Enter and Store Allergies (PSI8)

US6589_ Enter and Store Allergies (PSI8)

F420_US6589_ F420 --- Enter and Store Allergies (PSI8)

Test Title: Enter and Store Allergies

Description: This covers the functionality of Enter and Store Allergies

Pre-Condition(s): User must have access to UI-components. User must have CPRS account with eHMP write up role.

Post-Condition(s): N/A

Step Title	Description	Expected Results	Data
1. Access the Record and Enter & Store a Simple Allergies	After logging into eHMP and selecting/confirming a patient, select the Observations tab from the Patient Care Information component.	A modal is displayed with the heading, "All Observations".	
2. Create New Allergies	User selects the "New Entry" button in All Observations tray.	A "New Entry" tray header opens with a list of options for selection. Make sure all the fields are according to mock up http://10.1.1.150/ui-components/views/psi8/store-vital-tray.html <ul style="list-style-type: none">• Add new observation (heading)• Allergies• Immunization• Meds,Non-va• Problems• Vitals	

3. Selection Allergies	From the List of Items user selects "Allergies".	A "Allergies" tray header appears. Make sure all the fields are according to wireframe.	
4. "Back to Order Summary" button	User select "Back to Order Summary" button from footer of "Add a New Observation" form.	Focus goes back to "All Observations" Tray header.	
5. Mandatory fields	Within the "Allergies" tray make sure Positive and negative steps for mandatory fields are completed	If user does not enter a mandatory field and selects "add" or "save" the fields should be highlight in red with a error message in the button.	
6. Footer	<p>At the footer of the page following will be present.</p> <ul style="list-style-type: none"> • Save timestamp is displayed • Delete / Enter in error button "The "Delete" button appears when the allergy form is still in a draft state. Otherwise, the "Enter in Error" button appears". • Cancel "This option only appears on allergy entries that have already been added to the patient's record" • Close • Add 	All buttons appear within the footer of the "allergies" form.	

7. "Delete" buttons	User selects delete button from footer .	<ul style="list-style-type: none"> If a user opens a form and they never enter any data, but selected Delete. The form will close and return the user back to "Add a New Observation" form. If the user entered information and it is in draft mode, but selected Delete. A modal will appear asking "Are you sure you want to delete"? Yes or No 	
8. "Cancel" button	User selects "Cancel" button from footer.	The form gets cancel and focus goes where user started.	
9. Add button	When user selects "add" button the focus goes to the "Allergies Added" growl alert.	A growl alert confirmation message will appear. Make sure all the fields are exist according to wireframe and the focus goes back to "Allergies Added" growl alert.	
10. Close "X" button	User selects the Close or "X" button on top of the form.	A growl alert with "Close and Save" confirmation message will appear. Make sure all the fields are exist according to wireframe and then the user is returned to the "All Observations" Tray header.	
11. "Allergies" header	ON the top right corner of the "Allergies" form there is "pop over" icon	User can now look at the form in a pop over (bigger view).	
12. "Allergies" header	On "Allergies" header, user can select the "edit" or "print" or "entered in error button/remove".	Edit - When the user selects the edit button, the form opens and the user is able to edit the Allergies form.	

		Print – When the user selects the print button, the user’s default print dialog appears.	
		entered in error - Reference step #18	

Observations Summary			
13. Observations Summary Page	Observations Summary Page will contain all of the Observations content sorted by Status (Default view). Meaning all drafts (Vitals, Problem, Allergies) within the Observations Summary are combined and selectable.	Make sure all the fields are according to mock up	
14. Arrange by: status	User clicks on “Arrange by :status” drop-down button	User can sort by 4 option “Location” “Provider” “status” and “title”	
15. Most Recent	User clicks on “Most Recent ” drop-down button	Most Recent will change to “least recent “ Note : user can sort by select “Most Recent” or “least recent	
16. “Allergies” entry	Instead of selecting “New Entry ” button	Allergies Entry List will open.	

	on "All observations" tray user selects "Allergies" entry.		
17. "delete" buttons	Selection of a certain type of record will provide the following buttons in the Summary View below: "Delete", "edit" and "Entered in Error" when user selects delete	<p>If a user opens a form and they never enter any data, but selected Delete. The form will close and return the user back to the button that initiated the form.</p> <ul style="list-style-type: none"> If the user entered information and it is in draft mode, but selected Delete. A modal(Growl Alert) will appear asking "Are you sure you want to delete"? Yes or No 	
18. "Entered in Error" button	User selects the "Entered in Error" button	Entered in Error modal will appeared, Make sure all the elements are present according to workflow.	
19. "X" button	The user selects the "X" button.	Modal closes and focus goes back to back to the button that initiated the form.	
20. "Edit" button	On the action bar user select "Edit" button	A "Allergies" tray header appears. User can now make the changes.	
Entered in Error modal conditions			
21. "X" button	The user selects the "X" button.	Modal closes and focus goes back to back to the button that initiated the form.	
22. Cancel button	User selects "Cancel" button	Modal closes and focus goes back to back to the button that initiated the form.	

23. "Remove" button	User selects "Remove" button	System error modal will appear, The tray will close, alert modal will appear with an OK button, and the user will have to start over , when Successful removed the focuses goes back to the button that initiated the form	
---------------------	------------------------------	--	--

Allergies Form conditions			
1. Form at the beginning	User is in "Allergies" from.	The user finds the fields in the form are not pre populated and "reaction time and date" and "severity" are dimed out .	
2. Searching for allergies	User types in the search box .	User can see a list of options to selects. Note: The selection of an Allergy is a type-ahead/filter that searches all the available drug databases No Known Allergies" is treated like an allergy and will behave in the same manner.	
3. Observed" or "Historical"	Once an allergy is selected, it can be designated "Observed" or "Historical".	If it is an "Observed" reaction, Date is pre-populated with the current date and time can be added. "Nature of Reaction" and "Severity" can be selected. If "Historical" the default dimmed fields will remain dimmed.	
4. Symptom field	User can Selected Symptom Bucket in three different ways: • Type ahead filtering • Top 10 symptom for that allergy are displayed first	The Top 10 Symptoms from that Vista are displayed in the bucket below the lookup. The user can type into the lookup area to look for the relevant symptom, this is a typeahead. Once	

	<ul style="list-style-type: none">• The user can scroll <p>NOTE : If the Symptom name and the Date/Time stamp are longer than the space allow, it will wrap.</p>	<p>found and selected, the user hits the "Add Symptom" button and the symptom is added to the right hand selection tool. The user can then add a date/edit and time via the "Date and Time" input field. The user can also remove the symptom by hitting the "x" icon on the right. Date and Time picker component: http://wakirc.axshare.com/#p=date_and_time_input</p>	
--	--	---	--