

User Overview

The Allergies form allows the user to search for and select allergies to add to a patient's record. By default, when the user search additional databases for related signs and symptoms. Once the user confirms all applicable symptoms, he/she may add additional comments within the form, and select the "Add" button to officially add the allergy data to the patient's record or close/cancel the form.

¹ The content under an accordion is only read after the accordion header is opened. Otherwise, the screen reader continues with the next accordion header.

² The user can also select the date field, which displays the calendar component. However, this option does not meet Section 508 compliance.

³ The user can also select the time field, which displays the time picker component. However, this option does not meet Section 508 compliance.

⁴ By default, the Lookup Results will display the Top 10 Symptoms from the current Vista. However, the user may use the Lookup search field to filter the Lookup Results or select the "Search for Symptoms with [lookup item]" button to search additional databases.

⁵ The user may add multiple symptoms.

⁶ System error on submittal. The tray will close, alert modal will appear with an OK button, and the user will have to start over.


⁷ If the user did not enter in all required fields, the focus goes to the first required field that was not completed.

⁸ There may be additional accordion headers and content prior to the Allergies accordion header. Therefore, the screen reads the accordion headers and content prior to focusing on the Allergies accordion header.

⁹ The "Delete" button appears when the allergy form is still in a draft state. Otherwise, the "Enter in Error" button appears. ¹⁰ The growl alert automatically disappears after 10 seconds and the user returns to the My Observations view.

¹¹ This sub-process is not covered in this workflow.

¹² This option only appears on allergy entries in a draft state. ¹³ This option only appears on allergy entries that have already been added to the patient's record.



User Overview

¹ The content under an accordion is only read after the accordion header is opened. Otherwise, the screen reader continues with the next accordion header.

² The user can also select the date field, which displays the calendar component. However, this option does not meet Section 508 compliance.

³The user can also select the time field, which displays the time picker component. However, this option does not meet Section 508 compliance.

⁴ By default, the Lookup Results will display the Top 10 Symptoms from the current Vista. However, the user may use the Lookup search field to filter the Lookup Results or select the "Search for Symptoms with [lookup item]" button to search additional databases.

⁵ The user may add multiple symptoms.

⁶ System error on submittal. The tray will close, alert modal will appear with an OK button, and the user will have to start over.

⁷ If the user did not enter in all required fields, the focus goes to the first required field that was not completed.

⁸ There may be additional accordion headers and content prior to the Allergies accordion header. Therefore, the screen reader reads the accordion headers and content prior to focusing on the Allergies accordion header.

 $^{^9}$ The "Delete" button appears when the allergy form is still in a draft state. Otherwise, the "Enter in Error" button appears.


¹⁰ The growl alert automatically disappears after 10 seconds and the user returns to the My Observations view.

¹¹ This sub-process is not covered in this workflow.

¹² This option only appears on allergy entries in a draft state.

¹³ This option only appears on allergy entries that have already been added to the patient's record.

Screen Reader with User Interaction



User Overview

¹ The content under an accordion is only read after the accordion header is opened. Otherwise, the screen reader continues with the next accordion header.

² The user can also select the date field, which displays the calendar component. However, this option does not meet Section 508 compliance.

³ The user can also select the time field, which displays the time picker component. However, this option does not meet Section 508 compliance.

⁴ By default, the Lookup Results will display the Top 10 Symptoms from the current Vista. However, the user may use the Lookup search field to filter the Lookup Results or select the "Search for Symptoms with [lookup item]" button to search additional databases.

⁵ The user may add multiple symptoms.

⁶ System error on submittal. The tray will close, alert modal will appear with an OK button, and the user will have to start over.

⁷ If the user did not enter in all required fields, the focus goes to the first required field that was not completed.

⁸ There may be additional accordion headers and content prior to the Allergies accordion header. Therefore, the screen reader reads the accordion headers and content prior to focusing on the Allergies accordion header.


⁹ The "Delete" button appears when the allergy form is still in a draft state. Otherwise, the "Enter in Error" button appears.

¹⁰ The growl alert automatically disappears after 10 seconds and the user returns to the My Observations view.

¹¹ This sub-process is not covered in this workflow.

¹² This option only appears on allergy entries in a draft state.

¹³ This option only appears on allergy entries that have already been added to the patient's record.



User Overview

¹ The content under an accordion is only read after the accordion header is opened. Otherwise, the screen reader continues with the next accordion header.

² The user can also select the date field, which displays the calendar component. However, this option does not meet Section 508 compliance.

³ The user can also select the time field, which displays the time picker component. However, this option does not meet Section 508 compliance.

⁴ By default, the Lookup Results will display the Top 10 Symptoms from the current Vista. However, the user may use the Lookup search field to filter the Lookup Results or select the "Search for Symptoms with [lookup item]" button to search additional databases.

⁵ The user may add multiple symptoms.

⁶ System error on submittal. The tray will close, alert modal will appear with an OK button, and the user will have to start over.

⁷ If the user did not enter in all required fields, the focus goes to the first required field that was not completed.

⁸ There may be additional accordion headers and content prior to the Allergies accordion header. Therefore, the screen reader reads the accordion headers and content prior to focusing on the Allergies accordion header.

⁹ The "Delete" button appears when the allergy form is still in a draft state. Otherwise, the "Enter in Error" button appears.


¹⁰ The growl alert automatically disappears after 10 seconds and the user returns to the My Observations view.

¹¹ This sub-process is not covered in this workflow.

¹² This option only appears on allergy entries in a draft state.

¹³ This option only appears on allergy entries that have already been added to the patient's record.

Screen Reader with User Interaction



User Overview

¹ The content under an accordion is only read after the accordion header is opened. Otherwise, the screen reader continues with the next accordion header.

² The user can also select the date field, which displays the calendar component. However, this option does not meet Section 508 compliance.

³ The user can also select the time field, which displays the time picker component. However, this option does not meet Section 508 compliance.

⁴ By default, the Lookup Results will display the Top 10 Symptoms from the current Vista. However, the user may use the Lookup search field to filter the Lookup Results or select the "Search for Symptoms with [lookup item]" button to search additional databases.

⁵ The user may add multiple symptoms.

⁶ System error on submittal. The tray will close, alert modal will appear with an OK button, and the user will have to start over.

⁷ If the user did not enter in all required fields, the focus goes to the first required field that was not completed.

⁸ There may be additional accordion headers and content prior to the Allergies accordion header. Therefore, the screen reader reads the accordion headers and content prior to focusing on the Allergies accordion header.

⁹ The "Delete" button appears when the allergy form is still in a draft state. Otherwise, the "Enter in Error" button appears.


¹⁰ The growl alert automatically disappears after 10 seconds and the user returns to the My Observations view.

¹¹ This sub-process is not covered in this workflow.

¹² This option only appears on allergy entries in a draft state.

 $^{^{13}}$ This option only appears on allergy entries that have already been added to the patient's record.

Screen Reader with User Interaction



User Overview

The Allergies form allows the user to search for and select allergies to add to a patient's record. By default, when the user searches for a particular allergy, the Top 10 signs and symptoms appear within the respective section. The user may filter through this Top 10 list or search additional databases for related signs and symptoms. Once the user confirms all applicable symptoms, he/she may add additional comments within the form, and select the "Add" button to officially add the allergy data to the patient's record or close/cancel the form.

¹ The content under an accordion is only read after the accordion header is opened. Otherwise, the screen reader continues with the next accordion header.

² The user can also select the date field, which displays the calendar component. However, this option does not meet Section 508 compliance.

³ The user can also select the time field, which displays the time picker component. However, this option does not meet Section 508 compliance.

⁴ By default, the Lookup Results will display the Top 10 Symptoms from the current Vista. However, the user may use the Lookup search field to filter the Lookup Results or select the "Search for Symptoms with [lookup item]" button to search additional databases.

⁵ The user may add multiple symptoms.

⁶ System error on submittal. The tray will close, alert modal will appear with an OK button, and the user will have to start over.

⁷ If the user did not enter in all required fields, the focus goes to the first required field that was not completed.

⁸ There may be additional accordion headers and content prior to the Allergies accordion header. Therefore, the screen reader reads the accordion headers and content prior to focusing on the Allergies accordion header.

⁹ The "Delete" button appears when the allergy form is still in a draft state. Otherwise, the "Enter in Error" button appears.

¹⁰ The growl alert automatically disappears after 10 seconds and the user returns to the My Observations view.

¹¹ This sub-process is not covered in this workflow.

¹² This option only appears on allergy entries in a draft state.

¹³ This option only appears on allergy entries that have already been added to the patient's record.