

Home Workspaces API Network Explore Search Postman Invite Upgrade

Assignment New Import Overview GET AllList POST create GET Getone GET Getone PATCH patch jsonplaceholder_test

jsonplaceholder_Tests / createtest

POST ((baseurl))/posts Send

Params Authorization Headers (8) Body Pre-request Script Tests Settings Cookies

```
20
21
22     const createdUser=response.json();
23     pm.variables.set("createdUserId",createdUser.id);
24     pm.variables.set("createdUserTitle",createdUser.title);
25     pm.variables.set("createdUserbody",createdUser.body);
26
27 }
```

Pre-request scripts are written in JavaScript, and are run before the request is sent. Learn more about pre-request scripts

Snippets Get an environment variable

Body Cookies Headers (25) Test Results (5/5) 201 Created 478 ms 1.25 KB Save as example

Online Find and replace Console 5 Errors All Logs Clear

PUT https://jsonplaceholder.typicode.com/posts/1 200 1221 ms

PUT https://jsonplaceholder.typicode.com/posts/1 200 565 ms

"Updated user ID:" 1

"Updated user Title:" "holiday"

"Updated user Body:" "today"

DELETE https://jsonplaceholder.typicode.com/posts/1 200 1132 ms

"User deleted successfully"

DELETE https://jsonplaceholder.typicode.com/posts/1 200 1216 ms

Type here to search

Home Workspaces API Network Explore Search Postman Invite Upgrade

Assignment New Import Overview GET AllList POST create GET Getone GET Getone PATCH patch jsonplaceholder_test

jsonplaceholder_Tests / createtest

POST ((baseurl))/posts Send

Params Authorization Headers (8) Body Pre-request Script Tests Settings Cookies

```
18 //Assertion 1:Checkif the user ID is present
19 pm.test("User ID should be present",function(){
20     pm.expect(createdUserId).to.exist
21 });
```

Test scripts are written in JavaScript, and are run after the response is received. Learn more about tests scripts

Body Cookies Headers (25) Test Results (5/5) 201 Created 478 ms 1.25 KB Save as example

Perform API tests faster with templates for integration testing, regression testing, and more. View Templates

All Passed Skipped Failed

PASS Successful POST request

PASS Response time is less than 200ms

PASS User ID should be present

PASS User Title should not be empty

PASS Body should be present

Online Find and replace Console Postbot Runner Start Proxy Cookies Trash

Type here to search

31°C 11:58 AM 12/9/2023

Assignment New Import GET AllList POST create GET Getone PATCH patch PUT update jsonplaceholder_test

jsonplaceholder_Tests / updateTest

PUT `{{baseurl}}/posts/{{userid}}` Send

Params Authorization Headers (8) Body Pre-request Script Tests Settings Cookies

```
18 function(err, response)
19 {
20   if(response.statusCode === 200){
21     const createdUser = response.json();
22     pm.variables.set("updatedUserId", createdUser.id);
23     pm.variables.set("updatedUserTitle", createdUser.title);
24     pm.variables.set("updatedUserbody", createdUser.body);
25   }
26 }
```

Pre-request scripts are written in JavaScript, and are run before the request is sent. Learn more about pre-request scripts

Snippets Get an environment variable

Body Cookies Headers (24) Test Results (4/4) 200 OK 565 ms 1.16 KB Save as example

Online Find and replace Console 5 Errors All Logs Clear

PUT https://jsonplaceholder.typicode.com/posts/1 200 1221 ms

PUT https://jsonplaceholder.typicode.com/posts/1 200 565 ms

"Updated user ID:" 1

"Updated user Title:" "holiday"

"Updated user Body:" "today"

DELETE https://jsonplaceholder.typicode.com/posts/1 200 1132 ms

"User deleted successfully"

DELETE https://jsonplaceholder.typicode.com/posts/1 200 1216 ms

Type here to search 31°C 11:58 AM 12/9/2023

Assignment New Import GET AllList POST create GET Getone PATCH patch PUT update jsonplaceholder_test

jsonplaceholder_Tests / updateTest

PUT `{{baseurl}}/posts/{{userid}}` Send

Params Authorization Headers (8) Body Pre-request Script Tests Settings Cookies

```
4 }
5
6 const updatedUserId = pm.variables.get('updatedUserId');
7
8 const updatedUserTitle = pm.variables.get('updatedUserTitle');
9
10 const updatedUserbody = pm.variables.get('updatedUserbody');
```

Test scripts are written in JavaScript, and are run after the response is received. Learn more about test scripts

Snippets Get an environment variable

Body Cookies Headers (24) Test Results (4/4) 200 OK 565 ms 1.16 KB Save as example

Perform API tests faster with templates for integration testing, regression testing, and more. View Templates

All Passed Skipped Failed

PASS Your test

PASS User ID should be present

PASS User Title should not be empty

PASS Body should be present

Online Find and replace Console Postbot Runner Start Proxy Cookies Trash 31°C 11:59 AM 12/9/2023

Assignment New Import < GET Getone GET Getone PATCH patch PUT update Global DEL delete jsonplaceholder_test

jsonplaceholder_Tests / deleteTest

DELETE {{baseurl}}/posts/{{userid}}

Send

Params Authorization Headers (6) Body Pre-request Script Tests Settings Cookies

```
5  "Content-Type":"application/json"
6  }
7  },function(err,response)
```

Pre-request scripts are written in JavaScript, and are run before the request is sent. Learn more about pre-request scripts

Body Cookies Headers (23) Test Results (2/2) 200 OK 1216 ms 1.05 KB Save as example

Perform API tests faster with templates for integration testing, regression testing, and more. View Templates

Online Find and replace Console 5 Errors All Logs Clear

```
> PUT https://jsonplaceholder.typicode.com/posts/1 200 1221 ms
> PUT https://jsonplaceholder.typicode.com/posts/1 200 565 ms
"Updated user ID:" 1
"Updated user Title:" "holiday"
"Updated user Body:" "today"
> DELETE https://jsonplaceholder.typicode.com/posts/1 200 1132 ms
"User deleted successfully"
> DELETE https://jsonplaceholder.typicode.com/posts/1 200 1216 ms
```

Type here to search

Postbot Runner Start Proxy Cookies Trash

31°C 11:59 AM 12/9/2023

Assignment New Import < GET Getone GET Getone PATCH patch PUT update Global DEL delete jsonplaceholder_test

jsonplaceholder_Tests / deleteTest

DELETE {{baseurl}}/posts/{{userid}}

Send

Params Authorization Headers (6) Body Pre-request Script Tests Settings Cookies

```
1  pm.test("Response Empty",function(){
2    pm.response.to.have.body("{}");
3  });
4  pm.test("Status code is 200",function(){
5    pm.response.to.have.status(200);
6  });
7
```

Test scripts are written in JavaScript, and are run after the response is received. Learn more about test scripts

Snippets
Get an environment variable
Get a global variable

Body Cookies Headers (23) Test Results (2/2) 200 OK 1216 ms 1.05 KB Save as example

Perform API tests faster with templates for integration testing, regression testing, and more. View Templates

All Passed Skipped Failed

PASS Response Empty
PASS Status code is 200

Online Find and replace Console Postbot Runner Start Proxy Cookies Trash

Type here to search

31°C 11:59 AM 12/9/2023

Assignment New Import Overview GET AllList POST create GET Getone GET Getone PATCH patch jsonplaceholder_test

jsonplaceholder_Tests / AllList_test

GET {{baseurl}}/posts

Params Authorization Headers (6) Body Pre-request Script Tests Settings Cookies

```
5 {
6   pm.variables.set("userfound", false);
7   if(response)
8   {
9     const user=response.json();
10    pm.variables.set("id",user[0].id);
11    pm.variables.set("title",user[0].title);
12    pm.variables.set("userfound",true);
13  }
```

Pre-request scripts are written in JavaScript, and are run before the request is sent. Learn more about pre-request scripts

Snippets

Get an environment variable

Body Cookies Headers (25) Test Results (2/2) 200 OK 215 ms 27.98 KB Save as example

Online Find and replace Console 5 Errors All Logs Clear

PUT https://jsonplaceholder.typicode.com/posts/1 200 1221 ms

PUT https://jsonplaceholder.typicode.com/posts/1 200 565 ms

"Updated user ID:" 1

"Updated user Title:" "holiday"

"Updated user Body:" "today"

DELETE https://jsonplaceholder.typicode.com/posts/1 200 1132 ms

"User deleted successfully"

DELETE https://jsonplaceholder.typicode.com/posts/1 200 1216 ms

Type here to search

Postbot Runner Start Proxy Cookies Trash

31°C 11:56 AM 12/9/2023

Assignment New Import Overview GET AllList POST create GET Getone GET Getone PATCH patch jsonplaceholder_test

jsonplaceholder_Tests / AllList_test

GET {{baseurl}}/posts

Params Authorization Headers (6) Body Pre-request Script Tests Settings Cookies

```
1 pm.test("Your page param check", function () {
2   var jsonData = pm.response.json();
3   pm.expect(jsonData[0].userId).to.eql(1);
4 })
5
6 pm.test("Data Starting id is 1", function () {
7   var jsonData = pm.response.json();
8   pm.expect(jsonData[0].id).to.eql(1);
9 })
```

Test scripts are written in JavaScript, and are run after the response is received. Learn more about tests scripts

Snippets

Get an environment variable

Get a global variable

Body Cookies Headers (25) Test Results (2/2) 200 OK 215 ms 27.98 KB Save as example

Perform API tests faster with templates for integration testing, regression testing, and more. View Templates

All Passed Skipped Failed

PASS Your page param check

PASS Data Starting id is 1

Online Find and replace Console Postbot Runner Start Proxy Cookies Trash

Type here to search

31°C 11:56 AM 12/9/2023

Home Workspaces API Network Explore Search Postman

Assignment New Import

jsonplaceholder_collections

jsonplaceholder_Environments

History

GET AllList_test

GET Getone_notfound_test

POST createtest

PUT updateTest

DEL deleteTest

jsonplaceholder_Tests / Getone_notfound_test

GET {{baseurl}}/posts/200

Params Authorization Headers (6) Body Pre-request Script Tests Settings Cookies

```
8  
9 if(response.code===404){  
10 console.log("User not found. Setting default value.");  
11 pm.variables.set("userNotFound",true);  
12 }  
13 else{  
14 const user=response.json();  
15 pm.variables.set("userID",user.id);
```

Pre-request scripts are written in JavaScript, and are run before the request is sent. Learn more about pre-request scripts

Snippets

Get an environment variable

Body Cookies Headers (24) Test Results (3/3) 404 Not Found 226 ms 1.09 KB Save as example

Online Find and replace Console 5 Errors All Logs Clear

PUT https://jsonplaceholder.typicode.com/posts/1 200 1221 ms

PUT https://jsonplaceholder.typicode.com/posts/1 200 565 ms

"Updated user ID:" 1

"Updated user Title:" "holiday"

"Updated user Body:" "today"

DELETE https://jsonplaceholder.typicode.com/posts/1 200 1132 ms

"User deleted successfully"

DELETE https://jsonplaceholder.typicode.com/posts/1 200 1216 ms

Type here to search

Postbot Runner Start Proxy Cookies Trash

31°C 11:56 AM 12/9/2023

Home Workspaces API Network Explore Search Postman

Assignment New Import

jsonplaceholder_collections

jsonplaceholder_Environments

History

GET AllList_test

GET Getone_notfound_test

POST createtest

PUT updateTest

DEL deleteTest

jsonplaceholder_Tests / Getone_notfound_test

GET {{baseurl}}/posts/200

Params Authorization Headers (6) Body Pre-request Script Tests Settings Cookies

```
25 pm.test("Title should not be empty",function(){  
26 pm.expect(userTitle).to.not.be.empty;  
27 });  
28 }  
29 else{  
30 pm.test("User should not be found(404)",function(){  
31 pm.expect(pm.response.code).to.equal(404);
```

Test scripts are written in JavaScript, and are run after the response is received. Learn more about tests scripts

Snippets

Get an environment variable

Body Cookies Headers (24) Test Results (3/3) 404 Not Found 226 ms 1.09 KB Save as example

Perform API tests faster with templates for integration testing, regression testing, and more. View Templates

All Passed Skipped Failed

PASS Response empty

PASS User ID should not be empty

PASS Title should not be empty

Online Find and replace Console Postbot Runner Start Proxy Cookies Trash

Type here to search

31°C 11:57 AM 12/9/2023