

Weather Data Analysis

Meteorology | 2022 – 2024

Avg Temp	Max Temp	Min Temp	Total Rainfall	Avg Humidity	Extreme Days
23.0 °C	44.5 °C	0.8 °C	3084 mm	54.9%	31

Executive Summary

This report analyses three years of daily weather observations covering temperature, rainfall, humidity, wind speed, and extreme weather events. The analysis identifies seasonal patterns, long-term temperature trends, and the distribution of extreme conditions. Findings are relevant to agricultural planning, infrastructure resilience, urban heat management, and climate monitoring.

Key Insights

- The hottest month on average is Jun at 33.1 °C.
- The wettest month is Aug averaging 253 mm of rainfall.
- Monsoon season accounts for 68% of total annual rainfall.
- Extreme weather events occurred on 31 days, 2.8% of the total.
- Temperature ranges from 0.8 °C in winter to 44.5 °C in summer.

Recommendations

- Install flood early-warning systems — extreme rain clusters in Monsoon.
- Upgrade cooling infrastructure ahead of the Jun heatwave period.
- Complete agricultural sowing before Aug rains begin.
- Monitor year-on-year temperature changes for long-term climate signals.
- Develop water storage plans for the dry January to February window.

Figure 1

Temperature Trend — 30-Day Rolling Average

A 30-day rolling average removes short-term noise to reveal the seasonal cycle clearly. The shaded band between rolling min and max shows the typical daily temperature range. Temperatures peak in May to June and dip in December to January. The smoothed view makes long-term trends and seasonal transitions easy to read.

Avg Temperature	Absolute Max	Absolute Min	Years
23.0 °C	44.5 °C	0.8 °C	3




Figure 2

Average Monthly Rainfall

Monthly rainfall averages across three years highlight monsoon dominance. Aug receives the most rain. January and February are almost completely dry. This bimodal distribution has major implications for reservoir management, crop calendars, and urban drainage infrastructure design.

Wettest Month	Driest Month	3-Year Total
Aug (253 mm avg)	Apr (13.4 mm avg)	3084 mm




Figure 3

Seasonal Temperature and Humidity

Side-by-side boxplots compare temperature and humidity across five seasons. Summer shows the highest temperatures; Monsoon shows a sharp humidity peak, often exceeding 80%. Their combination creates the most physiologically stressful period of the year.




Figure 4

Rainfall Distribution — Rainy Days Only

Restricting to days with measurable rainfall reveals a strongly right-skewed distribution. Most rainy days have light to moderate rainfall, but a small number of days experience very heavy downpours. Infrastructure sized for average rainfall will be inadequate during these outlier events, which cause most flood damage.

Rainy Days	Median Rainy Day	90th Percentile
1026 of 1096	0.7 mm	9.9 mm




Figure 5

Extreme Weather Events by Month

An extreme event is defined as a day where rainfall exceeds 50 mm, maximum temperature exceeds 44 °C, or minimum temperature falls below 5 °C. Events cluster in Monsoon and peak summer months. Preparedness resources should be concentrated in this high-risk window.

Total Extreme Days	As Pct of All Days
31	2.8%




Figure 6

Year-over-Year Average Temperature

Comparing annual averages across 2022, 2023, and 2024 provides an early signal on warming trends. Three years is insufficient for statistically robust climate conclusions, but a consistent upward movement aligns with regional warming patterns. Extending the dataset to ten or more years would allow formal trend testing.

2022	2023	2024
23.11 °C	22.92 °C	22.94 °C




Figure 7

Wind Speed Distribution

Wind speed follows a right-skewed distribution — most days are moderate and a small number are very windy. High-speed days coincide with weather fronts, monsoon onset, or cyclonic activity. Understanding the typical range is important for structural load calculations and wind-sensitive infrastructure siting.

Avg Wind Speed	Max Wind Speed	90th Percentile
13.4 km/h	48.6 km/h	22.9 km/h




Figure 8

Correlation Between Weather Variables

Temperature variables are highly correlated with each other as expected. Rainfall and humidity share a moderate positive correlation. Wind speed shows near-zero correlation with all other variables, confirming it is driven by independent atmospheric dynamics. These relationships are useful starting points for weather prediction models.

Temp Max-Avg r	Rain-Humidity r	Wind-Temp r
0.983	0.455	0.018

