Obmow. U S5 C8E Rollno:15

END-3

& CReate the database organismos.

-> CARDOR VERRESE Organisies;

* Select the current database

-> Use organization;

-> strow tables,

* CREST e se fables, suppliers, fooduits, foodcuts_

supplied foreduct obefails

Set supplied as the primarykey for the table supplied.

- Ketst There supplied English in formary
keymet mu, name (auchai(25) mot mulphone_

number ist (co) not mul).

- cresse there fordule (production ist formary key mot mill, productede vacious (3) met mui mane valebau (25) mot mill, quality int not mill, find find float mot mul, supplies to int not melli).

-> (REPTE table ifroducts-supplier (producted in mot mul, byglield into t mull)

- CREATE puble fractiute cledails Cfooductes inc met nul, comment valle (100),

as foreign key references the supplies to column

Of one oryphic sable. > alter sade frodents add foreign key (ongsliero) référence oryques (supplients); * Set six fradutes column as she fraduct-detail table as a foreign key references the froduction Column of she fortheuts table. > alter sable product_desails add foreign key (froductio) seperement froducts (froductio); * Orsert values is so Enjoyeier sable. Values (501, MBC maders', 'SSERIUI'). - insut viso supplier (suppliers, name sphonenum Values (502, 1747 company, 88882222); > ensex coso supplies (supplies to, name, other mucha) values (503, aa cop', '88883333'), A Cosect values isto products take y rusert inso produits (product 10, graduit code, name; quatity, finic, oupplie 20) value. (2001, 'Mei', 'provoil 3B', 500, 0.52, 500).

> consur usts products (product of product and, name quellory, porce, porce, suppliero values (2002, Per, Com 48, 600, 0.53, 50), name, quartity, pour supprisso values. (2003, 'per', penul 89, 600, 0.64, 500); 7 enseit into products (production, productione, mune, quantaly, price, suggestion value (2009, PEC, penil 60, 500, 0.55,503), + Lisk all the Lably of the cussin database > selece & from supplier; 7 select & from products; * Desplay she smiliere of the supplier and product puble > desistible supplie v 7 descripe products; 7 describe froducts - Expolicy: 7 describe foroduit-détails; A Display raine of all fordent oryptics ley ABC trades. of scleet productione from productions, supplied = supplied and supplied name = no successions

A Doop the subles. > Drop sable sproduct-desails; Total froducts ryplies; T Rig lable supplies; to do battle & Delette the dalabase > Dogs DAMBASE Organisation.

```
MySQL 8.0 Command Line Client - Unicode
Enter password: *****
Welcome to the MySQL monitor. Commands end with ; or g.
Your MySQL connection id is 19
Server version: 8.0.20 MySQL Community Server - GPL
Copyright (c) 2000, 2020, Oracle and/or its affiliates. All rights reserved.
Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.
Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.
mysql> CREATE DATABASE organisation;
Ouerv OK. 1 row affected (0.01 sec)
mysql> use organisation;
Database changed
mysql> show tables;
Empty set (0.00 sec)
mysql> CREATE TABLE suppliers(supplierID int primary key not null,name varchar(25) not null, phone_number int(10) not null);
Query OK, 0 rows affected, 1 warning (0.05 sec)
mysql> CREATE TABLE products ( productID int primary key not null, productCode varchar(3) not null, name varchar(25) not null, quantity int not null , price
float not null, supplierID int not null);
Query OK, O rows affected (0.07 sec)
mysql> create table products_suppliers (productID int not null, supplierID int not null);
Query OK, 0 rows affected (0.07 sec)
mysql> CREATE TABLE product_details(productID int not null,comment varchar());
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near '))'
at line 1
mysql> CREATE TABLE product_details(productID int not null,comment varchar(100));
Query OK, 0 rows affected (0.07 sec)
mysql> alter table products add foreign key(supplierID) references suppliers(supplierID);
Query OK, 0 rows affected (0.18 sec)
Records: 0 Duplicates: 0 Warnings: 0
mysgl> alter table product_details add foreign key(productID) references products(productID);
Query OK, 0 rows affected (0.24 sec)
Records: O Duplicates: O Warnings: O
mysql> insert into suppliers(supplierID, name, phone_number) values (501, 'ABC Traders', '88881111') ;
Query OK, 1 row affected (0.01 sec)
mysql> insert into suppliers(supplierID, name, phone_number) values (502, 'XYZ Company', '88882222') ;
Query OK, 1 row affected (0.01 sec)
                                                            > Type here to search
                                                                                                                                   ጵ ヘ 😭 🖅 ڼ) ENG
                                                                                                                                                     15-Sep-20
```

```
MySQL 8.0 Command Line Client - Unicode
Query OK, 1 row affected (0.01 sec)
mysql> insert into suppliers(supplierID, name, phone_number) values (503, 'QQ Corp', '88883333');
Query OK, 1 row affected (0.01 sec)
mysql> insert into products ( productID, productCode, name, quantity, price, supplierID) values (2001, 'PEC','Pencil 3B',500, 0.52, 501) ;
Query OK, 1 row affected (0.01 sec)
mysql> insert into products ( productID, productCode, name, quantity, price, supplierID) values (2002, 'PEC','Pencil 4B',600, 0.53, 501);
Query OK, 1 row affected (0.01 sec)
mysql> insert into products ( productID, productCode, name, quantity, price, supplierID) values (2003, 'PEC','Pencil 5B',600, 0.54, 502);
Query OK, 1 row affected (0.01 sec)
mysql> insert into products ( productID, productCode, name, quantity, price, supplierID) values (2004, 'PEC','Pencil 6B',500, 0.55, 503);
Query OK, 1 row affected (0.01 sec)
mysql> select *from suppliers;
 supplierID |
                             phone_number
              name
               ABC Traders
                                 88881111
         501
         502
                                 88882222
              XYZ Company
         503
                                 88883333
              QQ Corp
3 rows in set (0.00 sec)
mysql> select *from products;
 productID | productCode
                                        quantity | price | supplierID
                            name
                            Pencil 3B
                                              500
                                                     0.52
                                                                   501
      2002
                            Pencil 4B
                                              600
                                                     0.53
                                                                   501
              PEC
      2003
                            Pencil 5B
                                              600
                                                                   502
              PEC
                                                     0.54
      2004
             PEC
                            Pencil 6B
                                                     0.55
                                                                    503
4 rows in set (0.00 sec)
mysql> describe suppliers;
 Field
                                      Key
                                            Default |
                 Type
                                                       Extra
 supplierID
                               NO
                                       PRI
                                            NULL
                 varchar(25)
                                            NULL
 name
                               NO
 phone_number
                int
                                            NULL
3 rows in set (0.01 sec)
mysql> describe products;
```

Type here to search



























