The Double Slit Experiment: An Integrated Review of Its History, Implications, and Modern Frontiers

The double slit experiment stands as one of the most profound and enigmatic demonstrations in the history of physics [80]. Originally conceived to settle a debate about the nature of light, its legacy has expanded far beyond its initial scope, becoming a cornerstone of quantum mechanics and a persistent source of intellectual challenge [7] [15]. It is described by physicist Richard Feynman as containing "the only mystery" of quantum theory, encapsulating the deep-seated conflict between our classical intuitions and the behavior of the quantum world [15]. The experiment's enduring power lies in its simplicity of setup and the extraordinary complexity of its outcomes. By observing how particles such as photons and electrons create intricate interference patterns even when sent through the apparatus one by one, the double slit experiment forces a confrontation with foundational concepts like wave-particle duality, superposition, and the role of measurement [86] [139]. This report provides a comprehensive examination of the double slit experiment, tracing its historical development from Thomas Young's pioneering work to modern variations involving entangled photons and massive molecules [7] [37]. It explores the core quantum principles it reveals, including superposition and the measurement problem, and details the two primary mathematical frameworks used to describe it: the Schrödinger equation and Feynman's path integral formulation [23] [52]. Furthermore, the report delves into the major philosophical interpretations—Copenhagen, pilot-wave, and many-worlds—that attempt to make sense of its counterintuitive results [41] [108]. Finally, it reviews recent experimental advancements, such as quantum erasers, and discusses the practical applications of its underlying principles in emerging quantum technologies and precision metrology [8] [42]. Designed for a diverse audience, this analysis aims to provide a multi-layered understanding that is accessible to students, insightful for researchers, and engaging for general readers.

The Historical Evolution of Wave-Particle Duality

The story of the double slit experiment is not merely a chronology of a single procedure but an epic narrative of scientific paradigm shifts, moving from a clear-cut debate about the nature of light to a deeply nuanced understanding of reality itself [121]. Its historical arc traces the journey from classical wave optics to the quantum realm, where the very definitions of "particle" and "wave" become fluid and intertwined. The evolution began in the early 19th century with Thomas Young, an English polymath whose work provided the first compelling evidence for the wave theory of light [37] [38]. In the decades following Isaac Newton's influential corpuscular theory, which posited that light consisted of streams of tiny particles, the wave model struggled to gain traction [37]. Young's meticulous experiments, conducted around 1801-1804, were instrumental in changing this landscape [74] [76]. His classic double-slit setup involved passing light through a single narrow slit to create a coherent source, which then illuminated a screen containing two closely spaced parallel slits [31]. When the light waves emerging from these two secondary sources met on a distant screen, they produced a pattern of alternating bright and dark bands—a series of interference fringes [34] [66]. This pattern is the hallmark signature of wave behavior, where crests of waves reinforce each other (constructive interference) to create bright spots, and crests meet troughs to cancel out (destructive interference), creating dark spots [1]. Young's demonstration was a powerful refutation of the purely particle-based model, which would have predicted only two bright patches on the screen corresponding to the two slits [34]. His work established the double slit experiment as the definitive test for the wave nature of light, and for decades, it served precisely that purpose [35] [37].

For much of the 19th century, the wave theory of light, bolstered by the mathematical work of Augustin-Jean Fresnel and others, appeared to be firmly established. However, the turn of the 20th century brought a dramatic reversal with the discovery of the photoelectric effect [71]. In 1905, Albert Einstein provided a revolutionary explanation for this phenomenon, proposing that light itself is quantized into discrete packets of energy, later named photons [104]. He argued that electrons were ejected from a metal surface only when struck by a photon with sufficient energy, which depended on the light's frequency, not its intensity. This particle-like description of light seemed to resurrect Newton's corpuscular theory in a new guise. For the next two decades, physicists grappled with this apparent contradiction: light behaved like a wave in interference experiments and like a stream of particles in the photoelectric effect. This state of dual behavior became known as wave-particle duality, a concept that challenged the classical notion that something

must be exclusively one or the other. The central question became whether this duality was a property of light alone or a more fundamental characteristic of all of nature.

The crucial insight that extended this duality beyond light came from the French physicist Louis de Broglie in his 1924 doctoral thesis [40]. Building on Einstein's work, de Broglie boldly hypothesized that if waves (photons) could exhibit particle-like properties, then perhaps particles (like electrons) could also exhibit wave-like properties [73]. He proposed a simple formula relating a particle's momentum (p) to an associated wavelength (λ), now known as the de Broglie wavelength: $\lambda = h/p$, where h is Planck's constant [40]. This was a radical suggestion, implying that material objects possess an intrinsic wavelike character. Initially, it was a theoretical proposal without experimental confirmation. The breakthrough came in 1927 through the experimental work of American physicists Clinton Davisson and Lester Germer at Bell Labs [39]. While investigating the scattering of electrons off a nickel crystal, they observed diffraction patterns—patterns of constructive and destructive interference—that were unmistakably wave-like. Their experimental setup, though using a crystal lattice instead of two discrete slits, functioned as a three-dimensional diffraction grating, producing rings of enhanced electron density that confirmed de Broglie's hypothesis [39]. Around the same time, George Thomson in Scotland independently demonstrated electron diffraction by passing beams through thin metal foils [39]. These discoveries were monumental; they proved that wave-particle duality was not just a peculiarity of light but a universal principle applying to matter as well. The double slit experiment, long used to prove light was a wave, was now poised to become the ultimate test of the full-blown quantum nature of particles.

With the theoretical foundation laid by Erwin Schrödinger and Werner Heisenberg, the stage was set for a direct realization of the double slit experiment with electrons [12] [85]. Theorists developed a mathematical framework—the Schrödinger equation—to describe the evolution of a particle's wave-like properties [25]. This wavefunction, denoted by ψ, could be used to calculate the probability of finding the particle at any given location. The square of the wavefunction's amplitude, $|\psi|^2$, gives the probability density [59]. Applying this to the double slit scenario, the wavefunction emanating from the source would split upon reaching the barrier, with parts passing through each slit. These two emerging wavelets would then propagate forward and interfere with each other, just like water waves or light waves. The resulting interference pattern on the detector screen would represent the probability distribution for where an electron would be found. Where the waves constructively interfere, the probability of detecting an electron is high; where they destructively interfere, the probability is zero. This probabilistic interpretation, championed by Max Born, replaced the deterministic predictions of classical physics with statistical ones.

The final and most striking confirmation of this quantum picture came from experiments designed to probe the behavior of individual particles. In a classic experiment, if one were to send a stream of classical particles (like bullets from a machine gun) through two slits, one would simply see two piles of bullets behind the slits. If one were to reduce the rate to a single bullet at a time, the result would be the same: two piles forming over time. However, when electrons were fired one by one through a double-slit apparatus, an astonishing result was observed [174]. At first, individual electrons appeared as localized impacts on the detector screen, behaving like particles. But as more and more single electrons were recorded, a pattern of interference fringes gradually emerged from the seemingly random dots [144]. Each individual electron seemed to contribute to the overall pattern as if it had passed through both slits and interfered with itself [193]. This was a profound revelation. It demonstrated that the wave-like behavior was not an artifact of many particles interacting with each other, but an intrinsic property of a single quantum entity. The electron's wavefunction, representing all possibilities, propagated through both slits simultaneously. This "self-interference" of a single particle became a defining feature of the quantum world and a central point of confusion and fascination [47]. One of the earliest and most fundamental demonstrations of quantum mechanical interference was Young's original double-slit experiment with optical waves [35]. This entire historical trajectory—from proving light was a wave, to reintroducing particles with the photoelectric effect, to extending duality to matter, and finally to observing the self-interference of single particles—establishes the double slit experiment as a dynamic and evolving probe of reality, continually reshaping our understanding of the physical universe.

Core Principles: Superposition, Interference, and Measurement

Beyond its historical significance, the double slit experiment serves as a crucible for the most fundamental and perplexing principles of quantum mechanics. While often summarized by the popular phrase "wave-particle duality," this term can be a misleading oversimplification that obscures the deeper, more radical concepts at play [110]. A more precise and insightful analysis reveals that the experiment is a direct manifestation of three interconnected principles: quantum superposition, quantum interference, and the quantum measurement problem. Together, they form the bedrock of quantum weirdness and challenge our classical worldview at its most basic level [15] [80].

The principle of superposition is arguably the most critical concept illustrated by the double slit experiment [52]. In classical physics, an object is always in a definite state; a ball is either here or there, going through slit A or slit B. In stark contrast, a quantum system like an electron or photon can exist in a combination of multiple states simultaneously [43] [52]. Before it is measured, the particle approaching the double slit is not confined to a single path. Instead, its state is a superposition of "going through slit A" and "going through slit B." This is not a statement about our lack of knowledge; it is a description of the particle's actual physical condition. The wavefunction, which mathematically describes the quantum state, embodies this superposition. It is a vector in an abstract mathematical space called Hilbert space, and since it is a vector space, it can be expressed as a sum of other vectors, or states [53] [85]. In the double slit case, the final wavefunction is the sum (or superposition) of the wavefunction that went through slit A and the wavefunction that went through slit B [96]. It is this simultaneous exploration of multiple possibilities that leads to the experiment's most surprising outcome.

Quantum interference is the direct consequence of superposition and is responsible for the characteristic fringe pattern on the detection screen [97]. As the particle's wavefunction travels through both slits, the two components recombine on the other side. The total probability of finding the particle at any point on the screen is determined by the square of the total wavefunction's amplitude, $|\psi_A+\psi_B|^2$ [59]. This expression expands to $|\psi_A|^2+|\psi_B|^2+2\mathrm{Re}(\psi_A^*\psi_B)$. The first two terms, $|\psi_A|^2$ and $|\psi_B|^2$, correspond to what you would get if only slit A or only slit B were open. The third term, the interference term, is purely quantum mechanical and arises from the addition of the two wave amplitudes. When the peaks (or troughs) of the waves from slit A and slit B arrive at the same point in phase, they add together, leading to constructive interference and a bright fringe. When they arrive out of phase, they cancel each other, leading to destructive interference and a dark fringe [98]. This process is identical to classical wave interference, but its origin is different: it stems from the mathematical addition of probability amplitudes representing distinct possible histories of a single quantum entity [56]. The interference pattern is therefore not the result of waves physically bumping into each other, but rather a statistical imprint left by countless individual particles, each having explored multiple paths in superposition [160].

The third and perhaps most philosophically challenging principle is the role of measurement, which gives rise to the quantum measurement problem—a deep and unresolved issue in the foundations of physics [119]. The double slit experiment vividly demonstrates that the act of observing or measuring a quantum system fundamentally alters its behavior [134]. Specifically, if a detector is placed near the slits to determine which one a particle passes through, the interference pattern vanishes and is replaced by

the simple, classical pattern of two clumps behind the slits [134][143]. This is not because the measurement device physically disturbs or "kicks" the particle in a way that spoils the experiment; in fact, sophisticated setups show that even minimal interaction destroys the pattern [28]. The destruction of interference occurs simply because the measurement succeeds in obtaining "which-path" information. By correlating the particle's path with the state of the detector, the entire system (particle plus detector) becomes entangled, collapsing the superposition. The particle is no longer in a state of "going through both slits"; it is definitively in the state of "going through slit A" (correlated with the detector flashing "A") or "going through slit B" (correlated with the detector flashing "B"). With only one possible path, there is nothing left for the wave to interfere with, and the interference pattern disappears [28]. This highlights a profound departure from classical intuition: the properties of a quantum system are not independent of the act of observation. The potential for interference is lost the moment information about the path becomes available, whether anyone reads the detector or not [135]. This leads to Bohr's principle of complementarity, which states that wave-like (interference) and particle-like (well-defined path) behaviors are complementary aspects of quantum objects; they cannot be observed simultaneously in a single experimental arrangement [69]. The double slit experiment thus serves as a perfect illustration of this principle: one can choose to set up the experiment to reveal wave nature (no path detectors) or particle nature (path detectors), but not both at the same time [182]. The experiment forces us to confront the idea that at the quantum level, reality is not fixed until it is measured, a concept that lies at the heart of the ongoing debate about the interpretation of quantum mechanics.

Mathematical Formalisms: From Wavefunctions to Path Integrals

To move beyond conceptual descriptions and achieve a predictive and quantitative understanding of the double slit experiment, physicists employ rigorous mathematical formalisms. Two primary and equivalent frameworks stand out: the traditional Schrödinger wave mechanics and the more recent, but equally powerful, Feynman path integral formulation. Both provide a complete description of quantum systems, yet they offer different perspectives on the fundamental processes at play, particularly the principle of superposition. Choosing between them often depends on the specific problem at hand and the desired pedagogical approach [25][115].

The Schrödinger formalism, developed in 1926, is the more established of the two [12]. It describes a quantum system entirely in terms of its wavefunction, conventionally denoted by the Greek letter psi, $\psi(x,t)$ [26]. This wavefunction is a complex-valued function that contains all the information possible about the system. The fundamental postulate of this approach is that the state of a quantum system is represented by an element of a complex separable Hilbert space [12] [85]. The probability of finding the particle at a specific position x at time t is given by the square of the absolute value of the wavefunction, $P(x,t) \propto |\psi(x,t)|^2$ [59]. The evolution of the wavefunction over time is governed by the time-dependent Schrödinger equation:

$$i\hbar \frac{\partial}{\partial t}\psi(x,t) = \hat{H}\psi(x,t)$$

where i is the imaginary unit, $\hbar$ is the reduced Planck's constant, and $\hat{H}$ is the Hamiltonian operator, which represents the total energy of the system [25] [170]. For the double slit experiment, solving this equation with appropriate boundary conditions allows one to calculate the wavefunction on the far side of the slits [145]. The calculation typically starts with a wave packet (representing the particle) approaching the barrier [120]. Upon hitting the barrier with two slits, the wavefunction splits into two parts, ψ_A and ψ_B, each propagating from one slit as a new spherical wave [96]. Due to the linearity of the Schrödinger equation, the total wavefunction is the sum of these two components: $\psi_{total} = \psi_A + \psi_B$ [97]. The resulting intensity or probability distribution on the screen is then calculated as $I \propto |\psi_A + \psi_B|^2$, which explicitly yields the interference term $2|\psi_A||\psi_B|\cos(\phi)$, where ϕ is the phase difference between the waves arriving from the two slits [67]. This formalism elegantly derives the interference pattern from the fundamental principles of wave mechanics and linear superposition. It is particularly well-suited for problems involving bound states and calculating energy levels, as it directly solves for stationary states of a system [25].

In 1948, physicist Richard Feynman introduced an alternative and profoundly insightful formulation of quantum mechanics based on the "sum-over-histories" or path integral approach [23] [60]. Instead of tracking the evolution of a single wavefunction, Feynman's method calculates the probability amplitude for a particle to travel from an initial point α to a final point β by considering *all possible paths* that the particle could take between those two points [56] [117]. Each path contributes a complex number (an amplitude) to the total, and the total amplitude is the sum (technically, a path integral) of the amplitudes from every conceivable path [58]. The amplitude contributed by a given path is proportional to $e^{(iS/\hbar)}$, where S is the classical action for that path—a quantity derived

from the path's Lagrangian. This means each path is weighted by a phase factor of unit magnitude rotating in the complex plane [117]. The probability of the particle arriving at β is then the square of the magnitude of the total amplitude summed over all paths.

When applied to the double slit experiment, the path integral formulation offers a beautiful visualization of superposition. The vast majority of possible paths do not come close to the slits and tend to cancel each other out due to wildly different phases. However, the paths that pass through slit A all have similar actions and thus their contributions add coherently. Similarly, the paths passing through slit B also add coherently. The total amplitude is therefore the sum of an "A-path amplitude" and a "B-path amplitude" [56]. The relative phase between these two collective amplitudes determines whether the final probability will exhibit constructive or destructive interference, just as in the Schrödinger picture. Feynman showed that the result of summing over all paths is mathematically identical to the result obtained by solving the Schrödinger equation [56] [116]. This approach makes the superposition principle manifestly clear: the particle's arrival at the screen is the result of it taking every possible route simultaneously. The path integral formulation is exceptionally powerful for calculations in quantum field theory and has proven invaluable in areas like quantum gravity and condensed matter physics [24]. It also allows for the exploration of non-classical effects. For instance, recent studies using the path integral formalism have been able to quantify the tiny but non-zero contributions from exotic paths, such as photons looping around in complex ways in a three-slit experiment, which lead to higher-order interference effects not predicted by standard quantum theory [118][183][194]. While the Schrödinger and path integral approaches differ in their conceptual starting points—one based on a wave evolving in space and time, the other on summing amplitudes over all histories—they are two sides of the same coin, providing a complete and consistent mathematical description of the quantum world exemplified by the double slit experiment [93].

Feature	Schrödinger Wave Mechanics	Feynman Path Integral
Fundamental Object	Wavefunction, $\psi(x,t)$ [26]	Probability Amplitude [117]
Evolution Law	Time-dependent Schrödinger Equation [25]	Sum over all paths from initial to final state [117]
Core Principle	Superposition of wave states [97]	Superposition of histories/amplitudes [56]
Visualization	Wave spreading and interfering in space [96]	Particle exploring all possible trajectories [117]
Strengths	Ideal for bound states and energy calculations [25]	Powerful for quantum field theory and visualizing superposition [24]
Weaknesses	Less intuitive for scattering problems [25]	Can be computationally intensive for complex systems [25]

Philosophical Interpretations: Debating the Nature of Reality

The counterintuitive results of the double slit experiment—particularly the self-interference of a single particle and the collapse of the wavefunction upon measurement—have fueled decades of intense philosophical debate about the true nature of reality [80]. No single interpretation of quantum mechanics has achieved universal consensus, and the choice among them often reflects differing philosophical commitments regarding determinism, realism, and the role of the observer [41]. The DSE serves as the ultimate testing ground for these competing worldviews, forcing each to account for how a single particle can seem to go through two places at once and why observation appears to shape reality.

The most historically dominant and widely taught interpretation is the Copenhagen interpretation, primarily associated with Niels Bohr and Werner Heisenberg [108]. Within this view, the wavefunction is not considered a real, physical wave existing in space. Instead, it is a calculational tool, a mathematical entity that encodes the probabilities for the outcomes of future measurements [134]. According to Bohr's principle of complementarity, the wave-like (spread out, interfering) and particle-like (localized, definite path) aspects of quantum entities are complementary and mutually exclusive. One cannot observe both simultaneously [69]. In the double slit experiment, when no which-path information is sought, the system is described by a wavefunction that passes through both slits, and the ensemble of results from many trials builds up the interference pattern. The act of measurement is treated as a special, irreversible process that "collapses" the wavefunction instantaneously. When a detector is used to determine which slit the particle passes through, the wavefunction collapses to a state corresponding to that specific path, destroying the superposition and eliminating the interference [134]. The Copenhagen interpretation sidesteps questions about what "really happens" between preparation and measurement, focusing instead on the logical structure of the relationship between experimental preparations and the statistical outcomes of observations. It maintains a sharp distinction between the quantum system under study and the classical macroscopic apparatus used for measurement.

An alternative to the probabilistic and non-deterministic nature of the Copenhagen view is the de Broglie-Bohm (or pilot-wave) theory [20] [32]. This interpretation is a hidden-variable theory, meaning it posits that quantum systems have definite properties (like a precise position and velocity) at all times, contrary to the Copenhagen view. In this model, every particle has a well-defined trajectory guided by a "pilot wave" [20]. This pilot

wave is a real physical wave, governed by the Schrödinger equation, that passes through both slits and interferes with itself. The particle itself, however, always goes through only one slit or the other [160]. The pilot wave generated by the two slits creates an interference pattern in the space beyond. This pattern then guides the motion of the particle, causing it to be funneled towards the bright fringes and away from the dark fringes of the resulting probability distribution [159]. In this view, there is no wavefunction collapse. The particle's path is predetermined by its initial position and the guiding influence of the pilot wave. While this theory successfully reproduces all the statistical predictions of standard quantum mechanics, it is non-local, meaning the pilot wave acts instantaneously across any distance, a feature that conflicts with the spirit of relativity. Some recent research has attempted to extend this theory to relativistic particles like photons [91], though this remains an area of active development.

Perhaps the most mind-bending interpretation is the Many-Worlds Interpretation (MWI), originally proposed by Hugh Everett [155]. MWI attempts to resolve the measurement problem by completely removing the need for wavefunction collapse [156]. It takes the mathematics of quantum mechanics at face value and assumes the Schrödinger equation is always and everywhere valid, without any special measurement postulate. In MWI, when a quantum system in a superposition interacts with a measuring device, the entire composite system (particle + device + observer) enters a superposition. For the double slit experiment, when a single particle in the state $(\psi_A + \psi_B)$ hits the detector screen, the universe branches into multiple non-communicating worlds [190]. In one branch, the particle is detected as having gone through slit A; in another, it is detected as having gone through slit B. An observer in each branch sees only their own definite outcome and is unaware of the other branches. The global state remains a superposition, but the appearance of collapse is an illusion experienced within each individual branch of the multiverse [156]. The interference pattern is understood as the statistical record of what was seen by observers across all these branching universes. While MWI elegantly avoids the conceptual problems of wavefunction collapse and hidden variables, it comes at the cost of an ontological proliferation of realities, raising its own set of philosophical questions about probability, identity, and the nature of existence [190].

Beyond these three major interpretations, other views continue to explore the foundations of quantum theory. Relational Quantum Mechanics (RQM) posits that quantum states are not absolute properties of systems but are defined only in relation to an observer [126]. The results of the double slit experiment depend on the relationship between the particle, the slits, and the detector. Other interpretations aim to unify different perspectives or adopt a more agnostic stance. For example, some propose a "reality-without-realism" perspective, suggesting that while reality exists, it does not

possess definite properties independent of observation [19]. Ultimately, the double slit experiment remains a mirror reflecting the deepest uncertainties about the fabric of reality. While all major interpretations agree on the mathematical predictions and match experimental results, they offer profoundly different narratives about what the universe is actually doing when we are not looking [108].

Interpretation	Key Idea	Role of Wavefunction	Fate of Superposition	Role of Measurement
Copenhagen	Probabilistic description of observations [134]	Calculational tool for probabilities	Collapses upon measurement	A special, non-dynamical process [134]
de Broglie-Bohm	Particles with definite trajectories guided by a real pilot wave [20]	Real physical wave guiding particles [20]	Always maintained; particle follows a path	Interaction that reveals a pre-existing property
Many-Worlds (MWI)	All possible outcomes occur in branching universes [156]	Describes the state of the entire multiverse	Never collapses; observed in all branches [156]	An interaction that causes decoherence and branching [156]
Relational QM (RQM)	States are defined relative to an observer	Defined relative to an observer	Depends on the observer-system relationship	An interaction between two quantum systems [61]

Modern Frontiers: Quantum Erasers and Matter-Wave Interferometry

While the double slit experiment's core principles were established decades ago, its legacy continues to thrive at the cutting edge of physics. Researchers are not only refining the original experiment but are also creating novel variations that probe the boundaries of quantum mechanics, test its interpretations, and push the limits of quantum superposition to ever-larger scales [7] [51]. Among the most fascinating developments are the "quantum eraser" experiments, which manipulate the relationship between wave-like and particle-like behavior after the fact, and the extension of matter-wave interferometry to complex molecules and nanoparticles, probing the quantum-classical divide [8] [43].

The quantum eraser experiments are a direct descendant of John Wheeler's "delayed-choice" thought experiment, which questioned whether a particle could "decide" whether to behave like a wave or a particle even after it had already passed through the slits [9] [44]. These experiments are made possible through the use of quantum entanglement. A typical setup involves creating a pair of entangled photons from a single source [29]. One photon (the "signal" photon) is sent on a path toward a double slit and then to a detector screen, while the other photon (the "idler" photon) is sent to a separate apparatus that

can be configured to either preserve or erase "which-path" information about the signal photon [186]. The idler's fate determines what the experimenter can learn about the signal photon's path. Crucially, the decision of how to measure the idler can be made *after* the signal photon has already been detected, or even after it has ceased to exist [88]. If the idler measurement is set up to determine which slit the signal photon went through, the interference pattern on the screen for the signal photons is destroyed. However, if the idler measurement is set up in a way that erases this which-path information, the interference pattern miraculously reappears when the data from the signal photons are sorted according to the idler's outcome [127][135]. This seems to suggest that the past behavior of the signal photon (as inferred from its final detection point) is retroactively influenced by a future measurement on its entangled partner [122]. Experiments have confirmed these predictions, demonstrating remarkable consistency with theoretical models [181]. These findings underscore the non-local and deeply interconnected nature of entangled systems and highlight that the acquisition of information, not physical interaction, is what fundamentally alters the observable statistics of a quantum system [28]. They provide a powerful, albeit counter-intuitive, demonstration of complementarity in action.

Another frontier is the extension of wave-particle duality to larger and more complex systems, testing the limits of quantum superposition. The double slit experiment has been performed not only with electrons and photons but also with atoms, large molecules like buckyballs (C_{60}), and even more massive molecules composed of over 800 atoms [7]. These experiments are significant because as objects become larger and interact more strongly with their environment, they are expected to lose their quantum coherence and behave classically. Observing interference patterns with such large molecules pushes the boundary of the quantum world further out and provides stringent tests for different interpretations of quantum mechanics. For instance, objective-collapse theories predict that the wavefunction should collapse spontaneously for sufficiently massive objects, and such experiments are used to place bounds on the parameters of these theories [187]. The ability to maintain coherence in these complex systems is a testament to the robustness of quantum mechanics and a key step toward building larger-scale quantum technologies. Recent numerical simulations have helped model these complex molecular interference experiments, providing insights into the role of internal degrees of freedom and environmental interactions [195].

Furthermore, physicists are exploring unconventional configurations and novel phenomena related to the DSE. For example, researchers have investigated "cross-double-slit" arrangements and other complex geometries to uncover new facets of wave-particle duality [21]. Studies on multi-slit experiments have revealed the existence of exotic looped

photon trajectories that contribute to interference in subtle ways, offering a way to test the foundations of quantum theory beyond the standard two-slit model [183]. There is even ongoing research into developing new types of double-slit configurations that could, in principle, distinguish between the predictions of different quantum theories, potentially identifying deviations from standard quantum mechanics [17] [45] [46]. At the same time, a small number of speculative theories propose entirely new explanations that discard the wave model. One such theory claims to explain electron diffraction patterns without invoking waves, instead attributing them to "CMFs" (presumably some other entity) generated by accelerated electrons [4]. Another proposes a model based on a Schrödinger equation with a source term to better understand wave-driven particle analogs [95]. While these ideas remain on the periphery of mainstream physics, they highlight the continued fertile ground the double slit experiment provides for creative and fundamental inquiry. Even the idealized version of the experiment, stripped to its quantum essentials, continues to yield new insights, as demonstrated by MIT physicists who have performed an "idealized" version to probe the core principles without experimental noise [51]. The double slit experiment, in its various guises, remains an indispensable tool for exploring the deepest mysteries of the quantum realm.

Pedagogical Approaches and Practical Applications

The profound and often counterintuitive lessons of the double slit experiment present a significant challenge for educators, yet they also offer a unique opportunity to engage students with the core concepts of quantum physics [113]. Simultaneously, the principles of superposition and interference that the experiment so vividly demonstrates are no longer confined to the realm of pure theory; they are the foundational bedrock upon which a new generation of quantum technologies is being built, impacting fields from computing to precision metrology [83] [84].

Teaching the double slit experiment effectively requires navigating a minefield of common student misconceptions rooted in classical intuition [49]. Research in physics education has identified several persistent misunderstandings [78] [123]. A frequent error is the belief that a single particle literally splits in two and passes through both slits simultaneously, a misinterpretation of the wavefunction's behavior [30]. Another is the idea that the interference pattern is created by particles "bumping into" each other or their own waves. A third is the notion that placing a detector "physically disturbs" the particle, knocking it off course. Effective pedagogical strategies aim to dismantle these

misconceptions by fostering a conceptual shift [143]. Visualizations and simulations are powerful tools for helping students connect the abstract mathematics of wavefunctions to the concrete, statistical emergence of the interference pattern from individual particle detections [98] [99]. Using diagrams, analogies, and non-mathematical explanations can provide an accessible entry point, though care must be taken with metaphors, as they can easily lead to new forms of misunderstanding [162][164]. A successful teaching approach often involves a deliberate comparison of the different possible outcomes (particle-like vs. wave-like) and then revealing the actual quantum result, which is a synthesis of both. Furthermore, instructors can use the DSE to introduce different interpretations of quantum mechanics, helping students appreciate that even experts disagree on the underlying reality, thereby presenting science as an active, ongoing process of inquiry rather than a collection of settled facts [173].

Beyond the classroom, the abstract principles of the DSE have direct and powerful real-world applications, forming the basis of numerous quantum technologies [81] [84]. The core concepts of superposition and interference are the essential ingredients for quantum computation, where qubits leverage superposition to perform vast parallel computations, and quantum algorithms rely on interference to amplify correct answers and cancel wrong ones [83]. Quantum cryptography uses entangled particles, a concept intimately tied to quantum eraser experiments, to create communication channels that are theoretically secure against eavesdropping [83]. Quantum simulation leverages controllable quantum systems (like trapped ions or ultra-cold atoms) to mimic the behavior of other, more complex quantum materials that are difficult to model with classical computers [83].

One of the most mature and impactful application areas is quantum interferometry, which generalizes the DSE to measure extremely small changes in physical quantities with unprecedented precision [42]. Atom interferometers, for example, use laser beams to split, reflect, and recombine the wavefunctions of ultra-cold atoms, putting them into a superposition of different momenta or positions [65] [197]. Any external influence, such as gravity, acceleration, or rotation, imprints a phase shift on one part of the atomic wavefunction relative to the other. When the waves are recombined, this phase shift manifests as a change in the interference pattern, allowing for incredibly sensitive measurements [157]. These devices are used to build highly accurate inertial sensors for navigation and geophysics, and to test fundamental physics, such as measuring the gravitational redshift or searching for dark matter [133][149]. Electron interferometry, similarly based on the DSE, is a key technique in transmission electron microscopy (TEM) for imaging materials at the atomic scale [63]. Electron holographic interferometry, for

instance, uses an asymmetric double slit to characterize electric and magnetic fields within materials with nanoscale resolution [62]. Even more advanced techniques, like quantum-correlation enabled Fourier Ptychography, use the principles of quantum interference to capture high-resolution images with very few photons, opening new possibilities in biomedical imaging [137]. The double slit experiment, born from a simple optical demonstration, has thus evolved into a powerful conceptual engine driving both our understanding of reality and the creation of transformative technologies.

Reference

1. Double slit experiment: how to derive the figure of interference? https://physics.stackexchange.com/questions/711483/double-slit-experiment-how-to-derive-the-figure-of-interference
2. Double-Slit Experiments in Wave Mechanics - Scribd https://www.scribd.com/document/521672556/L-23-28-Wave-Mechanics-AMP-19
3. (PDF) The Quantum Mechanical Two-Slit Interference Experiment ... https://www.researchgate.net/publication/394944817_The_Quantum_Mechanical_Two-Slit_Interference_Experiment_Modelled_Using_Spherical_Waves
4. The Double Slit Experiment Re-Explained - Academia.edu https://www.academia.edu/37714279/The_Double_Slit_Experiment_Re_Explained
5. (PDF) Young's double-slit interference experiment with electrons https://www.researchgate.net/publication/243492785_Young's_double-slit_interference_experiment_with_electrons
6. Atom Interferometry - an overview | ScienceDirect Topics https://www.sciencedirect.com/topics/physics-and-astronomy/atom-interferometry
7. The Double-Slit Experiment: The Most Important Physics Experiment ... https://quantumzeitgeist.com/the-double-slit-experiment-the-most-important-physics-experiment-ever/
8. (PDF) Delayed “Choice” Quantum Eraser - ResearchGate https://www.researchgate.net/publication/12307552_Delayed_Choice_Quantum_Eraser
9. The double-slit quantum eraser experiments and Hardy's paradox in ... https://arxiv.org/abs/1407.5143

10. Random Delayed-Choice Quantum Eraser via Two-Photon Imaging https://www.academia.edu/7493296/Random_Delayed_Choice_Quantum_Eraser_via_Two_Photon_Imaging
11. Variation of delayed choice quantum eraser - Physics Stack Exchange https://physics.stackexchange.com/questions/18605/variation-of-delayed-choice-quantum-eraser
12. [PDF] QUANTUM MECHANICS 1. Motivation Double-slit experiment https://web.math.princeton.edu/~ericyc/Talk2Notes.pdf
13. Quantum Superposition Principle and Geometry - ResearchGate https://www.researchgate.net/publication/2193401_Quantum_Superposition_Principle_and_Geometry
14. Double-Slit Experiments (Chapter 10) - Quantized Detector Networks https://www.cambridge.org/core/books/quantized-detector-networks/doubleslit-experiments/7CC9C23D892E73111CBC99CC28D201E3
15. [PDF] Quantum interference with slits - arXiv https://arxiv.org/pdf/quant-ph/0703126
16. A Missing Link: The Double-Slit Experiment and Quantum ... - MDPI https://www.mdpi.com/1099-4300/27/8/781
17. Can the double-slit experiment distinguish between quantum ... https://www.nature.com/articles/s42005-023-01315-9
18. (PDF) Theory of the Double Slit Experiment - ResearchGate https://www.researchgate.net/publication/370363989_Theory_of_the_Double_Slit_Experiment
19. “Yet Once More”: The Double-Slit Experiment and Quantum ... - MDPI https://www.mdpi.com/1099-4300/24/10/1455
20. Exploring Experimentally Mystery of Double slit - Academia.edu https://www.academia.edu/45214028/Comprehensive_Double_Slit_Experiments_Exploring_Experimentally_Mystery_of_Double_slit
21. (PDF) Double Slit to Cross Double Slit to Comprehensive Double ... https://www.researchgate.net/publication/351834143_Double_Slit_to_Cross_Double_Slit_to_Comprehensive_Double_Slit_Experiments
22. (PDF) The Schrödinger Equation, Path Integration and Applications https://www.researchgate.net/publication/349920239_The_Schrodinger_Equation_Path_Integration_and_Applications
23. Path Integrals in Quantum Mechanics | PDF | Schrödinger Equation https://www.scribd.com/document/408755750/Path-Integrals-by-Weikberg

24. Review of Feynman's Path Integral in Quantum Statistics https://www.cambridge.org/core/journals/communications-in-computational-physics/article/review-of-feynmans-path-integral-in-quantum-statistics-from-the-molecular-schrodinger-equation-to-kleinerts-variational-perturbation-theory/0C1C964C5D0F3F8DC5906DBD2CE2F925
25. Introduction to Quantum Mechanics: Schrödinger Equation and Path ... https://www.researchgate.net/publication/303411205_Introduction_to_Quantum_Mechanics_Schrodinger_Equation_and_Path_Integral
26. [PDF] A proposal for the solution of the paradox of the double-slit experiment https://cea.hal.science/cea-01383609v10/document
27. Delayed choice experiments: an analysis in forward time https://link.springer.com/article/10.1007/s40509-024-00328-5
28. Does the quantum eraser double slit experiment disprove many ... https://physics.stackexchange.com/questions/400312/does-the-quantum-eraser-double-slit-experiment-disprove-many-worlds-interpretati
29. [PDF] Demystifying the Delayed Choice Experiments - arXiv https://arxiv.org/pdf/1007.3977
30. Is my understanding of the double-slit experiment correct? https://physics.stackexchange.com/questions/685051/is-my-understanding-of-the-double-slit-experiment-correct
31. The dual nature of light as reflected in the Nobel archives https://www.nobelprize.org/prizes/themes/the-dual-nature-of-light-as-reflected-in-the-nobel-archives/
32. (PDF) Experimental Study of Mystery of Double Slit - ResearchGate https://www.researchgate.net/publication/353739145_Experimental_Study_of_Mystery_of_Double_Slit_---_Comprehensive_Double_Slit_Experiments
33. Evaluating double-slit experiment for wave-particle duality https://physics.stackexchange.com/questions/250545/evaluating-double-slit-experiment-for-wave-particle-duality
34. Double-slit Interference Experiment : 5 Steps - Instructables https://www.instructables.com/Double-slit-Interference-Experiment/
35. Quantum mechanical double slit for molecular scattering https://www.science.org/doi/10.1126/science.abl4143
36. (PDF) Investigating the Double-Slit Interference Experiment https://www.researchgate.net/publication/386464057_Investigating_the_Double-Slit_Interference_Experiment

37. The classical double slit experiment–a study of the distribution of ... https://iopscience.iop.org/article/10.1088/1361-6404/ab9afd
38. (PDF) The classical double slit experiment: A study of the distribution ... https://www.researchgate.net/publication/342055739_The_classical_double_slit_experiment_A_study_of_the_distribution_of_interference_fringes_formed_on_distant_screens_of_varied_shapes
39. [PDF] arXiv:1211.3493v1 [physics.pop-ph] 15 Nov 2012 https://arxiv.org/pdf/1211.3493
40. (PDF) Evaluation of Davisson-Germer on DeBroglie Hypothesis https://www.researchgate.net/publication/363697183_Evaluation_of_Davisson-Germer_on_DeBroglie_Hypothesis
41. How Two Rebel Physicists Changed Quantum Theory - JSTOR Daily https://daily.jstor.org/how-two-rebel-physicists-changed-quantum-theory/
42. Quantum interferometers: principles and applications - arXiv https://arxiv.org/html/2310.16378v2
43. Probing quantum mechanics with nanoparticle matter-wave ... - PMC https://pmc.ncbi.nlm.nih.gov/articles/PMC12823444/
44. The Wave–Particle Dualism of Photons as Seen from an ... - MDPI https://www.mdpi.com/1099-4300/27/10/1037
45. (PDF) Can the double-slit experiment distinguish between quantum ... https://www.researchgate.net/publication/372785585_Can_the_double-slit_experiment_distinguish_between_quantum_interpretations
46. Can the double-slit experiment distinguish between quantum ... - arXiv https://arxiv.org/abs/2301.02641
47. Revisiting self-interference in Young's double-slit experiments - Nature https://www.nature.com/articles/s41598-023-28264-1
48. Young's Double-slit Experiment, correction on the misconception. https://www.researchgate.net/publication/376245264_Young's_Double-slit_Experiment_correction_on_the_misconception
49. Addressing misconceptions in university physics - arXiv.org https://arxiv.org/html/2405.20923v2
50. A Missing Link: The Double-Slit Experiment and Quantum ... - PMC https://pmc.ncbi.nlm.nih.gov/articles/PMC12386129/
51. Famous double-slit experiment holds up when stripped ... - MIT News https://news.mit.edu/2025/famous-double-slit-experiment-holds-when-stripped-to-quantum-essentials-0728

52. Quantum State Superposition: A Fundamental Principle Of Quantum ... https://quantumzeitgeist.com/quantum-state-superposition-a-fundamental-principle-of-quantum-mechanics/
53. What experimental proof of quantum superposition do we have? https://physics.stackexchange.com/questions/789177/what-experimental-proof-of-quantum-superposition-do-we-have
54. The Enigma of Delayed Choice Quantum Eraser - arXiv https://arxiv.org/html/2510.23539v1
55. [PDF] Feynman's Sum-over-Paths method applied in wave optics and for ... https://arxiv.org/pdf/2202.09232
56. [PDF] Path integrals, matter waves, and the double slit - IOP Science https://iopscience.iop.org/article/10.1088/0143-0807/36/6/065048/ampdf
57. [PDF] Path integrals and the double slit - arXiv https://arxiv.org/pdf/1504.07530
58. [PDF] Feynman Path Integral approach to electron diffraction for one ... - HAL https://hal.science/hal-00630741v2/file/AJP_v2_MathieuBeau_16Dec2011.pdf
59. Feynman Lecture 26 - Summation of Probability Amplitudes https://physics.stackexchange.com/questions/594824/feynman-lecture-26-summation-of-probability-amplitudes
60. Recent Progress on the Sum over Paths Approach in Quantum ... https://www.mdpi.com/2624-8174/4/3/67
61. Path integral implementation of relational quantum mechanics - Nature https://www.nature.com/articles/s41598-021-88045-6
62. (PDF) Interference and interferometry in electron holography https://www.researchgate.net/publication/342501361_Interference_and_interferometry_in_electron_holography
63. [EPUB] Full Field Optical Metrology and Applications. Chapter 15 - IOPscience https://iopscience.iop.org/book/edit/978-0-7503-3027-5/chapter/bk978-0-7503-3027-5ch15.epub
64. Kostuk Holography Principles and Applications | PDF - Scribd https://www.scribd.com/document/660731245/Kostuk-Holography-Principles-and-Applications
65. Principles of tractor atom interferometry - IOPscience https://iopscience.iop.org/article/10.1088/2058-9565/ac9429
66. Have you seen this type of double slit experiment (DSE)? https://www.researchgate.net/post/Have-you-seen-this-type-of-double-slit-experiment-DSE
67. Far Field Approximation in Young's Double Slit Experiment https://physics.stackexchange.com/questions/358069/far-field-approximation-in-youngs-double-slit-experiment

68. [PDF] 1 Analysis of double-slit interference experiment at the atomic level ... https://arxiv.org/pdf/1905.00277
69. [PDF] [tel-00281163, v1] Source de photons uniques et interférences à un ... https://inis.iaea.org/records/zr4c2-90n50/files/40057092.pdf?download=1
70. words_SG_upto2020.txt - Zenodo https://zenodo.org/record/5516252/files/words_SG_upto2020.txt
71. Einstein Describes the Photoelectric Effect | History | Research Starters https://www.ebsco.com/research-starters/history/einstein-describes-photoelectric-effect
72. (PDF) Quantum Foundations and Technological Futures: A Critical ... https://www.researchgate.net/publication/400067729_Quantum_Foundations_and_Technological_Futures_A_Critical_Analysis_of_Interpretative_Frameworks_and_Socio-Economic_Projections
73. De Broglie's Wave-Particle Duality | PDF - Scribd https://www.scribd.com/document/832700502/DeBroglie-presentation-20250213-084618-0000
74. Olivier Morizot To cite this version https://hal.science/hal-05222105/document
75. Young's Musical Optics | MIT Press Scholarship Online https://dx.doi.org/10.7551/mitpress/9780262027274.003.0012
76. Download book PDF - Springer https://link.springer.com/content/pdf/10.1007/978-3-0348-8652-9.pdf
77. Issue 1 - Volume 59 - Physics Education - IOPscience https://iopscience.iop.org/issue/0031-9120/59/1
78. [PDF] arXiv:2405.20923v2 [physics.ed-ph] 21 Mar 2025 https://www.arxiv.org/pdf/2405.20923v2
79. Young's Double-slit Experiment, correction on the misconception. https://www.authorea.com/users/705421/articles/690757-young-s-double-slit-experiment-correction-on-the-misconception
80. The Double-Slit Experiment: Mirror of Reality - Academia.edu https://www.academia.edu/144588352/The_Double_Slit_Experiment_Mirror_of_Reality
81. Probing quantum mechanics with nanoparticle matter-wave ... - Nature https://www.nature.com/articles/s41586-025-09917-9
82. [PDF] Data transmission by quantum matter wave modulation - IOPscience https://iopscience.iop.org/article/10.1088/1367-2630/abe15f/ampdf
83. [PDF] Quantum technologies and industry - HAL https://cel.hal.science/hal-04418054v1/file/TechnoQuantique.pdf
84. (PDF) Probing quantum mechanics with nanoparticle matter-wave ... https://www.researchgate.net/publication/

399960292_Probing_quantum_mechanics_with_nanoparticle_matter-wave_interferometry

85. Quantum Physics And Applications (Course Code 1BPHYS102-202 ... https://www.wonderslate.com/wpmain/aibook?siteName=&bookId=95866
86. Double Slit Experiment Research Papers - Academia.edu https://www.academia.edu/Documents/in/Double_Slit_Experiment
87. (PDF) A Delayed Choice Quantum Eraser - ResearchGate https://www.researchgate.net/publication/3829832_A_Delayed_Choice_Quantum_Eraser
88. [PDF] arXiv:quant-ph/9903047v1 13 Mar 1999 https://arxiv.org/pdf/quant-ph/9903047
89. [PDF] Delayed "Choice" quantum eraser - Semantic Scholar https://www.semanticscholar.org/paper/Delayed-%22Choice%22-quantum-eraser-Kim-Yu./a0b647f8140d72aa2c014ddec19e8b093d2b30f1
90. Quantum physics and biology: the local wavefunction approach https://iopscience.iop.org/article/10.1088/1742-6596/2533/1/012019/pdf
91. [PDF] arXiv:2108.05169v1 [quant-ph] 11 Aug 2021 https://arxiv.org/pdf/2108.05169
92. (PDF) Teaching Feynman's sum-over-paths quantum theory https://www.researchgate.net/publication/228585940_Teaching_Feynman's_sum-over-paths_quantum_theory
93. Quantum Mechanics as a Constructive Theory - MDPI https://www.mdpi.com/2409-9287/9/6/161
94. [PDF] arXiv:1412.2198v2 [quant-ph] 22 Apr 2015 https://arxiv.org/pdf/1412.2198
95. Double-slit experiment with single wave-driven particles and its ... https://www.academia.edu/49137913/Double_slit_experiment_with_single_wave_driven_particles_and_its_relation_to_quantum_mechanics
96. 1D wave mechanics - Book chapter - IOPscience https://iopscience.iop.org/book/mono/978-0-7503-1413-8/chapter/bk978-0-7503-1413-8ch2
97. (PDF) On the superposition principle in interference experiments https://www.researchgate.net/publication/269339193_On_the_superposition_principle_in_interference_experiments
98. PhET Wave Interference Lab Guide | PDF - Scribd https://www.scribd.com/document/334145236/Diffraction-Lab-using-Phet-Simulation
99. [PDF] Interactive visualisation for teaching a quantum double slit experiment https://www.researchgate.net/publication/377800887_Interactive_visualisation_for_teaching_a_quantum_double_slit_experimen

t/fulltext/65b8f9901e1ec12eff6423c9/Interactive-visualisation-for-teaching-a-quantum-double-slit-experiment.pdf

100. [PDF] Double-Slit Interference from Trembling Spacetime Geodesics - HAL https://hal.science/hal-05070356v1/file/2025-05-15_Declercq_Double_Slit.pdf
101. Double-Slit Experiment Explained | PDF | Diffraction - Scribd https://www.scribd.com/document/771496132/Double-slit-experiment-Wikipedia
102. (PDF) Teaching Physics with the Physics Suite - Academia.edu https://www.academia.edu/112737022/Teaching_Physics_with_the_Physics_Suite
103. 3D Recording, Documentation and Management of Cultural Heritage https://www.scribd.com/document/608110363/3D-Recording-Documentation-and-Management-of-Cultural-Heritage-Remondino-Stylianidis-Eds-2016
104. Wave-Particle Duality in Einstein-de Broglie Programs - Scirp.org. https://www.scirp.org/journal/paperinformation?paperid=52820
105. Examination of wave-particle duality via two-slit interference https://www.researchgate.net/publication/270452900_EXAMINATION_OF_WAVE-PARTICLE_DUALITY_VIA_TWO-SLIT_INTERFERENCE
106. (PDF) Investigating the Double-Slit Interference Experiment 5 https://www.academia.edu/51160522/Investigating_the_Double_Slit_Interference_Experiment_5
107. Holography: Principles and Applications | Request PDF https://www.researchgate.net/publication/385862652_Holography_Principles_and_Applications
108. Unifying Many-Worlds and Copenhagen, in the Light of Quantum ... https://www.researchgate.net/publication/321902617_All-Possible-Worlds_Unifying_Many-Worlds_and_Copenhagen_in_the_Light_of_Quantum_Contextuality
109. [quant-ph/9903047] A Delayed Choice Quantum Eraser - arXiv https://arxiv.org/abs/quant-ph/9903047
110. Double-slit experiment revisited - arXiv https://arxiv.org/html/2211.13362v2
111. [PDF] Making sense of quantum teleportation: An intervention study on ... https://arxiv.org/pdf/2511.21443
112. Feminist Materials: quantum physics and critical writing practices for ... https://escholarship.org/uc/item/8589h285
113. Investigating Students' Conceptual Knowledge of Quantum Physics ... https://www.mdpi.com/2227-7102/14/10/1113
114. and In-service Physics Teachers' Knowledge Using the Double-Slit ... https://www.researchgate.net/publication/265468699_Probing_Pre-_and_In-service_Physics_Teachers'_Knowledge_Using_the_Double-Slit_Thought_Experiment

115. Feynman's path to Schrödinger (and various other things) - arXiv.org https://arxiv.org/html/2509.17108v1
116. Path integrals, matter waves, and the double slit - ResearchGate https://www.researchgate.net/publication/283242284_Path_integrals_matter_waves_and_the_double_slit
117. The Feynman path integral - Book chapter - IOPscience https://iopscience.iop.org/book/mono/978-0-7503-1167-0/chapter/bk978-0-7503-1167-0ch26
118. (PDF) Nonclassical Paths in Quantum Interference Experiments https://www.academia.edu/144506473/Nonclassical_Paths_in_Quantum_Interference_Experiments
119. The Quantum Measurement Problem: A Review of Recent Trends https://arxiv.org/html/2502.19278v2
120. [PDF] Single and double slit scattering of wavepackets - arXiv https://arxiv.org/pdf/quant-ph/0109111
121. The Last Man Who Knew Everything: Thomas Young https://www.researchgate.net/publication/370642757_The_Last_Man_Who_Knew_Everything_Thomas_Young
122. Why quantum mechanics says the past isn't real https://www.newscientist.com/article/2505823-why-quantum-mechanics-says-the-past-isnt-real/
123. A review and experiences from quantum physics educators - arXiv.org https://arxiv.org/html/2405.20923v1
124. [PDF] MATTER WAVE INTERFEROMETRY - IAEA https://inis.iaea.org/records/dbdvq-d0z13/files/20000018.pdf?download=1
125. Advances in Quantum Imaging with Machine Intelligence - Moodley https://onlinelibrary.wiley.com/doi/full/10.1002/lpor.202300939
126. [PDF] arXiv:2302.10597v1 [quant-ph] 21 Feb 2023 https://arxiv.org/pdf/2302.10597
127. (PDF) Delayed-choice gedanken experiments and their realizations https://www.academia.edu/60139174/Delayed_choice_gedanken_experiments_and_their_realizations
128. Double Slit Experiment: Wave-Particle Duality | PDF | Light - Scribd https://www.scribd.com/document/886169931/The-Double-Slit-Experiment-Wave-Particle-Duality-of-Light
129. interpreting physics - Springer Nature https://link.springer.com/content/pdf/10.1007/978-94-007-2369-6.pdf
130. Double Slit Experiments Invalidating Wave-Particle Duality and ... https://www.researchgate.net/publication/394868430_Double_Slit_Experiments_Invalidating_Wave-Particle_Duality_and_Showing_That_Wavefunction_Is_Simply_Useful_Tool_in_Certain_Zone_and_not_Representing_Something_Real_in_Quantum_Mechanics

131. Introducing wave-particle duality with low-cost quantitative ... https://iopscience.iop.org/article/10.1088/1361-6552/ad4fd6

132. Wave-particle Duality | Physics | Research Starters - EBSCO https://www.ebsco.com/research-starters/physics/wave-particle-duality

133. Electron matter interferometry and the electron double-slit experiment https://www.semanticscholar.org/paper/Electron-matter-interferometry-and-the-electron-Bach/8b2b84c0092c246dcd2c72c8609b903840ba0d53

134. Introduction to Quantum Mechanics: Third Edition Overview - Quizlet https://quizlet.com/study-guides/introduction-to-quantum-mechanics-third-edition-overview-eb689b7a-2a74-4606-a11d-78a78616d045

135. Delayed "Choice" quantum eraser - PubMed https://pubmed.ncbi.nlm.nih.gov/11015820/

136. (PDF) One- and Two-Slit Experiments with Photons and Electrons https://www.researchgate.net/publication/368524050_One-_and_Two-Slit_Experiments_with_Photons_and_Electrons_A_Proper_Resolution

137. Phase and amplitude imaging with quantum correlations through ... https://www.nature.com/articles/s41598-019-46273-x

138. [PDF] Numerical and modeling methods for multi-level large eddy ... https://theses.hal.science/tel-01716423v1/file/LEGRAND.pdf

139. (PDF) Controlled double-slit electron diffraction - Academia.edu https://www.academia.edu/14340165/Controlled_double_slit_electron_diffraction

140. New trends in physics teaching, v.4 - unesco https://unesdoc.unesco.org/ark:/48223/pf0000136815

141. [PDF] Table of Contents - SCIRP https://www.scirp.org/pdf/JMP_07_10_Content_2016060815584784.pdf

142. Teaching Particle-Wave Duality with Double-Slit Single-Photon ... https://www.researchgate.net/publication/343768745_Teaching_Particle-Wave_Duality_with_Double-Slit_Single-Photon_Interference_in_Dutch_Secondary_Schools

143. (PDF) The wave particle duality: Teaching via a visual metaphor https://www.academia.edu/33495316/The_wave_particle_duality_Teaching_via_a_visual_metaphor

144. Interpretation of the double slit experiment and ... https://physics.stackexchange.com/questions/771193/interpretation-of-the-double-slit-experiment-and-schr%C3%B6dingers-wave-function

145. Boundary conditions for the Schrödinger equation in ... https://arxiv.org/html/2602.14654v1

146. Path integral illustration for destructive interference in a double... https://www.researchgate.net/figure/Path-integral-illustration-for-destructive-interference-in-a-double-slit-a-The-times-t_fig6_283242284

147. Quantum double-double-slit experiment with momentum ... https://www.nature.com/articles/s41598-020-68181-1

148. Terahertz imaging technology: progress and applications https://www.oejournal.org/oet/article/doi/10.29026/oet.2026.250009

149. [PDF] Atomic sources for long-time-of-flight interferometric inertial sensors https://pastel.hal.science/tel-00265714/file/thesis.pdf

150. Quantitative Phase Imaging: Recent Advances and Expanding ... https://pmc.ncbi.nlm.nih.gov/articles/PMC10112851/

151. Photonics, Volume 13, Issue 3 (March 2026) – 86 articles - MDPI https://www.mdpi.com/2304-6732/13/3

152. LOP Topics - Researching https://www.researching.cn/lop/journaltopic/Imaging%20Systems

153. [PDF] IAEA TECDOC SERIES https://www-pub.iaea.org/MTCD/Publications/PDF/TE-1935_web.pdf

154. [1405.7612] Many worlds interpretation for double slit experiment https://arxiv.org/abs/1405.7612

155. Many worlds interpretation for double slit experiment - ResearchGate https://www.researchgate.net/publication/262732471_Many_worlds_interpretation_for_double_slit_experiment

156. Many-world interpretation of double slit experiment https://physics.stackexchange.com/questions/584282/many-world-interpretation-of-double-slit-experiment

157. Progress in electron- and ion-interferometry - IOPscience https://iopscience.iop.org/0034-4885/73/1/016101/pdf/0034-4885_73_1_016101.pdf

158. (PDF) Interferometry with Atoms - ResearchGate https://www.researchgate.net/publication/270278834_Interferometry_with_Atoms

159. Can an electron travel through two slits at the same time? https://www.researchgate.net/publication/336532305_Can_an_electron_travel_through_two_slits_at_the_same_time

160. Does an electron pass through both slits in the double-slit ... https://physics.stackexchange.com/questions/767448/does-an-electron-pass-through-both-slits-in-the-double-slit-experiment

161. Secondary and University Students' Descriptions of Quantum ... https://doi.org/10.1007/s11191-021-00297-w

162. A Seven-Category Framework for K-12 Quantum Education https://arxiv.org/html/2512.18886v1

163. Electromagnetic Radiation Manchester Physics Serie https://clame.nyu.edu/book-search/E06FGI/312093/Electromagnetic%20Radiation%20Manchester%20Physics%20Serie.pdf

164. The Ambiguous Metaphors of Popular Physics https://www.jstor.org/stable/3070535

165. Young's double-slit experiment with undulator vortex radiation in the ... https://www.nature.com/articles/s41598-023-49825-4

166. Resonant Young's Slit Interferometer for Sensitive Detection of Low ... https://www.mdpi.com/2079-6374/15/1/50

167. (PDF) Young's double-slit experiment with undulator vortex radiation ... https://www.researchgate.net/publication/376856522_Young's_double-slit_experiment_with_undulator_vortex_radiation_in_the_photon-counting_regime

168. The Double Slit Experiment and Quantum Mechanics | PDF - Scribd https://www.scribd.com/document/499156381/The-Double-Slit-Experiment-and-Quantum-Mechanics

169. Accurate prediction of solvent flux in sub–1-nm slit-pore nanosheet ... https://www.science.org/doi/10.1126/sciadv.adl1455

170. [PDF] Novel Prospects of Image Restoration Inspired by Concepts of ... https://theses.hal.science/tel-04047862v1/file/2023TOU30002a.pdf

171. [2211.13362] Double-slit experiment revisited - arXiv https://arxiv.org/abs/2211.13362

172. LNCS 13147 Big Data Analytics - Springer https://link.springer.com/content/pdf/10.1007/978-3-030-93620-4.pdf

173. [PDF] arXiv:1409.8503v2 [physics.ed-ph] 31 Jan 2015 https://arxiv.org/pdf/1409.8503

174. Serge Haroche - Nobel Lecture https://www.nobelprize.org/uploads/2018/06/haroche-lecture.pdf

175. Quantum physics from waves: An analogy-based approach ... https://pdfs.semanticscholar.org/275f/b7db4c281679d5e9f46c3391cf9cde655b17.pdf

176. From Galactic Bars to the Hubble Tension https://www.mdpi.com/2073-8994/14/7/1331?type=check_updateversion%3D3

177. Fundamentals of Magnetic Fusion Technology Edited by: https://www-pub.iaea.org/MTCD/Publications/PDF/PUB1945_web.pdf

178. Characterization of two distant double-slits by chaotic light second ... https://www.nature.com/articles/s41598-017-02236-8

179. The Double-Slit Experiment Is Already Happening in the Brain Sleep ... https://www.researchgate.net/publication/399667541_The_Double-Slit_Experiment_Is_Already_Happening_in_the_Brain_Sleep_Localization_and_Active_Inference_in_the_Ze_Framework
180. Experimental realization of temporal refraction and reflection in ... https://www.nature.com/articles/s41467-025-64530-8
181. Experimental First – Photon Visualization of Quantum Erasure With ... https://onlinelibrary.wiley.com/doi/10.1002/lpor.202501816?af=R
182. A physics lab inside your head: Quantum thought experiments as an ... https://arxiv.org/html/2312.07840v1
183. Exotic looped trajectories of photons in three-slit interference - Nature https://www.nature.com/articles/ncomms13987
184. Quantitative complementarity of wave-particle duality - Science https://www.science.org/doi/abs/10.1126/sciadv.abi9268
185. Midinfrared Electro-optic Modulation in Few-Layer Black Phosphorus https://pubs.acs.org/doi/10.1021/acs.nanolett.7b03050
186. (PDF) Double-slit quantum eraser https://www.researchgate.net/publication/2186241_Double-slit_quantum_eraser
187. A state chaining-based objective collapse model https://arxiv.org/html/2603.15628v1
188. Human Visual System as a Double-Slit Single Photon ... - PMC https://pmc.ncbi.nlm.nih.gov/articles/PMC4729532/
189. (PDF) Interferometry with atoms - Academia.edu https://www.academia.edu/16755117/Interferometry_with_atoms
190. How do “many worlds” theorists explain particle double-slit ... https://physics.stackexchange.com/questions/509163/how-do-many-worlds-theorists-explain-particle-double-slit-interference-pattern
191. [PDF] Quantum Physics A Fundamental Approach To Modern ... - CLaME https://clame.nyu.edu/fetch.php/E1A1HF/315982/Quantum%20Physics%20A%20Fundamental%20Approach%20To%20Modern%20Physics.pdf
192. (PDF) Argument structure in explaining wave-particle duality of ... https://www.researchgate.net/publication/378115472_Argument_structure_in_explaining_wave-particle_duality_of_photons_in_double-slit_experiment_A_study_pre-service_teachers'_written_reports
193. The Merli–Missiroli–Pozzi Two-Slit Electron-Interference Experiment https://pmc.ncbi.nlm.nih.gov/articles/PMC4617474/

194. (PDF) Nonclassical Paths in Quantum Interference Experiments https://www.researchgate.net/publication/266401258_Nonclassical_Paths_in_Quantum_Interference_Experiments
195. (PDF) Numerical Simulation of the Double Slit Interference with ... https://www.researchgate.net/publication/1901960_Numerical_Simulation_of_the_Double_Slit_Interference_with_Ultracold_Atoms
196. [PDF] Quantum slit diffraction in space and in time of a Gaussian ... - HAL https://hal.science/hal-00875304v2/file/ManuscriptSlit_Arxiv_v2_29Nov2013.pdf
197. 3077 PDFs | Review articles in ATOM INTERFEROMETRY https://www.researchgate.net/topic/Atom-Interferometry/publications
198. Quantum superposition at the half-metre scale | Request PDF https://www.researchgate.net/publication/287966371_Quantum_superposition_at_the_half-metre_scale