

Assignment no.1

Getting started with html and emmet.

Your Name-Abhinav pal

4th September, 2023

3. Write a short note on tags, elements, and attributes along with relevant examples ?

Ans. HTML tags are used to structure and format content on web pages. They usually come in pairs of starting tags and ending tags.

Here are some examples of html tags, p tags for paragraph, h1 to h6 are heading tags used as `<h1>..</h1>`.


HTML Elements are building blocks of a web page. They consist of starting tag, content and ending tag. For Example `<title>Documents</title>`.

Attributes in HTML provide extra information about an element. They are usually included in the starting tag of an element. For example ``

4. List out any 3 tags we learned in this module and give a brief explanation about the tags.

Ans: The 3 tags which we have learnt in this module are:

1. `<p></p>` : The tag is used to represent a piece of text that forms a distinct block of content.



2. `<h1></h1>` : Headings are used to define the titles or subtitles of a web page or a section of content. H1 represents the highest level of the Headings.

3. `<div></div>` : Div creates a container or a division within a web page that can be used to group other HTML elements, such as text, images, forms, and other HTML tags, into a logical section or a block.

5. What is emmet? List some of the advantages emmet offers?

Ans: Emmet is a free plugin for text editors that allows us to write HTML, CSS, and other code formats faster by assisting through abbreviations that expand into full code.

Some of the advantages are-

1. Saves a lot of time.
2. Increase productivity.
3. Efficient Programming.
4. Makes coding more fun.



5. Reduced Errors.

7. Explain in brief about the nesting operators in emmet.

Ans: Nesting operators help to place elements with respect to other elements.

1. Child >

Using > operator, we can nest elements.


2. Sibling +

Utilize the + operator to position elements close to each other, at the same level.

3. Climb Up ^

When using the > operator, you can traverse down the generated tree, and the positions of sibling elements will be determined in relation to the deepest element.

4. Multiplication *



With * operator you can define how many times an element should be outputted.

9. What are self-closing tags? Write a brief note on meta tags.

Ans: A self-closing tag in HTML is a kind of HTML tag that does not need to be closed manually by its closing tag, which means it does not have a separate closing tag as `</tag>`. Some few self-closing tags are `<input/>`, `<hr/>`, `
`, ``, etc.

Meta Tags.

Meta tags are HTML tags used to provide additional information about a page to search engines and other clients. They do not directly affect the visual appearance of a webpage, but rather provide information about the content of the page.

Meta tags are placed in the head section of an HTML document and can include various types of information, including the title of the page, a brief description of the content, keywords that describe the content of the page, the author of the page, the language of the page, and more.



10. What are global attributes? List any 5 global attributes ?

Ans: Global attributes are HTML attributes that can be used on any HTML element. They are called "global" because they can be used on any element regardless of the type of element.

Some of the global attributes are:

1. Class.
2. id.
3. title.
4. style.
5. tabIndex.