

ReEarth 2.0

UI/UX wireframes — full set

Lo-fi sketches of every surface called out in the design doc. **22 contributor screens** (PiDA, mobile portrait) and **22 H0 screens** (desktop web), grouped by surface and ordered by flow within surface. Visual design (type scale, brand colour, icon set) is intentionally neutral — these are about structure, hierarchy, and flow only.

Generated for design review · 05 May 2026

Contents

44 wireframes · 11 sections

Contributor · Onboarding & access		4	HO · Access & landing	3
01	First-time login: pick facility		HO login	23
02	PIN entry		Dashboards (default landing)	24
03	Pick your name		Submission completeness heatmap	25
04	PIN lockout (after 5 fails)		HO · Bill inbox & review	4
Contributor · Home & daily log		6	Bill inbox — confidence-sorted	26
05	Home — fresh, nothing logged yet		Bulk-approve modal (28 greens)	27
06	Home — daily log in progress		Bill detail — breach flagged	28
07	Home — day complete		Discuss thread on a sent-back bill	29
08	Daily logger — shared workspace		HO · Alerts	3
09	Number entry (any card)		Alerts · Compliance	30
10	Backdating — last 2 days		Alerts · Thresholds	31
Contributor · Events		4	Alerts · Data Gaps	32
11	Event picker		HO · Facilities & Data Explorer	4
12	Event form — photo-first + OCR		Facility drill-down (water-positive)	33
13	Sub-picker — waste pickup category		Data Explorer — NL query + chips	34
14	Drinking water — natural-unit picker		Data Explorer — out-of-scope failure	35
Contributor · Bills, summaries, follow-ups		5	Global audit search (slide-over)	36
15	Upload bill (multi-file)		HO · Master Data	7
16	My bills — status list		Master · Facility detail	37
17	Monthly summary (day-1 trigger)		Master · Personnel (PIN reset)	38
18	Bill sent back — re-upload prompt		Master · Regulatory limits (effective-dated)	39
19	Discuss thread with HO		Master · Vendors	40
Contributor · Account, history, notifications		3	Master · Alert rule editor	41
20	Settings & notification prefs		Master · NL update — single-row diff	42
21	Edit history of one value		Master · NL update — bulk (11 facilities)	43
22	Push notifications (lock screen)		HO · Settings	1
			HO settings	44

01 First-time login: pick facility

Contributor · Onboarding & access

ReEarth 2.0

Pick your facility



Factory — Bengaluru



Factory — Tirupur



Factory — Hosur



Warehouse — Bhiwandi



Warehouse — Tauru



Factory — Mysuru



Factory — Doddaballoppura

scroll · 15 facilities

02 PIN entry

Contributor · Onboarding & access

←

Enter PIN

Factory — Bengaluru

.

.

.

—

4-digit facility PIN

1

2

3

4

5

6

7

8

9

0

⊠

03 Pick your name

Contributor · Onboarding & access

Who are you?

Factory — Bengaluru · 3 contributors

←

Tap your name

A

Asha M.

R

Ravi K.

P

Priya S.

Phone remembers · won't ask again

04 PIN lockout (after 5 fails)

Contributor · Onboarding & access



ReEarth 2.0 · UI/UX wireframes

9 / 49

05 Home — fresh, nothing logged yet



06 Home — daily log in progress

Contributor · Home & daily log

⚙️

Hi, Asha
Factory — Bengaluru

TODAY · 22 Apr 2026

Daily log

14 / 18

Last: 2:15 PM by Ravi

Continue logging →

PENDING

April monthly summary

Due now · 11 entries

I bill needs re-upload

Mar grid bill — image illegible

+ Log event

Upload bill

07 Home — day complete

Contributor · Home & daily log



Daily log · 22 Apr

14 of 18 entered

WATER

Groundwater extracted
Asha · 6:15 AM

STP treated
Ravi · 2:15 PM

Rainfall
tap to enter

ENERGY · DG-1

Diesel
Asha · 6:18 AM

Runtime
—

Submit (14 cards)

09 Number entry (any card)

Contributor · Home & daily log

←

Groundwater extracted

Daily · m³

245 m³

Yesterday: 238 m³ · 7-day avg: 244

 attach photo of meter (optional)

1

2

3

4

5

6

7

8

9

.

0



Save & next →

10 Backdating — last 2 days

Contributor · Home & daily log

←

Daily log

Pick the date

Today
22 Apr

Yesterday
21 Apr

2 days ago
20 Apr

⚠ Earlier than 2 days?

Backdating beyond 2 days is disabled — meter readings from memory aren't reliable. Contact HO to add late entries with evidence.

WHAT YOU'LL SEE

21 Apr · already 12 of 18
Filled by Asha (8) and Ravi (4)

Continue with 21 Apr →

11 Event picker

Contributor - Events



ReEarth 2.0 - UI/UX wireframes

11 / 44

Contributor · Events

ReEarth 2.0 · UI/UX wireframes

13 Sub-picker — waste pickup category

Contributor - Events

←

Waste pickup

What kind of waste?

HAZARDOUS

Used oil



Oil-soaked cotton



Battery



E-waste



Biomedical



Sanitary



NON-HAZARDOUS

Paper



Fabric



Metal



Plastic



Carton



Food waste



Wood



14 Drinking water — natural-unit picker

Contributor - Events

←

Drinking water

Event · pick the natural unit

How was it delivered?



20 L jars

x count

☒



5 L cans

x count

☐



Individual bottles

x count

☐



Direct in m³

tanker

☐

Enter

40

x 20 L jars

= 800 L

Save

15 Upload bill (multi-file)

Contributor · Bills, summaries, follow-ups

←

Upload bills

Drop multiple at once

↑

Drop bills or tap

PDF · JPG · multi-file

UPLOADED · OCR processing

Grid bill — Mar 2026

12,847 kWh · ₹1,38,432 · ✓ waiting on HO

STP outlet test

BOD 28 mg/L · OCR partial · review

Biomass invoice

processing... 3s

16 My bills — status list

Contributor · Bills, summaries, follow-ups

←

My bills

Last 30 days

All · 12

Pending · 3

Sent back · 1

Mar grid bill

12,847 kWh

↔ sent back · re-upload

STP outlet test (Apr)

BOD 28 mg/L

🕒 waiting on HO · 2h

Diesel · 22 Apr

500 L · ₹46,250

✓ confirmed by Neha

Biomass NCV (Apr)

3,200 Kcal/Kg

✓ confirmed

Refrigerant refill

R-410A · 2.5 kg

✓ confirmed

Borewell test (Mar)

TDS 612

✓ confirmed

17 Monthly summary (day-1 trigger)

Contributor · Bills, summaries, follow-ups

←

April summary

Day 1 of May · due now

11 entries to complete

From your internal records

PRODUCTION

🧺

Garments produced

tap

🕒

Manhours

48,200

WASTE — GENERATED

🔋

Battery

tap

💻

E-waste

tap

Submit summary

ReEarth 2.0 · UI/UX wireframes

17 / 44

[https://019df6a6-308f-7d2e-adbd-8c91765eb1ba.claudeusercontent.com/v1/design/projects/019df6a6-308f-7d2e-adbd-8c91765eb1ba/serve/ReEarth Wireframes-print.html?t=59d91f341cfcc1717e24...](https://019df6a6-308f-7d2e-adbd-8c91765eb1ba.claudeusercontent.com/v1/design/projects/019df6a6-308f-7d2e-adbd-8c91765eb1ba/serve/ReEarth%20Wireframes-print.html?t=59d91f341cfcc1717e24...)

19/46

18 Bill sent back — re-upload prompt

Contributor · Bills, summaries, follow-ups

←

Bill sent back

HO needs you to re-upload

Mar grid bill

Sent back by Neha (HO) · 22 Apr 11:04 AM

HO COMMENT

"Image is blurry on the kkh line — please reshoot in better light."

ORIGINAL UPLOAD

[blurry photo]

Discuss

Re-upload

19 Discuss thread with HO

Contributor · Bills, summaries, follow-ups

Discuss

Mar grid bill · with Neha (HO)

22 Apr · 11:04 AM

Neha · HO

Image is blurry on the kWh line — please reshoot in better light.
↪ sent back the bill

You · 11:18 AM

Sorry — the original is creased. Will reshoot at the gate office where lighting is better.

Neha · HO

Thanks. Also if you can crop tightly to the bill, OCR will pick it up cleanly.

Reply...

Send

ReEarth 2.0 · UI/UX wireframes

19 / 44

20 Settings & notification prefs

Contributor · Account · history, notifications

← Settings

YOU

A

Asha M.

Factory — Bengaluru

NOTIFICATIONS

Daily log reminder · 7 PM

Monthly summary due

Bill confirmed by HO

Bill sent back

Master data changes

Messages from HO

SESSION

Active for 4h · expires in 8h

Sign out (re-enter PIN to return)

v1.0 · build 2026.04

21 Edit history of one value

Contributor · Account · history, notifications

←

Edit history

Groundwater · 22 Apr

Current value

250 ^{m³}

TIMELINE

P

Priya

6:18 PM today

edited · 245 → 250

A

Asha

6:15 AM today

first entry · 245

All versions kept. Both numbers visible to HD in the audit log.

Back to log

Edit value

ReEarth 2.0 · UI/UX wireframes


21 / 44

https://019df6a6-308f-7d2e-adbd-8c91765eb1ba.claudeusercontent.com/v1/design/projects/019df6a6-308f-7d2e-adbd-8c91765eb1ba/serve/ReEarth Wireframes-print.html?t=59d91f341cfcc1717e24...

23/46

22 Push notifications (lock screen)

Contributor · Account · history · notifications



23 HO login

HO · Access & landing

reearth.abfrl.com



ReEarth · HO

Sustainability data platform · ABFRL

Email

neha.sharma@abfrl.com

Password

.....

Sign in

Lost your password?

Ask another HO super-user to reset — no email reset.

ReEarth 2.0 · UI/UX wireframes

23 / 44

24 Dashboards (default landing)

ReEarth · HO

Dashboards

Bill Inbox47

Alerts3

Facilities

Data Explorer

Master Data

Ask anything — "What happened with March STP from Tirupur?"

Facility · All IS

Brand · All

Period · This month

Category · All

Status · Approved

Compare · vs last month

Group by · facility

Water withdrawn48,210 m³

↓ 4%

Water-positive1.34

↑ 0.08

Energy (TOE)286

↑ 2%

Renewable %38%

↑ 1pp

EPI4.2

— flat

Scope 1+2742 tCO2e

↓ 3%

Per garment1.8 kg

↓ 0.1

Reuse %62%

↑ 2pp

Energy mix · this month

• Grid 38%

• DG diesel 25%

• Biomass 22%

• Solar PPA 15%

Compliance status · IS facilities

• green=ok • amber=warn • red=open breach

Neha · HO

ReEarth 2.0 · UI/UX wireframes

24 / 44

https://019df6a6-308f-7d2e-adbd-8c91765eb1ba.claudeusercontent.com/v1/design/projects/019df6a6-308f-7d2e-adbd-8c91765eb1ba/serve/ReEarth Wireframes-print.html?t=59d91f341cfcc1717e24... 26/46

25 Submission completeness heatmap

ReEarth · HO

Dashboards

Bill Inbox47

Alerts3

Facilities

Data Explorer

Master Data

Settings

Ask anything — "What happened with March STP from Tirupur?"

All IS facilities

This month

Daily params only

read-only · drill into Data Explorer →

Submission completeness

Each cell = % of expected daily entries received this month for one parameter at one facility.

	Ground W	STP flow	Rainfall	DG-1 fuel	DG-1 hrs	DG-2 fuel	Biomass	Used oil
Factory-Bengaluru	98%	96%	90%	99%	98%	95%	100%	92%
Factory-Tirupur	88%	72%	80%	90%	90%	82%	85%	78%
Factory-Hosur	99%	99%	95%	98%	99%	99%	99%	98%
Factory-Mysuru	62%	58%	40%	65%	68%	70%	60%	55%
Factory-Doddaballapura	92%	88%	90%	94%	94%	90%	90%	88%
Factory-Bommasandra	82%	80%	85%	88%	90%	82%	80%	80%
Factory-Madhavaram	95%	92%	88%	98%	98%	95%	92%	90%
Factory-Tumkur	78%	72%	40%	80%	82%	80%	75%	65%
Factory-Kanchipuram	99%	98%	95%	99%	99%	99%	99%	96%
Factory-Coimbatore	85%	80%	70%	88%	88%	85%	82%	80%
Factory-Belgaum	70%	65%	55%	72%	75%	72%	68%	60%

Neha · HO

ReEarth 2.0 · UI/UX wireframes

27 Bulk-approve modal (28 greens)

H0 · Bill inbox & review

ReEarth · H0

47

Bill Inbox

3

Alerts

Facilities

Data Explorer

Master Data

Settings

Neha · H0

✓ Bulk approve · 28 high-confidence bills

All 28 are green-tagged: OCR ≥10%, vendor matches master data, no compliance breaches detected. Approving moves them to Approved and triggers metric recompute.

Factory-Bengaluru	Grid · 12,847 kWh	₹1,38,432
Factory-Tirupur	Solar PPA · 8,420 kWh	₹52,300
Bhiwandi	Diesel · 500 L	₹46,250
Factory-Hosur	Biomass NCV	3,200 Kcal/Kg
Tauru	Borewell test	TDS 612
Factory-Mysuru	Refrigerant	R-410A · 2.5 kg
Factory-Daddaballapura	LPG canteen	45 kg

Each contributor will get a confirmation push notification.

Cancel

✓ Approve all 28

ReEarth 2.0 · UI/UX wireframes

27 / 44

https://019df6a6-308f-7d2e-adbd-8c91765eb1ba.claudeusercontent.com/v1/design/projects/019df6a6-308f-7d2e-adbd-8c91765eb1ba/serve/ReEarth Wireframes-print.html?t=59d91f341cfcc1717e24... 29/46

28 Bill detail — breach flagged

ReEarth · H0

Bill Inbox

47

Alerts

3

Facilities

Data Explorer

Master Data

Ask anything — "What happened with March STP from Tirupur?"

← Bill inbox · Factory-Tirupur · STP outlet test · 22 Apr

Compliance breach: BOD 38 mg/L exceeds CPCB limit of 30 mg/L

[STP OUTLET TEST REPORT]

Lab: GreenTech Labs Pvt Ltd
Sample: STP outlet · 18 Apr 2026
Facility: ABFRL Factory-Tirupur

BOD 38 mg/L ⚠

COD 142 mg/L

TSS 28 mg/L

pH 7.2

Oil & grease ... <5 mg/L

page 1 of 2

OCR-extracted

BOD

38 mg/L

COD

142 mg/L

TSS

28 mg/L

pH

7.2

Sample date

18 Apr 2026

Lab

GreenTech Labs

Uploaded by Ravi · 22 Apr 8:14 AM

OCR confidence: high

↩ Send back

✓ Approve & flag breach

Neha · H0

28 / 44

https://019df6a6-308f-7d2e-adbd-8c91765eb1ba.claudeusercontent.com/v1/design/projects/019df6a6-308f-7d2e-adbd-8c91765eb1ba/serve/ReEarth Wireframes-print.html?t=59d91f341cfcc1717e24... 30/46

29 Discuss thread on a sent-back bill

H0 · Bill inbox & review

ReEarth · H0

Dashboards

Bill Inbox

47

Alerts

3

Facilities

Data Explorer

Master Data

Settings

Neha · H0

Ask anything — "What happened with March STP from Tirupur?"

← Bill inbox · Mar grid bill · Factory-Bengaluru · with Asha M.

Discussion · 3 messages

22 Apr 11:04

You · Neha

Image is blurry on the kish line — please reshoot in better light.
↪ sent the bill back

Asha M.

Sorry — the original is creased. Will reshoot at the gate office where lighting is better.

You · Neha

Thanks. Also if you can crop tightly to the bill, OCR will pick it up cleanly.

Reply to Asha...

Send

ReEarth 2.0 · UI/UX wireframes

29 / 44

https://019df6a6-308f-7d2e-adbd-8c91765eb1ba.claudeusercontent.com/v1/design/projects/019df6a6-308f-7d2e-adbd-8c91765eb1ba/serve/ReEarth Wireframes-print.html?t=59d91f341cfcc1717e24... 31/46

30 Alerts · Compliance

HO · Alerts

ReEarth · HO

Dashboards

Bill Inbox

47

Alerts

3

Facilities

Data Explorer

Master Data

reearth.abftl.com

Ask anything — "What happened with March STP from Tirupur?"

Compliance · 3

Thresholds · 5

Data Gaps · 8

Factory-Tirupur · STP outlet BOD breach

BOD 38 mg/L exceeds CPCB limit of 30 mg/L · sample 18 Apr

Source: GreenTech Labs report · uploaded by Ravi

Acknowledge

Add note

Resolve

22 Apr 2026 · NEW

limit 30

Factory-Bengaluru · Used oil 80-day clock

Oldest undisposed batch: 80 days · 90-day regulatory limit approaching

20 Apr

Factory-Hosur · DG stack PM

PM 78 mg/Nm³ exceeds 75 mg/Nm³ CPCB limit

18 Apr

Neha · HO

ReEarth 2.0 · UI/UX wireframes

30 / 44

https://019df6a6-308f-7d2e-adbd-8c91765eb1ba.claudeusercontent.com/v1/design/projects/019df6a6-308f-7d2e-adbd-8c91765eb1ba/serve/ReEarth Wireframes-print.html?t=59d91f341cfcc1717e24... 32/46

31 Alerts · Thresholds

HO · Alerts

ReEarth · HO

Dashboards

Bill Inbox

Alerts

Facilities

Data Explorer

Master Data

Settings

47

3

reearth.abtl.com

Ask anything — "What happened with March STP from Tirupur?"

Manage rules → Master Data

Compliance · 3

Thresholds · 5

Data Gaps · 8

4h ago

Factory-Hosur · Water-positive ratio

Now 1.08 · rule: < 1.10 = warning

Rule: water_positive_lt_1.1

Acknowledge

Snooze 7d

Edit rule

Resolve

6h ago

Bhiwandi · Grid electricity (month)

14,820 kWh · rule: > 15,000 critical · 99% there

Rule: bhiwandi_grid_cap

Acknowledge

Snooze 7d

Edit rule

Resolve

1d ago

Factory-Tirupur · DG-2 specific fuel

0.42 L/kWh · rule: > 0.40 = warning

Rule: dg_sfc_warning

Acknowledge

Snooze 7d

Edit rule

Resolve

Neha · HO

ReEarth 2.0 · UI/UX wireframes

31 / 44

https://019df6a6-308f-7d2e-adbd-8c91765eb1ba.claudeusercontent.com/v1/design/projects/019df6a6-308f-7d2e-adbd-8c91765eb1ba/serve/ReEarth Wireframes-print.html?t=59d91f341cfcc1717e24...

33/46

32 Alerts · Data Gaps

ReEarth · HO

Dashboards

Bill Inbox

47

Alerts

3

Facilities

Data Explorer

Master Data

Settings

Ask anything — "What happened with March STP from Tirupur?"

Compliance · 3

Thresholds · 5

Data Gaps · 8

Factory-Tirupur · Daily log

incomplete

4 days no DG-2 entries

Dismiss

Nudge

Factory-Hosur · April monthly summary

6 days past due (5-day rule)

Push fired to 3 contributors

Dismiss

Nudge

Factory-Mysuru · No bills this month

Day 12 · 0 bills uploaded

Compare: usually 6-8 by now

Dismiss

Nudge

Bhiwandi · STP outlet test late

7 days past expected (monthly)

Vendor: GreenTech Labs

Dismiss

Nudge

Factory-Doddaballapura ·

Neha · HO

ReEarth 2.0 · UI/UX wireframes

32 / 44

https://019df6a6-308f-7d2e-adbd-8c91765eb1ba.claudeusercontent.com/v1/design/projects/019df6a6-308f-7d2e-adbd-8c91765eb1ba/serve/ReEarth Wireframes-print.html?t=59d91f341cfcc1717e24...

34/46

33 Facility drill-down (water-positive)

ReEarth · HO

Dashboards

Bill Inbox47

Alerts3

Facilities

Data Explorer

Master Data

000reearth.abftl.com

Ask anything — "What happened with March STP from Tirupur?"

All facilities

Factory-Tirupur

Tamil Nadu · Pantaloons brand · 3 DG · 1 boiler · solar PPA · 3 contributors

THIS MONTH

Water6,648 m³

Energy32 TOE

Renewable42%

Scope 1+294 tCO₂e

Open alerts · 1

STP BOD breach · 22 Apr

Recent activity

Daily log 22 Apr · 18/18 ✓

Bill: Diesel S00L · approved

Event: Refrigerant refill · pending

Water trend · 12 mo

Neha · HO

ReEarth 2.0 · UI/UX wireframes

33 / 44

https://019df6a6-308f-7d2e-adbd-8c91765eb1ba.claudeusercontent.com/v1/design/projects/019df6a6-308f-7d2e-adbd-8c91765eb1ba/serve/ReEarth Wireframes-print.html?t=59d91f341cfcc1717e24...

35/46

34 Data Explorer — NL query + chips

ReEarth · HO

Dashboards

Bill Inbox47

Alerts3

Facilities

Data Explorer

Master Data

ASK A QUESTION

Ask anything — "What happened with March STP from Tirupur?"

Show me water withdrawn by source for Q1 2026, all factories

recent

Interpreted as: 11 factories · Jan-Mar 2026 · Water source breakdown · Approved

11 factories

Q1 2026

Water · sources

Status: Approved

Group by facility

+ add filter

Results · 11 rows

CSVExcelPDF

Facility	Groundwater	Municipal	Tanker	Drinking	Total m³
Factory-Bengaluru	4,820	0	120	14	4,954
Factory-Tirupur	6,210	420	0	18	6,648
Factory-Hosur	3,940	0	380	12	4,332
Factory-Mysuru	5,120	0	0	15	5,135
Factory-Doddaballapura	4,210	180	0	10	4,400
Factory-Bommasandra	3,820	0	210	11	4,041

Neha · HO


ReEarth 2.0 · UI/UX wireframes

34 / 44

https://019df6a6-308f-7d2e-adbd-8c91765eb1ba.claudeusercontent.com/v1/design/projects/019df6a6-308f-7d2e-adbd-8c91765eb1ba/serve/ReEarth Wireframes-print.html?t=59d91f341cfcc1717e24...

36/46

35 Data Explorer – out-of-scope failure



36 Global audit search (slide-over)

[illegible]

37 Master · Facility detail

HO · Master Data

ReEarth · HO

Dashboards

47

Bill Inbox

3

Alerts

Facilities

Data Explorer

Master Data

Settings

reearth.abttl.com

Ask anything — "What happened with March STP from Tirupur?"

Facilities

Personnel

Regulatory limits

Vendors

Alert rules

All facilities · Factory-Bengaluru

IDENTITY

Name

Factory-Bengaluru

Type

Factory · garment tailoring

Brand

Pantaloons

Address

Peenya, Bengaluru, Karnataka

Built-up

92,400 sq ft

Time zone

Asia/Kolkata

Daily cutoff

7:00 PM local

CONDITIONAL FLAGS

has_solar

true

has_canteen

true

has_groundwater

true

has_rainwater_harvesting

true

has_municipal_water

false

has_tanker_water

false

has_first_aid

true

INFRASTRUCTURE

4 DGs · DG-1 250 kVA · DG-2 250 kVA · DG-3 500 kVA · DG-4 1000 kVA

1 boiler · biomass-fired · 4 TPH

Solar PPA · CleanMax · 200 kW · since Mar-2024

PERMITS

HWM auth: KSPCB/HWM/24/118 · valid 31 Dec 2026

CTO: KSPCB/CTO/22/047 · valid 30 Jun 2027

Fire NOC: BFD/2025/118 · valid 14 Sep 2026

Factories Act: KFD/22/0091

Neha · HO

ReEarth 2.0 · UI/UX wireframes

37 / 44

https://019df6a6-308f-7d2e-adbd-8c91765eb1ba.claudeusercontent.com/v1/design/projects/019df6a6-308f-7d2e-adbd-8c91765eb1ba/serve/ReEarth Wireframes-print.html?t=59d91f341cfcc1717e24...

39/46

38 Master · Personnel (PIN reset)

HO · Master Data

ReEarth · HO

Dashboards

47

Bill Inbox

3

Alerts

Facilities

Data Explorer

Master Data

Settings

reearth.abfhl.com

Ask anything — "What happened with March STP from Tirupur?"

Facilities

Personnel

Regulatory limits

Vendors

Alert rules

Parameters

+ Add

Role · all

Facility · all

Status · active

Make a change with words

Name	Role	Facility	Active since	Last login	Status	Actions
Asha M.	Contributor	Factory- Bengaluru	14 Jan 2026	2h ago	active	Reset PIN
Ravi K.	Contributor	Factory- Bengaluru	14 Jan 2026	6h ago	active	Reset PIN
Priya S.	Contributor	Factory- Bengaluru	02 Feb 2026	1d ago	active	Reset PIN
Kiran D.	Contributor	Bhiwandi	14 Jan 2026	4h ago	active	Reset PIN
Sita R.	Contributor	Hosur	14 Jan 2026	12d ago	inactive	Reset PIN
Neha S.	HO	—	01 Jan 2026	now	active	Reset PIN

Neha · HO

ReEarth 2.0 · UI/UX wireframes

38 / 44

https://019df6a6-308f-7d2e-adbd-8c91765eb1ba.claudeusercontent.com/v1/design/projects/019df6a6-308f-7d2e-adbd-8c91765eb1ba/serve/ReEarth Wireframes-print.html?t=59d91f341cfcc1717e24... 40/46

39 Master · Regulatory limits (effective-dated)

HO · Master Data

ReEarth · HO

Dashboards

Bill Inbox47

Alerts3

Facilities

Data Explorer

Master Data

Settings

Ask anything — "What happened with March STP from Tirupur?"

Facilities

Personnel

Regulatory limits

Vendors

Alert rules

Limits are effective-dated. A submission is evaluated against the limit valid on its event date — historical breach decisions stay stable.

Parameter · all

Facility · Factory-Tirupur

Active on · today

+ New limit

Parameter	Facility	Limit	Unit	From	To	Source
STP outlet · BOD	All factories	30	mg/L	01 Apr 2024	—	CPCB
STP outlet · COD	All factories	250	mg/L	01 Apr 2024	—	CPCB
STP outlet · pH	All factories	6.0–9.0		01 Apr 2024	—	CPCB
D6 stack · PM	All factories	75	mg/Nm³	01 Apr 2024	—	CPCB
Borewell · TDS	All	2000	mg/L	01 Apr 2024	—	IS 10500
Groundwater · withdraw	Factory-Tirupur	180	m³/day	01 Jan 2025	—	CGWA
STP outlet ·	Factory-					

Neha · HO

ReEarth 2.0 · UI/UX wireframes

39 / 44

reearth.abfil.com

ReEarth · HO

Dashboards

Bill Inbox 47

Alerts 3

Facilities

Data Explorer

Master Data

Settings

Ask anything — "What happened with March STP from Tirupur?"

Facilities

Personnel

Regulatory limits

Vendors

Alert rules

Category · Hazardous waste

Facility · all

+ Add vendor

Vendor	Category	Authorized for	HWM auth #	Valid until	Status
CleanRecycle Pvt Ltd	Used oil	II Factories	KSPCB/HWM/22/041	31 Dec 2026	active
EcoSpark Recyclers	Battery	All IS	TNPCB/HWM/24/118	15 Mar 2027	active
GreenChain E-waste	E-waste	All IS	CPCB/EWM/25/009	01 Aug 2027	active
BioMed Disposal Co	Biomedical	II Factories	KSPCB/BMW/24/077	30 Sep 2026	active
SafeChem Industrial	Oil-soaked cotton	II factories	KSPCB/HWM/22/052	15 Jul 2026	△ expiring
Vintage Recyclers	Used oil	Factory-Tirupur	TNPCB/HWM/19/004	12 Feb 2026	expired

Neha · HO

ReEarth · HO

Dashboards

47

Bill Inbox

3

Alerts

Facilities

Data Explorer

Master Data

Settings

reearth.abfl.com

Ask anything — "What happened with March STP from Tirupur?"

Facilities

Personnel

Regulatory limits

Vendors

Alert rules

12 active rules

Water-positive < 1.10

all factories · warning

Bhiwandi grid > 15,000 kWh

1 facility · critical

DG SFC > 0.40 L/kWh

all · warning

Used oil > 80% cap

all factories · warning

Renewable % < 35%

all · info

Boiler ash > 2 t/hk

all factories · info

Edit rule · water_positive_lt_1.1

Created by Neha · 14 Jan 2026 · 4 alerts in last 90 days

Name

Water-positive ratio low

Scope

All factories ▾

Metric

water_positive_ratio (Com

Condition

less than ▾

Severity

info

warning

Active dates

14 Jan 2026 → open

Notify

All HO users

Push

ReEarth 2.0 · UI/UX wireframes

41 / 44

https://019df6a6-308f-7d2e-adbd-8c91765eb1ba.claudeusercontent.com/v1/design/projects/019df6a6-308f-7d2e-adbd-8c91765eb1ba/serve/ReEarth Wireframes-print.html?t=59d91f341cfcc1717e24... 43/46

ReEarth · HO

Dashboards

Bill Inbox47

Alerts3

Facilities

Data Explorer

Master Data

Ask anything — "What happened with March STP from Tirupur?"

Facilities

PersonnelRegulatory limitsVendorsAlert rules

IS facilities

Factory-Bengaluru · 4 DG · solar

Factory-Tirupur · 3 DG · solar

Factory-Hosur · 4 DG

Factory-Mysuru · 2 DG · solar

✕

Make a change with words

Describe your change

"Add a Sth DG to Factory-Bengaluru, 250 kVA diesel"

PROPOSED DIFF · review before approving

Target: Factory-Bengaluru

~ dg_count: 4 → 5

+ append dgs[4]:

+ dg_id: dg_005

+ label: "DG-5"

+ capacity_kva: 250

+ fuel: diesel

+ active: true

⚠ Side effect: Tomorrow's daily logs at Factory-Bengaluru gain 3 new cards. Push notification will fire to 3 contributors.

Cancel

Edit fields

✓ Approve & apply

Neha · HO

ReEarth 2.0 · UI/UX wireframes

42 / 44

https://019df6a6-308f-7d2e-adbd-8c91765eb1ba.claudeusercontent.com/v1/design/projects/019df6a6-308f-7d2e-adbd-8c91765eb1ba/serve/ReEarth Wireframes-print.html?t=59d91f341cfcc1717e24... 44/46

43 Master · NL update — bulk (11 facilities)

HO · Master Data

ReEarth · HO

Dashboards

Bill Inbox 47

Alerts 3

Facilities

Data Explorer

Master Data

Settings

Ask anything — "What happened with March STP from Tirupur?"

Facilities · ⚡ Make a change with words

Describe your change

"Update the CPCB STP outlet BOD limit to 25 mg/L for all factories, effective 1 May 2026"

PROPOSED — APPLIES TO 11 FACILITIES

Target: **regulatory_limits** where parameter = "stp_bod" AND scope = factory

~ Close existing limit (effective_to = 30 Apr 2026)

+ Insert new limit: 25 mg/L · effective_from = 01 May 2026 · open-ended

11 facilities affected — show v

Bengaluru, Tirupur, Hosur, Mysuru, Doddaballapura, Bommasandra, Madhavaram, Tumkur, Kanchipuram, Coimbatore, Belgaum

⚠ Side effects:

· Submissions dated on/after 1 May 2026 will be evaluated against 25 mg/L

· Historical breach decisions remain stable (old limit still applies retroactively)

· No push notifications fire (this is HO-internal master data)

Neha · HO

ReEarth 2.0 · UI/UX wireframes

43 / 44

44 HO settings

HO · Settings

ReEarth · HO

47

3

47

3