

WPL LAB 10 HW

Name: Abhinav Singh Bhagtana

Roll no: A-029

Reg no: 230905225

Q. Assume a table “Institutes” with institute_id, name, and no_of_courses are the fields. Create a web page that retrieves all the data from “Institutes” table displays only Institute names in the list box.

The screenshot shows the VS Code editor with the `settings.py` file open. The file contains Django settings for a project named `university_system`. The settings include a secret key, debug mode, allowed hosts, installed apps, and middleware. The terminal at the bottom shows the command `python manage.py runserver` being executed, and the output displays a series of GET requests to the server.

```
university_system > settings.py > ...
22 # SECURITY WARNING: keep the secret key used in production secret!
23 SECRET_KEY = "django-insecure-b6-0eivu08+o5d8s05w*2z@ixk!6o=1!$_yw_$3!pe"
24
25 # SECURITY WARNING: don't run with debug turned on in production!
26 DEBUG = True
27
28 ALLOWED_HOSTS = []
29
30
31 # Application definition
32
33 INSTALLED_APPS = [
34     "college",
35     "django.contrib.admin",
36     "django.contrib.auth",
37     "django.contrib.contenttypes",
38     "django.contrib.sessions",
39     "django.contrib.messages",
40     "django.contrib.staticfiles",
41 ]
42
43 MIDDLEWARE = [
44     "django.middleware.security.SecurityMiddleware",
45     "django.contrib.sessions.middleware.SessionMiddleware",
46     "django.middleware.common.CommonMiddleware",
47     "django.middleware.csrf.CsrfViewMiddleware",
48     "django.contrib.auth.middleware.AuthenticationMiddleware",
49 ]
```

Terminal Output:

```
(.venv) abhinav@abhinav-L00-15APH8:~/college/CSE 6 SEM/college/Web Programming Lab/week10/additional$ python manage.py runserver
[27/Mar/2026 14:02:02] "GET /admin/college/institute/ HTTP/1.1" 200 10065
[27/Mar/2026 14:02:02] "GET /static/admin/css/changelists.css HTTP/1.1" 200 6878
[27/Mar/2026 14:02:02] "GET /static/admin/js/filters.js HTTP/1.1" 200 978
[27/Mar/2026 14:02:02] "GET /admin/jsi18n/ HTTP/1.1" 200 3342
[27/Mar/2026 14:02:02] "GET /static/admin/img/tooltag-add.svg HTTP/1.1" 200 331
[27/Mar/2026 14:02:07] "GET /admin/college/institute/add/ HTTP/1.1" 200 9746
[27/Mar/2026 14:02:08] "GET /admin/college/institute/ HTTP/1.1" 200 9863
[27/Mar/2026 14:02:14] "GET / HTTP/1.1" 200 327
[27/Mar/2026 14:02:19] "GET / HTTP/1.1" 200 327
[27/Mar/2026 14:02:20] "GET / HTTP/1.1" 200 327
[27/Mar/2026 14:02:20] "GET / HTTP/1.1" 200 327
```

The screenshot shows the VS Code editor with the `models.py` file open. The file contains a Django model named `Institute` with fields for `institute_id`, `name`, and `no_of_courses`. The terminal at the bottom shows the command `python manage.py runserver` being executed, and the output displays a series of GET requests to the server.

```
college > models.py > ...
1 from django.db import models
2
3
4 class Institute(models.Model):
5     institute_id = models.AutoField(primary_key=True)
6     name = models.CharField(max_length=200)
7     no_of_courses = models.IntegerField()
8
9     def __str__(self):
10         return self.name
11
```

Terminal Output:

```
(.venv) abhinav@abhinav-L00-15APH8:~/college/CSE 6 SEM/college/Web Programming Lab/week10/additional$ python manage.py runserver
[27/Mar/2026 14:02:02] "GET /admin/college/institute/ HTTP/1.1" 200 10065
[27/Mar/2026 14:02:02] "GET /static/admin/css/changelists.css HTTP/1.1" 200 6878
[27/Mar/2026 14:02:02] "GET /static/admin/js/filters.js HTTP/1.1" 200 978
[27/Mar/2026 14:02:02] "GET /admin/jsi18n/ HTTP/1.1" 200 3342
[27/Mar/2026 14:02:02] "GET /static/admin/img/tooltag-add.svg HTTP/1.1" 200 331
[27/Mar/2026 14:02:07] "GET /admin/college/institute/add/ HTTP/1.1" 200 9746
[27/Mar/2026 14:02:08] "GET /admin/college/institute/ HTTP/1.1" 200 9863
[27/Mar/2026 14:02:14] "GET / HTTP/1.1" 200 327
[27/Mar/2026 14:02:19] "GET / HTTP/1.1" 200 327
[27/Mar/2026 14:02:20] "GET / HTTP/1.1" 200 327
[27/Mar/2026 14:02:20] "GET / HTTP/1.1" 200 327
```

```
college > views.py > ...
1 from django.shortcuts import render
2 from .models import Institute
3
4
5 def show_institutes(request):
6     institutes_data = Institute.objects.all()
7     return render(request, "institutes_list.html", {"institutes": institutes_data})
8
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

(.venv) abhinav@abhinav-L00-15APH8:~/college/CSE 6 SEM/college/Web Programming Lab/week10/additional\$ python manage.py runserver

```
[27/Mar/2026 14:02:02] "GET /admin/college/institute/ HTTP/1.1" 200 10065
[27/Mar/2026 14:02:02] "GET /static/admin/css/changelists.css HTTP/1.1" 200 6878
[27/Mar/2026 14:02:02] "GET /static/admin/js/filters.js HTTP/1.1" 200 978
[27/Mar/2026 14:02:02] "GET /admin/jsi18n/ HTTP/1.1" 200 3342
[27/Mar/2026 14:02:02] "GET /static/admin/img/tooltag-add.svg HTTP/1.1" 200 331
[27/Mar/2026 14:02:07] "GET /admin/college/institute/add/ HTTP/1.1" 200 9746
[27/Mar/2026 14:02:08] "GET /admin/college/institute/ HTTP/1.1" 200 9863
[27/Mar/2026 14:02:14] "GET / HTTP/1.1" 200 327
[27/Mar/2026 14:02:19] "GET / HTTP/1.1" 200 327
[27/Mar/2026 14:02:20] "GET / HTTP/1.1" 200 327
[27/Mar/2026 14:02:20] "GET / HTTP/1.1" 200 327
```

```
college > urls.py > ...
1 # college/urls.py
2 from django.urls import path
3 from . import views
4
5 urlpatterns = [
6     path("", views.show_institutes, name="show_institutes"),
7 ]
8
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

(.venv) abhinav@abhinav-L00-15APH8:~/college/CSE 6 SEM/college/Web Programming Lab/week10/additional\$ python manage.py runserver

```
[27/Mar/2026 14:02:02] "GET /admin/college/institute/ HTTP/1.1" 200 10065
[27/Mar/2026 14:02:02] "GET /static/admin/css/changelists.css HTTP/1.1" 200 6878
[27/Mar/2026 14:02:02] "GET /static/admin/js/filters.js HTTP/1.1" 200 978
[27/Mar/2026 14:02:02] "GET /admin/jsi18n/ HTTP/1.1" 200 3342
[27/Mar/2026 14:02:02] "GET /static/admin/img/tooltag-add.svg HTTP/1.1" 200 331
[27/Mar/2026 14:02:07] "GET /admin/college/institute/add/ HTTP/1.1" 200 9746
[27/Mar/2026 14:02:08] "GET /admin/college/institute/ HTTP/1.1" 200 9863
[27/Mar/2026 14:02:14] "GET / HTTP/1.1" 200 327
[27/Mar/2026 14:02:19] "GET / HTTP/1.1" 200 327
[27/Mar/2026 14:02:20] "GET / HTTP/1.1" 200 327
[27/Mar/2026 14:02:20] "GET / HTTP/1.1" 200 327
```

Visual Studio Code interface showing a Django project setup.

EXPLORER

- ADDITIONAL
 - .venv
 - college
 - __pycache__
 - migrations
 - templates
 - institutes_list.html
 - __init__.py
 - admin.py
 - apps.py
 - models.py
 - tests.py
 - urls.py
 - views.py
 - university_system
 - __pycache__
 - __init__.py
 - asgi.py
 - settings.py
 - urls.py
 - wsgi.py
 - db.sqlite3
 - manage.py

admin.py

```
1 from django.contrib import admin
2 from .models import Institute
3
4 admin.site.register(Institute)
5
```

TERMINAL

```
(.venv) abhinav@abhinav-LOQ-15APH8:~/college/CSE 6 SEM/college/Web Programming Lab/week10/additional$ python manage.py runserver
[27/Mar/2026 14:02:02] "GET /static/admin/css/changelists.css HTTP/1.1" 200 6878
[27/Mar/2026 14:02:02] "GET /static/admin/js/filters.js HTTP/1.1" 200 978
[27/Mar/2026 14:02:02] "GET /admin/jsi18n/ HTTP/1.1" 200 3342
[27/Mar/2026 14:02:02] "GET /static/admin/img/tooltag-add.svg HTTP/1.1" 200 331
[27/Mar/2026 14:02:07] "GET /admin/college/institute/add/ HTTP/1.1" 200 9746
[27/Mar/2026 14:02:08] "GET /admin/college/institute/ HTTP/1.1" 200 9863
[27/Mar/2026 14:02:14] "GET / HTTP/1.1" 200 327
[27/Mar/2026 14:02:19] "GET / HTTP/1.1" 200 327
[27/Mar/2026 14:02:20] "GET / HTTP/1.1" 200 327
[27/Mar/2026 14:02:20] "GET / HTTP/1.1" 200 327
```

The image shows a Visual Studio Code editor window with a dark theme. The Explorer sidebar on the left displays a project structure with folders like `.venv`, `college`, `templates`, and `university_system`. The `university_system` folder is expanded, showing files such as `__init__.py`, `asgi.py`, `settings.py`, `urls.py`, `wsgi.py`, `db.sqlite3`, and `manage.py`. The `urls.py` file is selected and open in the main editor.

The `urls.py` file contains the following code:

```
4 The 'urlpatterns' list routes URLs to views. For more information please see:
5   https://docs.djangoproject.com/en/5.2/topics/http/urls/
6 Examples:
7 Function views
8     1. Add an import: from my_app import views
9     2. Add a URL to urlpatterns: path('', views.home, name='home')
10 Class-based views
11     1. Add an import: from other_app.views import Home
12     2. Add a URL to urlpatterns: path('', Home.as_view(), name='home')
13 Including another URLconf
14     1. Import the include() function: from django.urls import include, path
15     2. Add a URL to urlpatterns: path('blog/', include('blog.urls'))
16 """
17
18 from django.contrib import admin
19 from django.urls import path, include
20
21 urlpatterns = [
22     path("admin/", admin.site.urls),
23     path("", include("college.urls")),
24 ]
25
```

Below the editor, the TERMINAL panel is active, showing the command `python manage.py runserver` and a series of HTTP log messages from the Django development server:

```
(.venv) abhinav@abhinav-LQ-15APH8:~/college/CSE 6 SEM/college/Web Programming Lab/week10/additional$ python manage.py runserver
[27/Mar/2026 14:02:02] "GET /static/admin/css/changelists.css HTTP/1.1" 200 6878
[27/Mar/2026 14:02:02] "GET /static/admin/js/filters.js HTTP/1.1" 200 978
[27/Mar/2026 14:02:02] "GET /admin/jsi18n/ HTTP/1.1" 200 3342
[27/Mar/2026 14:02:02] "GET /static/admin/img/tooltag-add.svg HTTP/1.1" 200 331
[27/Mar/2026 14:02:07] "GET /admin/college/institute/add/ HTTP/1.1" 200 9746
[27/Mar/2026 14:02:08] "GET /admin/college/institute/ HTTP/1.1" 200 9863
[27/Mar/2026 14:02:14] "GET / HTTP/1.1" 200 327
[27/Mar/2026 14:02:19] "GET / HTTP/1.1" 200 327
[27/Mar/2026 14:02:20] "GET / HTTP/1.1" 200 327
[27/Mar/2026 14:02:20] "GET / HTTP/1.1" 200 327
```

The status bar at the bottom indicates the current file is `urls.py` at line 19, column 38, using UTF-8 encoding and LF line endings.

```
college > templates > institutes_list.html > html
1 <!DOCTYPE html>
2 <html>
3
4 <head>
5 | <title>Institute List</title>
6 </head>
7
8 <body>
9 | <h2>Registered Institutes</h2>
10 | <select size="10" style="width: 300px; padding: 5px; font-size: 16px;">
11 |   {% for institute in institutes %}
12 |   <option value="{{ institute.institute_id }}">{{ institute.name }}</option>
13 |   {% empty %}
14 |   <option disabled>No institutes found.</option>
15 |   {% endfor %}
16 | </select>
17 </body>
18
19 </html>
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

```
(.venv) abhinav@abhinav-LOQ-15APH8:~/college/CSE 6 SEM/college/Web Programming Lab/week10/additional$ python manage.py runserver
[27/Mar/2026 14:02:02] "GET /static/admin/css/changelists.css HTTP/1.1" 200 6878
[27/Mar/2026 14:02:02] "GET /static/admin/js/filters.js HTTP/1.1" 200 978
[27/Mar/2026 14:02:02] "GET /admin/jsi18n/ HTTP/1.1" 200 3342
[27/Mar/2026 14:02:02] "GET /static/admin/img/tooltag-add.svg HTTP/1.1" 200 331
[27/Mar/2026 14:02:07] "GET /admin/college/institute/add/ HTTP/1.1" 200 9746
[27/Mar/2026 14:02:08] "GET /admin/college/institute/ HTTP/1.1" 200 9863
[27/Mar/2026 14:02:14] "GET / HTTP/1.1" 200 327
[27/Mar/2026 14:02:19] "GET / HTTP/1.1" 200 327
[27/Mar/2026 14:02:20] "GET / HTTP/1.1" 200 327
[27/Mar/2026 14:02:20] "GET / HTTP/1.1" 200 327
```

website(after adding institutes from admin page):

Registered Institutes

mit

iit