

# WPL LAB 8 additional

Name: Abhinav Singh Bhagtana

Roll no: A-029

Reg no: 230905225

Q1.


- 1) Develop a Web Application for Grocery Checklist Generation as shown in the figure below. It must have **checkboxes** which must be populated on page load listing grocery items. On clicking the **Add Item** button the selected Items and their prices have to be displayed in a Table. Set the border style and border width for the table and its cells.

Select Item:

- ☒ Wheat
- ☐ Jaggery
- ☒ Dal

| Item Name | Item Price |
|-----------|------------|
| Wheat     | 40         |
| Dal       | 80         |

Add Item



File Edit Selection View Go ... addq1

EXPLORER

- ADDQ1
  - .venv
  - grocery\_app
    - \_\_pycache\_\_
    - migrations
    - templates/grocery\_app
      - index.html
    - \_\_init\_\_.py
    - admin.py
    - apps.py
    - models.py
    - tests.py
    - urls.py
    - views.py
  - grocery\_project
    - \_\_pycache\_\_
    - \_\_init\_\_.py
    - asgi.py
    - settings.py
    - urls.py
    - wsgi.py
    - db.sqlite3
    - manage.py

views.py


```
grocery_app > views.py > grocery_checklist
1 from django.shortcuts import render
2
3 GROCERY_ITEMS = {
4     "Wheat": 40,
5     "Jaggery": 50,
6     "Dal": 80,
7 }
8
9
10 def grocery_checklist(request):
11     selected_items_data = []
12
13     if request.method == "POST":
14         # request.POST.getlist() retrieves a list of all checked boxes with the name 'items'
15         selected_item_names = request.POST.getlist("items")
16
17         # Build a list of dictionaries containing the name and price of selected items
18         for item in selected_item_names:
19             if item in GROCERY_ITEMS:
20                 selected_items_data.append({"name": item, "price": GROCERY_ITEMS[item]})
21
22     # Context passed to the template every time the page loads
23     context = {
24         "all_items": GROCERY_ITEMS.keys(),
25         "selected_items": selected_items_data,
26     }
27
28     return render(request, "grocery_app/index.html", context)
29
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

python

```
(.venv) abhinav@abhinav-L00-15APH8:~/college/CSE 6 SEM/college/Web Programming Lab/week8/addq1$ p
erver
For more information on production servers see: https://docs.djangoproject.com/en/5.2/howto/deployment/
[23/Mar/2026 08:57:21] "GET / HTTP/1.1" 200 1897
[23/Mar/2026 08:57:24] "POST / HTTP/1.1" 200 2346
[23/Mar/2026 08:57:27] "POST / HTTP/1.1" 200 2215
[23/Mar/2026 08:57:29] "POST / HTTP/1.1" 200 2344
[23/Mar/2026 08:57:38] "POST / HTTP/1.1" 200 2344
[23/Mar/2026 08:57:41] "POST / HTTP/1.1" 200 2471
```

Ln 21, Col 1 Spaces: 4 UTF-8 LF Python 3.10.12 (.venv)




VS Code interface showing a Django project named 'ADDQ1'. The Explorer sidebar on the left displays the project structure, including files like `urls.py`, `models.py`, `views.py`, and `index.html` under the `templates/grocery_app` directory.


The main editor displays the `index.html` file, which contains the following HTML code:

```
2 <html lang="en">
3 <head>
4
5 </head>
6
7 <body>
8   <div class="container">
9     <form method="POST">
10       {% csrf_token %}
11       <div>Select Item:</div>
12
13       {% for item in all_items %}
14       <div>
15         <label>
16           <input type="checkbox" name="items" value="{{ item }}"> {{ item }}
17         </label>
18       </div>
19       {% endfor %}
20       <br>
21
22       {% if selected_items %}
23       <table>
24         <tr>
25           <th>Item Name</th>
26           <th>Item Price</th>
27         </tr>
28         {% for item in selected_items %}
29         <tr>
30           <td>{{ item.name }}</td>
31           <td>{{ item.price }}</td>
32         </tr>
33         {% endfor %}
34       </table>
35       {% endif %}
36
37       <div class="button-container">
38         <button type="submit" style="padding: 5px 30px;">Add Item</button>
39       </div>
40     </form>
41   </div>
42 </body>
43 </html>
```

The bottom status bar shows the current cursor position: `Ln 32, Col 26`. The bottom panel displays the `TERMINAL` output, showing a successful POST request:

```
[23/Mar/2026 08:57:41] "POST / HTTP/1.1" 200 2471
```





Select Item:

- ☒ Wheat
- ☒ Jaggery
- ☒ Dal

| Item Name | Item Price |
|-----------|------------|
| Wheat     | 40         |
| Jaggery   | 50         |
| Dal       | 80         |

Add Item