```
D

✓ WEB_PROJECT

                                           from logging import exception
                                          import pymysql
from flask import Flask, render_template, request, redirect, url_for
                                              con=pymysql.connect(host="localhost",user="root", password="root", database="web_project")
cur=con.cursor()
cur.close()
con.close()
                                           def getdata():
                                              selectquery = "select * from employees;"
cur.execute(selectquery)
data = cur.fetchall()
                                             disconnect()
return data
                                          def insertdata(id_no, full_name, Gmail, DOB=None):
                                                 insertquery = "insert into employees (id no, full_name, Gmail, DOB) values (%s,%s,%s,%s);"
cur.execute(insertquery, (id_no, full_name, Gmail, DOB))
                                                  disconnect()
> OUTLINE
                                          def getOne(id_no):
                                               connect()
    > TIMELINI
🕏 pro.py > 😭 disconnect
       def getOne(id_no):
            connect()
            selectquery = "SELECT * FROM employees WHERE id_no=%s;"
            cur.execute(selectquery,(id_no, ))
            data = cur.fetchone()
            disconnect()
            return data
       def updatedata(full_name,Gmail,id_no,DOB=None):
                 connect()
                 updateQuery = "UPDATE employees SET full_name=%s, Gmail=%s, DOB=%s WHERE id_no=%s;"
                 cur.execute(updateQuery, (full_name, Gmail, DOB, id_no))
                 print(id_no, full_name, Gmail, DOB)
                 con.commit()
                 disconnect()
                 disconnect()
       def deletedata(id_no):
                 connect()
                 deleteQuery = "DELETE FROM employees WHERE id_no=%s;"
                 cur.execute(deleteQuery, (id_no, ))
                 con.commit()
                 disconnect()
                 disconnect()
       @myflask.route("/")
       @myflask.route("/index/")
       def index():
            if request.method=="GET":
                 data = getdata()
                 return render_template("index.html", data=data)
            return render_template("index.html")
```

pro.py X

oupdate.html

```
₱ pro.py > 

    disconnect

     @myflask.route("/add/", methods=['GET','POST'])
      def addemployee():
         if request.method =="POST":
             data = request.form
             if insertdata(data['txtid_no'], data['txtfull_name'], data['txtGmail'], data['txtDOB']):
                  message="Record inserted successfully"
                  message="Due to some issue could't insert record"
             return render template('insert.html', message=message)
         return render_template("insert.html")
      @myflask.route("/edit/",methods=['GET','POST'])
     def updateemployee():
         id_no=request.args.get('id',type=int,default=1)
         data=getOne(id_no)
         if request.method =="POST":
             fdata = request.form
              if updatedata(fdata['txtfull_name'], fdata['txtGmail'], id_no, fdata['txtDOB']):
              message="Record updated successfully"
              message="Due to some issue could't update record"
             return render_template('update.html', message=message)
         return render_template("update.html",data=data)
     @myflask.route("/delete/")
      def deleteemployee():
          id_no=request.args.get('id',type=int,default=1)
         deletedata(id_no)
         return redirect(url_for("index"))
     if __name__=="__main__":
         myflask.run(debug=True)
```

```
templates > ♦ index.html > ♦ html > ♦ body > ♦ style > 😝 li
       <html lang="en">
            <!-- Required meta tags -->
<meta charset="utf-8">
            <meta name="viewport" content="width=device-width, initial-scale=1">

<
            <title>Employee Record</title>
        <body style="background-color: ☐ rgba(93, 145, 158, 0.378);"></body>
                  list-style-type: none;
                  margin: 0;
                  padding: 0;
                   background-color: □rgba(168, 104, 124, 0.788);
                 li {
                   float: left;
                 li a {
                  display: block;
color: □black;
                   text-align: center;
                   padding: 20px 25px;
                   text-decoration: none:
                   background-color: ☐rgb(59, 69, 99);
```

```
templates > 🥎 index.html > 🤡 html > 🤀 body > 🤀 style > ધ li
                                                                   li a:hover {
                                                                           background-color: ☐rgb(59, 69, 99);
                                                                         <a class="active" href="#home">Home</a>
                                                                            <a href="#Status">Status</a>
                                                                            <a href="#contact">Contact</a>
                                                                           <a href="#about">About</a>
                                                 <h1>NAMASTE...</h1>
                                                                    <a href="http://127.0.0.1:5000/add/" class="btn btn-primary">Add new Employee</a>
                                                                                                                          id_no
                                                                                                                          full_name
                                                                                                                         Gmail
DOB

                                                                                                       {% for employees in data %}
                                                                                                                          \label{td} $$ \dots = (0)  (td)  (td) < 
                                                                                                                           \label{td} $$ \t d>{employees[1]}}
                                                                                                                          {{employees[2]}}
                                                                                                                          \label{td} $$ \dots = \frac{td}{{employees[3]}}  \\
                                                                                                                                             \label{lem:lemployees} $$ \a href="http://127.0.0.1:5000/edit/?id={\{employees[0]\}}" \ class="btn btn-warning">Edit</a> $$ \arranger = (a) \arranger = (b) \a
                                                                                                                                             <a href="http://127.0.0.1:5000/delete/?id={{employees[0]}}" class="btn btn-danger">Delete</a>
remplates > 🧐 index.html > 🤣 html > 😭 body > 😭 style > ધ li
```

```
templates > 0 indexham1) @ ham1 > @ body > @ ayle > % 16

(*tbody)

(*** for employees in data %)

(*tbody)

(*** for employees in data %)

(*tb)

(*tb)

(*tb)

(*tb)

(*tb)

(*tb)

(*td)

(*(employees[a])}}/(tb)

(*tb)

(*td)

(*(employees[a])})/(tb)

(*tb)

(*(employees[a])})/(tb)

(*(employees[a])})/(tb)

(*(employees[a])})/(tb)

(*(employees[a])}/(tb)

(*(employees[a]
```

```
<html lang="en":
  <!-- Required meta tags --> <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
    integrity="sha384-EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC" crossorigin="anonymous">
  <title>employees information</title>
kbody style="background-color: ☐ rgba(97, 155, 115, 0.504);"></body>
  <div class="container">
    <a href="http://127.0.0.1:5000/" class="btn btn-link">Go To Employees List</a>
    <h1>Add a new Employee</h1>
          required />
          <input type="text" class="form-control" name="txtGmail" id="txtGmail" placeholder="Enter your Gmail" required />
          {% if message %}
            {{message}}
          {% endif %}
       <input type="submit" value="submit" class="btn btn-primary">
       {% if message %}
         {{message}}
       {% endif %}
<!-- Option 1: Bootstrap Bundle with Popper -->
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js"</pre>
  integrity="sha384-MrcWoZMFY]zcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSFAP+JcXn/tWtIaxVXM'
crossorigin="anonymous"></script>
  <script src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.9.2/dist/umd/popper.min.js" integrity="sha384-IQsoLXl5PILFhosVNubq5LC7Qb9DXgDA9i+tQ8Zj3iwMAwPtgFTxbJ8NT4GN1R8p" crossor
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.min.js" integrity="sha384-cVKIPhGWic2Al4u+LWgxfKTRIcfu0JTxR+EQDz/bgldoEy14H0zUF0QKbrJ0EcQF" crossorigi</pre>
```

```
ıplates > 🗘 update.html > 😭 html > 😭 body
   <!doctype html>
    <html lang="en">
     <meta charset="utf-8">
      <meta name="viewport" content="width=device-width, initial-scale=1">
      <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css" rel="stylesheet"</pre>
       integrity="sha384-EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC" crossorigin="anonymous">
     <title>Employee Record</title>
   kbody style="background-color: ☐ rgba(138, 187, 184, 0.578);"></body>
     <div class="container">
        <a href="http://127.0.0.1:5000/" class="btn btn-link">Go To Employees List</a>
        <h1>Update information</h1>
         <div class="container">
          {% if data %}
          <form method="POST">
            <input type="number" class="form-control" name="txtid" id="txtid" disabled value="{{data[0]}}" />
            <input type="text" class="form-control" name="txtfull name" id="txtfull name" placeholder="Enter full Name"</pre>
             required value="{{data[1]}}" />
            <input type="text" class="form-control" name="txtGmail" id="txtGmail" placeholder="Enter your Gmail" required</pre>
              value="{{data[2]}}" />
            <input type="date" class="form-control" name="txtDOB" id="txtDOB" placeholder="Enter your DOB" required</pre>
              value="{{data[3]}}" />
            <input type="submit" value="submit" class="btn btn-primary">
          {% endif %}
          {% if message %}
            {{message}}
        {% endif %}
        {% if message %}
       <div class="alert alert-info" role="alert">
        {{message}}
       {% endif %}
    <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js"</pre>
     integrity="sha384-MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEUNSfAP+JcXn/tWtIaxVXM"
     crossorigin="anonymous"></script>
     <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.min.js" integrity="sha384-cVKIPhGWiC2Al4u+LWgxfKTRIcfu0JTxR+EQDZ/bgldoEyl4H0ZUF0QKbrJ0EcQF" crossorigi</pre>
```





