



Central Management System:

```
/**
 * Class CENTRAL_MANAGEMENT_SYSTEM
 */
public class CENTRAL_MANAGEMENT_SYSTEM {

    //
    // Fields
    //

    private void store_details;
    private void verify_details;

    //
    // Constructors
    //
    public CENTRAL_MANAGEMENT_SYSTEM () { };

    //
    // Methods
    //

    //
```

```
// Accessor methods

//

/**
 * Set the value of store_details
 * @param newVar the new value of store_details
 */
private void setStore_details (void newVar) {
    store_details = newVar;
}

/**
 * Get the value of store_details
 * @return the value of store_details
 */
private void getStore_details () {
    return store_details;
}

/**
 * Set the value of verify_details
 * @param newVar the new value of verify_details
 */
private void setVerify_details (void newVar) {
    verify_details = newVar;
}
```

```
/**
 * Get the value of verify_details
 * @return the value of verify_details
 */
private void getVerify_details () {
    return verify_details;
}
```

```
//
// Other methods
//
```

```
/**
 */
public void verify()
{
}
```

```
/**
 */
public void enroll()
{
}
```

```
}
```

STUDENT

```
/**
```

```
 * Class STUDENT
```

```
 */
```

```
public class STUDENT {
```

```
    //
```

```
    // Fields
```

```
    //
```

```
    private void name;
```

```
    private void address;
```

```
    private void marks;
```

```
    //
```

```
    // Constructors
```

```
    //
```

```
    public STUDENT () { };
```

```
    //
```

```
    // Methods
```

```
//
```

```
//
```

```
// Accessor methods
```

```
//
```

```
/**
```

```
 * Set the value of name
```

```
 * @param newVar the new value of name
```

```
 */
```

```
private void setName (void newVar) {
```

```
    name = newVar;
```

```
}
```

```
/**
```

```
 * Get the value of name
```

```
 * @return the value of name
```

```
 */
```

```
private void getName () {
```

```
    return name;
```

```
}
```

```
/**
```

```
 * Set the value of address
```

```
 * @param newVar the new value of address
```

```
*/  
private void setAddress (void newVar) {  
    address = newVar;  
}
```

```
/**  
 * Get the value of address  
 * @return the value of address  
 */  
private void getAddress () {  
    return address;  
}
```

```
/**  
 * Set the value of marks  
 * @param newVar the new value of marks  
 */  
private void setMarks (void newVar) {  
    marks = newVar;  
}
```

```
/**  
 * Get the value of marks  
 * @return the value of marks  
 */  
private void getMarks () {
```



```
    return marks;  
}
```

```
//  
// Other methods  
//
```

```
/**  
 */  
public void browse()  
{  
}
```

```
/**  
 */  
public void select()  
{  
}
```

```
/**  
 */  
public void register()  
{  
}
```

```
}
```

UNIVERSITY

```
/**
```

```
 * Class UNIVERSITY
```

```
 */
```

```
public class UNIVERSITY {
```

```
    //
```

```
    // Fields
```

```
    //
```

```
    private void store_details;
```

```
    private void verify_details;
```

```
    //
```

```
    // Constructors
```

```
    //
```

```
    public UNIVERSITY () { };
```

```
    //
```

```
    // Methods
```

```
    //
```

```
    //
```

```
    // Accessor methods
```

```
    //
```

```
/**
 * Set the value of store_details
 * @param newVar the new value of store_details
 */
private void setStore_details (void newVar) {
    store_details = newVar;
}
```

```
/**
 * Get the value of store_details
 * @return the value of store_details
 */
private void getStore_details () {
    return store_details;
}
```

```
/**
 * Set the value of verify_details
 * @param newVar the new value of verify_details
 */
private void setVerify_details (void newVar) {
    verify_details = newVar;
}
```

```
/**
 * Get the value of verify_details
```

```
* @return the value of verify_details
*/
private void getVerify_details () {
    return verify_details;
}

//
// Other methods
//

/**
*/
public void verify()
{
}

/**
*/
public void enroll()
{
}

}
```

