Tasks on 12-9-24:

<u>Task-1:</u> Create a function isLeapYear that takes a year as an argument and returns true if the year is a leap year, and false otherwise.

```
JS index.js > 🛇 leapYear
      function leapYear (year){
          if(year%400 == 0 || (0 == year % 4) && (0 != year % 100)){
              return `entered year ${year} is a leap year or True`
          else{
              return `entered year ${year} is not a leap year or false`;
 6
      result = leapYear(2020);
      console.log(result);
      result = leapYear(2021);
11
12
      console.log(result);
PROBLEMS
          OUTPUT
                   DEBUG CONSOLE
                                 TERMINAL
                                           PORTS
[Running] node "d:\my files\daily activity\day43\index.js"
entered year 2020 is a leap year or True
entered year 2021 is not a leap year or false
[Done] exited with code=0 in 0.139 seconds
```

<u>Task-2:</u> Write a function is Positive that takes a number as an argument and returns true if the number is positive, and false if it is negative.

```
JS index1.js > ...
      function isPositive(num){
          if(num > 0){
              return `entered number ${num} is a positive number or True`
          else if(num == 0){
              return `given number is zero it is nethier positive nor negative`
          else{
              return `entered number ${num} is a negative or false`;
      result = isPositive(5);
 12
      console.log(result);
      result = isPositive(-3);
      console.log(result);
      result = isPositive(0);
16
      console.log(result);
PROBLEMS
                  DEBUG CONSOLE
                                 TERMINAL
          OUTPUT
                                           PORTS
[Running] node "d:\my files\daily_activity\day43\index1.js"
entered number 5 is a positive number or True
entered number -3 is a negative or false
given number is zero it is nethier positive nor negative
[Done] exited with code=0 in 0.14 seconds
```

Task-3: Create a function isDivisibleBy3And5 that takes a number as an argument and returns true if the number is divisible by both 3 and 5, and false otherwise.

```
JS index2.js > 🛇 isDivisibleby
      function isDivisibleby (num){
          if(num%3==0 && num%5==0){
              return `entered number ${num} is divisible by both 3 and 5 or True`
          else{
              return `entered number ${num} is not divisible by both 3 and 5 or false`;
 6
      result = isDivisibleby(15);
      console.log(result);
      result = isDivisibleby(10);
11
      console.log(result);
12
PROBLEMS
          OUTPUT
                   DEBUG CONSOLE
                                 TERMINAL
                                           PORTS
[Running] node "d:\my files\daily activity\day43\index2.js"
entered number 15 is divisible by both 3 and 5 or True
entered number 10 is not divisible by both 3 and 5 or false
[Done] exited with code=0 in 0.145 seconds
```

<u>Task 4:</u> Write a function is Vowel that takes a character as an argument and returns true if the character is a vowel, and false if it is a consonant.

```
JS index3.js > ...
      function isvowel (letter){
          if(letter === 'a' || letter === 'e'|| letter === 'i' || letter === 'o' || letter === 'u'){
              return `entered letter ${letter} is a vowel or True`
              return `entered letter ${letter} is a consonant or false`
      result = isvowel('a');
     console.log(result);
      result = isvowel('b');
     console.log(result);
12
PROBLEMS
          OUTPUT
                                TERMINAL
[Running] node "d:\my files\daily activity\day43\index3.js"
entered letter a is a vowel or True
entered letter b is a consonant or false
[Done] exited with code=0 in 0.139 seconds
```

<u>Task-5</u>: Write a function is Uppercase that takes a character as an argument and returns true if the character is uppercase, and false if it is lowercase.

```
Js index4.js > ...
      function isUppercase (letter){
          if(letter === 'A' || letter === 'B'|| letter === 'C' || letter === 'D' || letter === 'E'
              ||letter === 'F' || letter === 'G'|| letter === 'H' || letter === 'I' || letter === 'J'
               ||letter === 'K' || letter === 'L'|| letter === 'M' || letter === 'N' || letter === 'O'
                ||letter === 'P' || letter === 'Q'|| letter === 'R' || letter === 'S' || letter === 'T'
                 ||letter === 'U' || letter === 'V' || letter === 'X' || letter === 'Y' || letter == 'Z'
              return `entered letter ${letter} is a uppercase letter or True`
          else if(letter === 'a' || letter === 'b'|| letter === 'c' || letter === 'd' || letter === 'e'
              ||letter === 'f' || letter === 'g'|| letter === 'h' || letter === 'i' || letter === 'j'
               ||letter === 'k' || letter === 'l'|| letter === 'm' || letter === 'n' || letter === 'o'
                ||letter === 'p' || letter === 'q'|| letter === 'r' || letter === 's' || letter === 't'
                 ||letter === 'u' || letter === 'v'|| letter === 'w' || letter === 'x' || letter === 'y' || letter == 'z'){
                  return `entered letter ${letter} is a lowercase letter or false`
          else{
              return `entered is not letter it is symbol or somrthing other than aplahabets`
      result = isUppercase('A');
      console.log(result);
 23
      result = isUppercase('a');
      console.log(result);
      result = isUppercase('$');
      console.log(result);
PROBLEMS
         OUTPUT
                                TERMINAL
[Running] node "d:\my files\daily activity\day43\index4.js"
entered letter A is a uppercase letter or True
entered letter a is a lowercase letter or false
entered is not letter it is symbol or somrthing other than aplahabets
```

