

Dashboard | EC2 Management

ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#Home:

aws

Services

Search

[Alt+S]

🔔

Mumbai

Abhishek @ 4017-0394-8737

New EC2 Experience

EC2 Dashboard

EC2 Global View

Events

Tags

Limits

Instances

Instances

Instance Types

Launch Templates

Spot Requests

Savings Plans

Reserved Instances

Dedicated Hosts

Capacity Reservations

Images

AMIs

AMI Catalog

Elastic Block Store

Volumes

Snapshots

Resources

EC2 Global view

You are using the following Amazon EC2 resources in the Asia Pacific (Mumbai) Region:

Instances (running)	0	Auto Scaling Groups	0	Dedicated Hosts	0
Elastic IPs	0	Instances	0	Key pairs	0
Load balancers	0	Placement groups	0	Security groups	1
Snapshots	0	Volumes	0		

Easily size, configure, and deploy Microsoft SQL Server Always On availability groups on AWS using the AWS Launch Wizard for SQL Server. [Learn more](#)

Launch instance

To get started, launch an Amazon EC2 instance, which is a virtual server in the cloud.

Launch instance

Migrate a server

Note: Your instances will launch in the Asia Pacific (Mumbai) Region

Service health

AWS Health Dashboard

Region

Asia Pacific (Mumbai)

Status

This service is operating normally

Zones

Account attributes

Supported platforms

VPC

Default VPC

vpc-0f54651997448dcf7

Settings

EBS encryption

Zones

EC2 Serial Console

Default credit specification

Console experiments

Explore AWS

Amazon GuardDuty Malware Protection

GuardDuty now provides agentless malware detection in Amazon EC2 & EC2 container workloads. [Learn more](#)

10 Things You Can Do Today to Reduce AWS Costs

Explore how to effectively manage your AWS costs without compromising on performance or capacity. [Learn more](#)

Feedback

Language

© 2023, Amazon Web Services India Private Limited or its affiliates.

Privacy

Terms

Cookie preferences

Launch an instance | EC2 Manage x

ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#LaunchInstances:

aws Services Search [Alt+S]

Mumbai Abhishek @ 4017-0394-8737

EC2 > Instances > Launch an instance

Launch an instance Info

Amazon EC2 allows you to create virtual machines, or instances, that run on the AWS Cloud. Quickly get started by following the simple steps below.

Name and tags Info

Name

ubuntu_inst

Add additional tags

▼ Application and OS Images (Amazon Machine Image) Info

An AMI is a template that contains the software configuration (operating system, application server, and applications) required to launch your instance. Search or Browse for AMIs if you don't see what you are looking for below

Q Search our full catalog including 1000s of application and OS images

Quick Start

Amazon Linux

aws

macOS

Mac

Ubuntu

ubuntu

Windows

Microsoft

Red Hat

Red Hat

S

>

Browse more AMIs

Including AMIs from AWS, Marketplace and

▼ Summary

Number of instances Info

1

Software Image (AMI)

Canonical, Ubuntu, 22.04 LTS, ...read more

ami-0f8ca728008ff5af4

Virtual server type (instance type)

t2.micro

Firewall (security group)

New security group

Storage (volumes)

1 volume(s) - 8 GiB

Free tier: In your first year includes 750 hours of t2.micro (or t3.micro in the Regions in which t2.micro is unavailable) instance usage on free tier AMIs per month, 30 GiB of EBS storage, 2 million IOs, 1 GB of snapshots, and 100 GB of bandwidth to the internet.

Cancel

Launch instance

Feedback Language

© 2023, Amazon Web Services India Private Limited or its affiliates. Privacy Terms Cookie preferences

Launch an instance | EC2 Manage x

ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#LaunchInstances:

aws Services Search [Alt+S]

Mumbai Abhishek @ 4017-0394-8737

▼ Application and OS Images (Amazon Machine Image) Info

An AMI is a template that contains the software configuration (operating system, application server, and applications) required to launch your instance. Search or Browse for AMIs if you don't see what you are looking for below

Q Search our full catalog including 1000s of application and OS images

Quick Start

Amazon Linux

macOS

Ubuntu

Windows

Red Hat

S

Browse more AMIs

Including AMIs from AWS, Marketplace and the Community

Amazon Machine Image (AMI)

Ubuntu Server 22.04 LTS (HVM), SSD Volume Type

ami-0f8ca728008ff5af4 (64-bit (x86)) / ami-08795883c7b4b7140 (64-bit (Arm))

Virtualization: hvm ENA enabled: true Root device type: ebs

Description

Canonical, Ubuntu, 22.04 LTS, amd64 jammy image build on 2023-02-08

Architecture

AMI ID

64-bit (x86)

ami-0f8ca728008ff5af4

Verified provider

▼ Summary

Number of instances Info

1

Software Image (AMI)

Canonical, Ubuntu, 22.04 LTS, ...read more

ami-0f8ca728008ff5af4

Virtual server type (instance type)

t2.micro

Firewall (security group)

New security group

Storage (volumes)

1 volume(s) - 8 GiB

Free tier: In your first year includes 750 hours of t2.micro (or t3.micro in the Regions in which t2.micro is unavailable) instance usage on free tier AMIs per month, 30 GiB of EBS storage, 2 million IOs, 1 GB of snapshots, and 100 GB of bandwidth to the internet.

Cancel

Launch instance

Feedback

Language

© 2023, Amazon Web Services India Private Limited or its affiliates.

Privacy

Terms

Cookie preferences

Launch an instance | EC2 Manage x

ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#LaunchInstances:

aws

Services

Search

[Alt+S]

Mumbai

Abhishek @ 4017-0394-8737

Architecture

AMI ID

Verified provider

64-bit (x86)

ami-0f8ca728008ff5af4

▼ Instance type Info

Instance type

t2.micro

Family: t2 1 vCPU 1 GiB Memory

On-Demand Linux pricing: 0.0124 USD per Hour

On-Demand Windows pricing: 0.017 USD per Hour

On-Demand RHEL pricing: 0.0724 USD per Hour

On-Demand SUSE pricing: 0.0124 USD per Hour

Free tier eligible

Compare instance types

▼ Key pair (login) Info

You can use a key pair to securely connect to your instance. Ensure that you have access to the selected key pair before you launch the instance.

Key pair name - required

Select

Create new key pair

▼ Network settings Info

Network Info

▼ Summary

Number of instances Info

1

Software Image (AMI)

Canonical, Ubuntu, 22.04 LTS, ...read more

ami-0f8ca728008ff5af4

Virtual server type (instance type)

t2.micro

Firewall (security group)

New security group

Storage (volumes)

1 volume(s) - 8 GiB

Free tier: In your first year includes 750 hours of t2.micro (or t3.micro in the Regions in which t2.micro is unavailable) instance usage on free tier AMIs per month, 30 GiB of EBS storage, 2 million IOs, 1 GB of snapshots, and 100 GB of bandwidth to the internet.

Cancel

Launch instance

Feedback

Language

© 2023, Amazon Web Services India Private Limited or its affiliates.

Privacy

Terms

Cookie preferences

Launch an instance | EC2 Manage x

+

ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#LaunchInstances:

aws Services Search [Alt+S]

Mumbai Abhishek @ 4017-0394-8737

Family: t2 1 vCPU 1 GiB Memory
On-Demand Linux pricing: 0.0124 USD per Hour
On-Demand Windows pricing: 0.017 USD per Hour
On-Demand RHEL pricing: 0.0724 USD per Hour
On-Demand SUSE pricing: 0.0124 USD per Hour

Compare instance types

Summary

Key pair (login) Info

You can use a key pair to securely connect to your instance. Ensure the instance.

Key pair name - required

Select

Network settings Info

Network Info

vpc-0f54651997448dcf7

Subnet Info

No preference (Default subnet in any availability zone)

Auto-assign public IP Info

Enable

Firewall (security groups) Info

A security group is a set of firewall rules that control the traffic for your instance.

Create security group

Select existing security group

Launch Instance

Create key pair

Key pairs allow you to connect to your instance securely.

Enter the name of the key pair below. When prompted, store the private key in a secure and accessible location on your computer. **You will need it later to connect to your instance.** [Learn more](#)

Key pair name

ukey

The name can include upto 255 ASCII characters. It can't include leading or trailing spaces.

Key pair type

☒ RSA

RSA encrypted private and public key pair

☐ ED25519

ED25519 encrypted private and public key pair (Not supported for Windows instances)

Private key file format

☒ .pem

For use with OpenSSH

☐ .ppk

For use with PuTTY

Cancel Create key pair

Feedback

Language

© 2023, Amazon Web Services India Private Limited or its affiliates.

Privacy

Terms

Cookie preferences

Launch an instance | EC2 Manage x

ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#LaunchInstances:

aws Services Search [Alt+S]

Mumbai Abhishek @ 4017-0394-8737

Family: t2 1 vCPU 1 GiB Memory
On-Demand Linux pricing: 0.0124 USD per Hour
On-Demand Windows pricing: 0.017 USD per Hour
On-Demand RHEL pricing: 0.0724 USD per Hour
On-Demand SUSE pricing: 0.0124 USD per Hour

Compare instance types

▼ Key pair (login) Info

You can use a key pair to securely connect to your instance. Ensure that you have access to the selected key pair before you launch the instance.

Key pair name - required

ukey

Create new key pair

▼ Network settings Info Edit

Network Info
vpc-0f54651997448dcf7

Subnet Info
No preference (Default subnet in any availability zone)

Auto-assign public IP Info
Enable

Firewall (security groups) Info
A security group is a set of firewall rules that control the traffic for your instance. Add rules to allow specific traffic to reach your instance.

▼ Summary

Number of instances Info
1

Canonical, Ubuntu, 22.04 LTS, ...read more
ami-0f8ca728008ff5af4

Virtual server type (instance type)
t2.micro

Firewall (security group)
New security group

Storage (volumes)
1 volume(s) - 8 GiB

Free tier: In your first year includes 750 hours of t2.micro (or t3.micro in the Regions in which t2.micro is unavailable) instance usage on free tier AMIs per month, 30 GiB of EBS storage, 3 million IOPS of EBS snapshots, and 100 GB of Amazon S3 Standard storage.

Cancel Launch instance

Feedback Language

© 2023, Amazon Web Services India Private Limited or its affiliates. Privacy Terms Cookie preferences

ukey.pem Show all

Launch an instance | EC2 Manage x

+

ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#LaunchInstances:

aws Services Search [Alt+S]

Mumbai Abhishek @ 4017-0394-8737

▼ Network settings Info Edit

Network Info

vpc-0f54651997448dcf7

Subnet Info

No preference (Default subnet in any availability zone)

Auto-assign public IP Info

Enable

Firewall (security groups) Info

A security group is a set of firewall rules that control the traffic for your instance. Add rules to allow specific traffic to reach your instance.

☒ Create security group

☐ Select existing security group

We'll create a new security group called 'launch-wizard-1' with the following rules:

☒ Allow SSH traffic from

Helps you connect to your instance

Anywhere

0.0.0.0/0

☒ Allow HTTPS traffic from the internet

To set up an endpoint, for example when creating a web server

☒ Allow HTTP traffic from the internet

To set up an endpoint, for example when creating a web server

⚠ Rules with source of 0.0.0.0/0 allow all IP addresses to access your instance. We recommend setting security group rules to allow access from known IP addresses only.

×

▼ Summary

Number of instances Info

1

Canonical, Ubuntu, 22.04 LTS, ...read more

ami-0f8ca728008ff5af4

Virtual server type (instance type)

t2.micro

Firewall (security group)

New security group

Storage (volumes)

1 volume(s) - 8 GiB

Free tier: In your first year includes 750 hours of t2.micro (or t3.micro in the Regions in which t2.micro is unavailable) instance usage on free tier AMIs per month, 30 GiB of EBS storage, 2 million IOs, 1 GB of snapshots, and 100 GB of bandwidth to the internet.

×

Cancel

Launch instance

Feedback Language

© 2023, Amazon Web Services India Private Limited or its affiliates. Privacy Terms Cookie preferences

Launch an instance | EC2 Manage x

ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#LaunchInstances:

aws Services Search [Alt+S]

Mumbai Abhishek @ 4017-0394-8737

☰

☑ Allow HTTPS traffic from the internet
To set up an endpoint, for example when creating a web server

☑ Allow HTTP traffic from the internet
To set up an endpoint, for example when creating a web server

⚠ Rules with source of 0.0.0.0/0 allow all IP addresses to access your instance. We recommend setting security group rules to allow access from known IP addresses only. X

▼ Configure storage Info Advanced

1x 8 GiB gp2 ▼ Root volume (Not encrypted)

ℹ Free tier eligible customers can get up to 30 GB of EBS General Purpose (SSD) or Magnetic storage X

Add new volume

The selected AMI contains more instance store volumes than the instance allows. Only the first 0 instance store volumes from the AMI will be accessible from the instance

0 x File systems Edit

► Advanced details Info

▼ Summary

Number of instances Info
1

Canonical, Ubuntu, 22.04 LTS, ...read more
ami-0f8ca728008ff5af4

Virtual server type (instance type)
t2.micro

Firewall (security group)
New security group

Storage (volumes)
1 volume(s) - 8 GiB

ℹ Free tier: In your first year includes 750 hours of t2.micro (or t3.micro in the Regions in which t2.micro is unavailable) instance usage on free tier AMIs per month, 30 GiB of EBS storage, 2 million IOs, 1 GB of snapshots, and 100 GB of bandwidth to the internet. X

Cancel

Launch instance

Feedback

Language

© 2023, Amazon Web Services India Private Limited or its affiliates.

Privacy

Terms

Cookie preferences

☰

EC2 > Instances > Launch an instance

ⓘ

Launching instance

Please wait while we launch your instance.

Do not close your browser while this is loading.

🔄 Creating security group rules

23%

▶ Details

☰

EC2 > Instances > Launch an instance

ⓘ

✔ Success
Successfully initiated launch of instance (i-03f1309d625995a51)
▶ Launch log

Next Steps

Create billing and free tier usage alerts

To manage costs and avoid surprise bills, set up email notifications for billing and free tier usage thresholds.

Create billing alerts ↗

Connect to your instance

Once your instance is running, log into it from your local computer.

Connect to instance ↗

Learn more ↗

Connect an RDS database

Configure the connection between an EC2 instance and a database to allow traffic flow between them.

Connect an RDS database ↗

Create a new RDS database ↗

Learn more ↗

View all instances

Feedback Language

© 2023, Amazon Web Services India Private Limited or its affiliates. Privacy Terms Cookie preferences

Instances | EC2 Management Console

+

← → ↺

ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#Instances:

🔍 🔗 ☆ 🏠 👤 ⋮

aws

Services

🔍 Search

[Alt+S]

📄 🔔 ⓘ

Mumbai ▾

Abhishek @ 4017-0394-8737 ▾

New EC2 Experience

Tell us what you think

✕

EC2 Dashboard

EC2 Global View

Events

Tags

Limits

▼ Instances

Instances

Instance Types

Launch Templates

Spot Requests

Savings Plans

Reserved Instances

Dedicated Hosts

Capacity Reservations

▼ Images

AMIs

AMI Catalog

▼ Elastic Block Store

Volumes

Snapshots

Instances (1) [Info](#)

🔄 Connect Instance state ▾ Actions ▾

Launch instances ▾

🔍 Find instance by attribute or tag (case-sensitive)

< 1 > ⚙️

<input type="checkbox"/>	Name ▾	Instance ID	Instance state ▾	Instance type ▾	Status check	Alarm status	Availability Zone ▾	Public IPv4 DNS
<input type="checkbox"/>	ubuntu_inst	i-03f1309d625995a51	🕒 Pending 🔍🔍	t2.micro	–	No alarms +	ap-south-1b	ec2-13-127-210-

Select an instance

=

⚙️ ✕

Feedback

Language

© 2023, Amazon Web Services India Private Limited or its affiliates.

Privacy

Terms

Cookie preferences

Instances | EC2 Management Console

+

← → ↺

ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#Instances:

🔍 📄 ☆ 🌐 ⋮

aws

Services

Search

[Alt+S]

📄 🔔 ?

Mumbai ▾

Abhishek @ 4017-0394-8737 ▾

New EC2 Experience

Tell us what you think

✕

EC2 Dashboard

EC2 Global View

Events

Tags

Limits

▼ Instances

Instances

Instance Types

Launch Templates

Spot Requests

Savings Plans

Reserved Instances

Dedicated Hosts

Capacity Reservations

▼ Images

AMIs

AMI Catalog

▼ Elastic Block Store

Volumes

Snapshots

Instances (1/1) Info

🔄

Connect

Instance state ▾

Actions ▾

Launch instances

1 ⚙️

Find instance by attribute or tag (case-sensitive)

<input checked="" type="checkbox"/>	Name ▾	Instance ID	Instance state ▾	Instance type ▾	Status check	Alarm status	Availability Zone ▾	Public IPv4 DNS
<input checked="" type="checkbox"/>	ubuntu_inst	i-03f1309d625995a51	🟢 Running 🔍	t2.micro	🕒 Initializing	No alarms +	ap-south-1b	ec2-13-127-210-

Instance: i-03f1309d625995a51 (ubuntu_inst)

⚙️ ✕

Details

Security

Networking

Storage

Status checks

Monitoring

Tags

▼ Instance summary Info

Instance ID 📄 i-03f1309d625995a51 (ubuntu_inst)	Public IPv4 address 📄 13.127.210.148 open address	Private IPv4 addresses 📄 172.31.14.114
IPv6 address -	Instance state 🟢 Running	Public IPv4 DNS 📄 ec2-13-127-210-148.ap-south-1.compute.amazonaws.com open address
Hostname type IP name: ip-172-31-14-114.ap-south-1.compute.internal	Private IP DNS name (IPv4 only) 📄 ip-172-31-14-114.ap-south-1.compute.internal	Elastic IP addresses
Answer private resource DNS name	Instance type	

Feedback

Language

© 2023, Amazon Web Services India Private Limited or its affiliates.

Privacy

Terms

Cookie preferences

Connect to instance [Info](#)

Connect to your instance i-03f1309d625995a51 (ubuntu_inst) using any of these options.

EC2 Instance Connect



Session Manager

SSH client

EC2 serial console


Instance ID

 i-03f1309d625995a51 (ubuntu_inst)


1. Open an SSH client.
2. Locate your private key file. The key used to launch this instance is ukey.pem
3. Run this command, if necessary, to ensure your key is not publicly viewable.
 `chmod 400 ukey.pem`
4. Connect to your instance using its Public DNS:
 `ec2-13-127-210-148.ap-south-1.compute.amazonaws.com`

Example:

 `ssh -i "ukey.pem" ubuntu@ec2-13-127-210-148.ap-south-1.compute.amazonaws.com`

 **Note:** In most cases, the guessed user name is correct. However, read your AMI usage instructions to check if the AMI owner has changed the default AMI user name.

Cancel



13.127.210.148 (ubuntu)

TerminalSessionsViewX serverToolsGamesSettingsMacrosHelp

SessionServersToolsGamesSessionsViewSplitMultiExecTunnelingPackagesSettingsHelp

Quick connect...

Star

Home

Terminal

File Explorer

File Explorer

Terminal

Star

Home

/home/ubuntu/

Name

..

.cache

.ssh

.bash_logout

.bashrc

.profile

.Xauthority

SSH session to ubuntu@13.127.210.148

• Direct SSH : ✓

• SSH compression : ✓

• SSH-browser : ✓

• X11-forwarding : ✓ (remote display is forwarded through SSH)

For more info, ctrl+click on help or visit our website.

Welcome to Ubuntu 22.04.1 LTS (GNU/Linux 5.15.0-1028-aws x86_64)

* Documentation: https://help.ubuntu.com

* Management: https://landscape.canonical.com

* Support: https://ubuntu.com/advantage

System information as of Thu Mar 2 05:18:30 UTC 2023

System load: 0.0

Usage of /: 20.0% of 7.57GB

Memory usage: 21%

Swap usage: 0%

Processes: 100

Users logged in: 0

IPv4 address for eth0: 172.31.14.114

* Introducing Expanded Security Maintenance for Applications.

Receive updates to over 25,000 software packages with your Ubuntu Pro subscription. Free for personal use.

https://ubuntu.com/aws/pro

Expanded Security Maintenance for Applications is not enabled.

0 updates can be applied immediately.

Enable ESM Apps to receive additional future security updates.

See https://ubuntu.com/esm or run: sudo pro status

The list of available updates is more than a week old.

To check for new updates run: sudo apt update

Last login: Thu Mar 2 05:18:30 2023 from 117.205.68.99

To run a command as administrator (user "root"), use "sudo <command>".

See "man sudo_root" for details.

ubuntu@ip-172-31-14-114:~\$

Remote monitoring

Follow terminal folder

UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: https://mobaxterm.mobatek.net

3. 13.127.210.148 (ubuntu) × +

```

root@ubuntu:~# ls -la /home/ubuntu/
total 12
drwxr-xr-x 7 ubuntu ubuntu 4096 Nov 12 12:21 ..
drwxr-xr-x 3 ubuntu ubuntu 4096 Nov 12 12:21 .cache
drwxr-xr-x 3 ubuntu ubuntu 4096 Nov 12 12:21 .ssh
-rw-r--r-- 1 ubuntu ubuntu  883 Nov 12 12:21 .bash_logout
-rw-r--r-- 1 ubuntu ubuntu 6656 Nov 12 12:21 .bashrc
-rw-r--r-- 1 ubuntu ubuntu  883 Nov 12 12:21 .profile
-rw-r--r-- 1 ubuntu ubuntu  121 Nov 12 12:21 .Xauthority

```

```
ubuntu@ip-172-31-14-114:~$ sudo apt update
Hit:1 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy InRelease
Get:2 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy-updates InRelease [119 kB]
Get:3 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy-backports InRelease [107 kB]
Get:4 http://security.ubuntu.com/ubuntu jammy-security InRelease [110 kB]
Get:5 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy/universe amd64 Packages [14.1 MB]
Get:6 http://security.ubuntu.com/ubuntu jammy-security/main amd64 Packages [646 kB]
Get:7 http://security.ubuntu.com/ubuntu jammy-security/main Translation-en [135 kB]
Get:8 http://security.ubuntu.com/ubuntu jammy-security/main amd64 c-n-f Metadata [8524 B]
Get:9 http://security.ubuntu.com/ubuntu jammy-security/restricted amd64 Packages [582 kB]
Get:10 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy/universe Translation-en [5652 kB]
Get:11 http://security.ubuntu.com/ubuntu jammy-security/restricted Translation-en [90.4 kB]
Get:12 http://security.ubuntu.com/ubuntu jammy-security/universe amd64 Packages [694 kB]
Get:13 http://security.ubuntu.com/ubuntu jammy-security/universe Translation-en [110 kB]
Get:14 http://security.ubuntu.com/ubuntu jammy-security/universe amd64 c-n-f Metadata [13.4 kB]
Get:15 http://security.ubuntu.com/ubuntu jammy-security/multiverse amd64 Packages [4960 B]
Get:16 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy/universe amd64 c-n-f Metadata [286 kB]
Get:17 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy/multiverse amd64 Packages [217 kB]
Get:18 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy/multiverse Translation-en [112 kB]
Get:19 http://security.ubuntu.com/ubuntu jammy-security/multiverse Translation-en [996 B]
Get:20 http://security.ubuntu.com/ubuntu jammy-security/multiverse amd64 c-n-f Metadata [240 B]
Get:21 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy/multiverse amd64 c-n-f Metadata [8372 B]
Get:22 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy-updates/main amd64 Packages [938 kB]
Get:23 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy-updates/main Translation-en [203 kB]
Get:24 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy-updates/main amd64 c-n-f Metadata [13.6 kB]
Get:25 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy-updates/restricted amd64 Packages [680 kB]
Get:26 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy-updates/restricted Translation-en [106 kB]
Get:27 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy-updates/restricted amd64 c-n-f Metadata [584 B]
Get:28 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy-updates/universe amd64 Packages [874 kB]
Get:29 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy-updates/universe Translation-en [171 kB]
Get:30 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy-updates/universe amd64 c-n-f Metadata [17.8 kB]
Get:31 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy-updates/multiverse amd64 Packages [9696 B]
Get:32 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy-updates/multiverse Translation-en [3260 B]
Get:33 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy-updates/multiverse amd64 c-n-f Metadata [444 B]
Get:34 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy-backports/main amd64 Packages [40.7 kB]
Get:35 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy-backports/main Translation-en [9800 B]
Get:36 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy-backports/main amd64 c-n-f Metadata [392 B]
Get:37 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy-backports/restricted amd64 c-n-f Metadata [116 B]
Get:38 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy-backports/universe amd64 Packages [19.5 kB]
Get:39 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy-backports/universe Translation-en [14.0 kB]
Get:40 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy-backports/universe amd64 c-n-f Metadata [392 B]
Get:41 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy-backports/multiverse amd64 c-n-f Metadata [116 B]
Fetched 26.1 MB in 6s (4353 kB/s)
```

Follow terminal folder

3. 13.127.210.148 (ubuntu) × +

The screenshot shows the Nautilus file manager interface. The address bar at the top displays the path `/home/ubuntu/`. The sidebar on the left contains icons for Home, Recent, Bookmarks, and Places. The main pane shows the contents of the `/home/ubuntu/` directory, including files like `.cache`, `.ssh`, `.bash_logout`, `.bashrc`, `.profile`, and `.Xauthority`.

```
Get:3 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy-backports InRelease [107 kB]
Get:4 http://security.ubuntu.com/ubuntu jammy-security InRelease [110 kB]
Get:5 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy/universe amd64 Packages [14.1 MB]
Get:6 http://security.ubuntu.com/ubuntu jammy-security/main amd64 Packages [646 kB]
Get:7 http://security.ubuntu.com/ubuntu jammy-security/main Translation-en [135 kB]
Get:8 http://security.ubuntu.com/ubuntu jammy-security/main amd64 c-n-f Metadata [8524 B]
Get:9 http://security.ubuntu.com/ubuntu jammy-security/restricted amd64 Packages [582 kB]
Get:10 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy/universe Translation-en [5652 kB]
Get:11 http://security.ubuntu.com/ubuntu jammy-security/restricted Translation-en [90.4 kB]
Get:12 http://security.ubuntu.com/ubuntu jammy-security/universe amd64 Packages [694 kB]
Get:13 http://security.ubuntu.com/ubuntu jammy-security/universe Translation-en [110 kB]
Get:14 http://security.ubuntu.com/ubuntu jammy-security/universe amd64 c-n-f Metadata [13.4 kB]
Get:15 http://security.ubuntu.com/ubuntu jammy-security/multiverse amd64 Packages [4960 B]
Get:16 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy/universe amd64 c-n-f Metadata [286 kB]
Get:17 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy/multiverse amd64 Packages [217 kB]
Get:18 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy/multiverse Translation-en [112 kB]
Get:19 http://security.ubuntu.com/ubuntu jammy-security/multiverse Translation-en [996 B]
Get:20 http://security.ubuntu.com/ubuntu jammy-security/multiverse amd64 c-n-f Metadata [240 B]
Get:21 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy/multiverse amd64 c-n-f Metadata [8372 B]
Get:22 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy-updates/main amd64 Packages [938 kB]
Get:23 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy-updates/main Translation-en [203 kB]
Get:24 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy-updates/main amd64 c-n-f Metadata [13.6 kB]
Get:25 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy-updates/restricted amd64 Packages [680 kB]
Get:26 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy-updates/restricted Translation-en [106 kB]
Get:27 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy-updates/restricted amd64 c-n-f Metadata [584 B]
Get:28 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy-updates/universe amd64 Packages [874 kB]
Get:29 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy-updates/universe Translation-en [171 kB]
Get:30 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy-updates/universe amd64 c-n-f Metadata [17.8 kB]
Get:31 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy-updates/multiverse amd64 Packages [9696 B]
Get:32 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy-updates/multiverse Translation-en [3260 B]
Get:33 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy-updates/multiverse amd64 c-n-f Metadata [444 B]
Get:34 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy-backports/main amd64 Packages [40.7 kB]
Get:35 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy-backports/main Translation-en [9800 B]
Get:36 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy-backports/main amd64 c-n-f Metadata [392 B]
Get:37 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy-backports/restricted amd64 c-n-f Metadata [116 B]
Get:38 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy-backports/universe amd64 Packages [19.5 kB]
Get:39 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy-backports/universe Translation-en [14.0 kB]
Get:40 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy-backports/universe amd64 c-n-f Metadata [392 B]
Get:41 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy-backports/multiverse amd64 c-n-f Metadata [116 B]
Fetched 26.1 MB in 6s (4353 kB/s)
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
36 packages can be upgraded. Run 'apt list --upgradable' to see them.
ubuntu@ip-172-31-14-114:~$
```

UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: <https://mobaxterm.mobatek.net>

The image shows a screenshot of the MobaXterm application window. The title bar at the top reads "13.127.210.148 (ubuntu)". Below the title bar is a menu bar with options: Terminal, Sessions, View, X server, Tools, Games, Settings, Macros, and Help. A toolbar with various icons is located below the menu bar. The main window is divided into two panes. The left pane shows a file explorer view of the "/home/ubuntu/" directory, listing files such as .cache, .ssh, .bash_logout, .bashrc, .profile, and .Xauthority. The right pane is a terminal window showing a command prompt "ubuntu@ip-172-31-14-114:~\$" where the command "node -v" has been executed, resulting in the output "v12.22.9". At the bottom of the window, there is a status bar that reads "UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: https://mobaxterm.mobatek.net".

Amazon S3

Buckets

Access Points

Object Lambda Access Points

Multi-Region Access Points

Batch Operations

IAM Access Analyzer for S3

Block Public Access settings for this account

Storage Lens

Dashboards

AWS Organizations settings

Feature spotlight 3

AWS Marketplace for S3

Amazon S3 > Buckets

Account snapshot

Last updated: Nov 6, 2022 by Storage Lens. Metrics are generated every 24 hours. [Learn more](#)

[View Storage Lens dashboard](#)

Total storage	Object count	Average object size
7.2 MB	150	49.2 KB

You can enable advanced metrics in the "default-account-dashboard" configuration.

Buckets Info

Buckets are containers for data stored in S3. [Learn more](#)

Refresh

Copy ARN

Empty

Delete

Create bucket

Find buckets by name

< 1 > Settings

Name	AWS Region	Access	Creation date
No buckets			
No buckets			
Create bucket			

S3 bucket

s3.console.aws.amazon.com/s3/bucket/create?region=ap-south-1

aws

Services

Search

[Alt+S]

Global

Abhishek @ 4017-0394-8737

Amazon S3 > Buckets > Create bucket

Create bucket

Info

Buckets are containers for data stored in S3. [Learn more](#)

General configuration

Bucket name

abhi-shek.bucket

Bucket name must be globally unique and must not contain spaces or uppercase letters. [See rules for bucket naming](#)

AWS Region

Asia Pacific (Mumbai) ap-south-1

Copy settings from existing bucket - optional

Only the bucket settings in the following configuration are copied.

Choose bucket

Object Ownership

Info

Control ownership of objects written to this bucket from other AWS accounts and the use of access control lists (ACLs). Object ownership determines who can specify access to objects.

☒ ACLs disabled (recommended)

All objects in this bucket are owned by this account. Access to this bucket and its objects is specified using only policies.

☐ ACLs enabled

Objects in this bucket can be owned by other AWS accounts. Access to this bucket and its objects can be specified using ACLs.

Feedback

Language

© 2023, Amazon Web Services India Private Limited or its affiliates.

Privacy

Terms

Cookie preferences

S3 bucket

s3.console.aws.amazon.com/s3/bucket/create?region=ap-south-1

awsServicesSearch[Alt+S]

GlobalAbhishek @ 4017-0394-8737

Block Public Access settings for this bucket

Public access is granted to buckets and objects through access control lists (ACLs), bucket policies, access point policies, or all. In order to ensure that public access to this bucket and its objects is blocked, turn on Block all public access. These settings apply only to this bucket and its access points. AWS recommends that you turn on Block all public access, but before applying any of these settings, ensure that your applications will work correctly without public access. If you require some level of public access to this bucket or objects within, you can customize the individual settings below to suit your specific storage use cases. [Learn more](#)

☐ Block all public access

Turning this setting on is the same as turning on all four settings below. Each of the following settings are independent of one another.

☐ Block public access to buckets and objects granted through new access control lists (ACLs)

S3 will block public access permissions applied to newly added buckets or objects, and prevent the creation of new public access ACLs for existing buckets and objects. This setting doesn't change any existing permissions that allow public access to S3 resources using ACLs.

☐ Block public access to buckets and objects granted through any access control lists (ACLs)


S3 will ignore all ACLs that grant public access to buckets and objects.

☐ Block public access to buckets and objects granted through new public bucket or access point policies

S3 will block new bucket and access point policies that grant public access to buckets and objects. This setting doesn't change any existing policies that allow public access to S3 resources.

☐ Block public and cross-account access to buckets and objects through any public bucket or access point policies

S3 will ignore public and cross-account access for buckets or access points with policies that grant public access to buckets and objects.

 Turning off block all public access might result in this bucket and the objects within becoming public

AWS recommends that you turn on block all public access, unless public access is required for specific and verified use cases such as static website hosting.

☒ I acknowledge that the current settings might result in this bucket and the objects within becoming public.

FeedbackLanguage

© 2023, Amazon Web Services India Private Limited or its affiliates. PrivacyTermsCookie preferences

S3 bucket

s3.console.aws.amazon.com/s3/bucket/create?region=ap-south-1

aws

Services

Search

[Alt+S]

Global

Abhishek @ 4017-0394-8737

Bucket Versioning

Versioning is a means of keeping multiple variants of an object in the same bucket. You can use versioning to preserve, retrieve, and restore every version of every object stored in your Amazon S3 bucket. With versioning, you can easily recover from both unintended user actions and application failures. [Learn more](#)

Bucket Versioning

☐ Disable

☒ Enable

Tags (0) - optional

You can use bucket tags to track storage costs and organize buckets. [Learn more](#)

No tags associated with this bucket.

Add tag

Default encryption [Info](#)

Server-side encryption is automatically applied to new objects stored in this bucket.

Encryption key type [Info](#)

☒ Amazon S3 managed keys (SSE-S3)

☐ AWS Key Management Service key (SSE-KMS)

Bucket Key

When KMS encryption is used to encrypt new objects in this bucket, the bucket key reduces encryption costs by lowering calls to AWS KMS. [Learn more](#)

☐ Disable

☒ Enable

Feedback

Language

© 2023, Amazon Web Services India Private Limited or its affiliates.

Privacy

Terms

Cookie preferences

Amazon S3

Buckets

Access Points

Object Lambda Access Points

Multi-Region Access Points

Batch Operations

IAM Access Analyzer for S3

Block Public Access settings for this account

Storage Lens

Dashboards

AWS Organizations settings

Feature spotlight 3

AWS Marketplace for S3

Successfully created bucket "abhi-shek.bucket"

To upload files and folders, or to configure additional bucket settings choose [View details](#).

Amazon S3 > Buckets

Account snapshot

Storage lens provides visibility into storage usage and activity trends. [Learn more](#)

View Storage Lens dashboard

Buckets (1) Info

Buckets are containers for data stored in S3. [Learn more](#)

Find buckets by name

Copy ARN Empty Delete Create bucket

Name	AWS Region	Access	Creation date
abhi-shek.bucket	Asia Pacific (Mumbai) ap-south-1	Objects can be public	March 5, 2023, 11:32:08 (UTC+05:30)

Amazon S3

Buckets

Access Points

Object Lambda Access Points

Multi-Region Access Points

Batch Operations

IAM Access Analyzer for S3

Block Public Access settings for this account

Storage Lens

Dashboards

AWS Organizations settings

Feature spotlight 3

AWS Marketplace for S3

Amazon S3 > Buckets > abhi-shek.bucket

abhi-shek.bucket

- Objects
- Properties
- Permissions
- Metrics
- Management
- Access Points

Objects (0)

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

- Refresh
- Copy S3 URI
- Copy URL
- Download
- Open
- Delete
- Actions
- Create folder
- Upload

Find objects by prefix

Show versions

< 1 >

Settings

	Name	Type	Last modified	Size	Storage class
--	------	------	---------------	------	---------------

No objects

You don't have any objects in this bucket.

Upload

Amazon S3 > Buckets > abhi-shek.bucket > Upload

Upload

Add the files and folders you want to upload to S3. To upload a file larger than 160GB, use the AWS CLI, AWS SDK or Amazon S3 REST API. [Learn more](#)

Drag and drop files and folders you want to upload here, or choose **Add files**, or **Add folders**.

Files and folders (1 Total, 31.0 B)

All files and folders in this table will be uploaded.

Find by name

< 1 >

<input type="checkbox"/>	Name	Folder	Type	Size
<input type="checkbox"/>	object-1.txt	-	text/plain	31.0 B

Destination

Destination

s3://abhi-shek.bucket

Destination details

Bucket settings that impact new objects stored in the specified destination.

Permissions

Upload succeeded
View details below.

Upload: status

Close

The information below will no longer be available after you navigate away from this page.

Summary

Destination
s3://abhi-shek.bucket

Succeeded
1 file, 31.0 B (100.00%)

Failed
0 files, 0 B (0%)

Files and folders

Configuration

Files and folders (1 Total, 31.0 B)

Find by name

< 1 >

Name	Folder	Type	Size	Status	Error
object-1.txt	-	text/plain	31.0 B	Succeeded	-

abhi-shek.bucket - S3 bucket

s3.console.aws.amazon.com/s3/buckets/abhi-shek.bucket?region=ap-south-1&tab=permissions

awsServicesSearch[Alt+S]

GlobalAbhishek @ 4017-0394-8737

Amazon S3

Buckets

Access Points

Object Lambda Access Points

Multi-Region Access Points

Batch Operations

IAM Access Analyzer for S3

Block Public Access settings for this account

Storage Lens

Dashboards

AWS Organizations settings

Feature spotlight 3

AWS Marketplace for S3

abhi-shek.bucketInfo

Objects

Properties

Permissions

Metrics

Management

Access Points

Permissions overview

Access

Objects can be public

Block public access (bucket settings)

Public access is granted to buckets and objects through access control lists (ACLs), bucket policies, access point policies, or all. In order to ensure that public access to all your S3 buckets and objects is blocked, turn on Block all public access. These settings apply only to this bucket and its access points. AWS recommends that you turn on Block all public access, but before applying any of these settings, ensure that your applications will work correctly without public access. If you require some level of public access to your buckets or objects within, you can customize the individual settings below to suit your specific storage use cases. [Learn more](#)

Edit

Block all public access

Off

Individual Block Public Access settings for this bucket

Bucket policy

The bucket policy, written in JSON, provides access to the objects stored in the bucket. Bucket policies don't apply to objects owned by other accounts. [Learn more](#)

EditDelete

FeedbackLanguage

© 2023, Amazon Web Services India Private Limited or its affiliates. PrivacyTermsCookie preferences

abhi-shek.bucket - S3 bucket

s3.console.aws.amazon.com/s3/bucket/abhi-shek.bucket/property/policy/edit?region=ap-south-1

aws Services Search [Alt+S]

Global Abhishek @ 4017-0394-8737

Amazon S3

Buckets

Access Points

Object Lambda Access Points

Multi-Region Access Points

Batch Operations

IAM Access Analyzer for S3

Block Public Access settings for this account

Storage Lens

Dashboards

AWS Organizations settings

Feature spotlight 3

AWS Marketplace for S3

Amazon S3 > Buckets > abhi-shek.bucket > Edit bucket policy

Edit bucket policy Info

Bucket policy

The bucket policy, written in JSON, provides access to the objects stored in the bucket. Bucket policies don't apply to objects owned by other accounts. [Learn more](#)

Policy examples

Policy generator

Bucket ARN

arn:aws:s3:::abhi-shek.bucket

Policy

1 {

2 "Version": "2012-10-17",

3 "Statement": [

4 {

5 "Sid": "PublicReadGetObject",

6 "Effect": "Allow",

7 "Principal": "*",

8 "Action": [

9 "s3:GetObject"

10],

11 "Resource": [

12 "arn:aws:s3:::abhi-shek.bucket/*"

13]

14 }]

15 }

16 }

Edit statement PublicReadGetObject Remove

1. Add actions

Choose a service

Filter services

Included

S3

Available

AMP

API Gateway

API Gateway V2

Feedback Language

© 2023, Amazon Web Services India Private Limited or its affiliates. Privacy Terms Cookie preferences

abhi-shek.bucket - S3 bucket

s3.console.aws.amazon.com/s3/buckets/abhi-shek.bucket?region=ap-south-1&tab=permissions

aws Services Search [Alt+S]

Global Abhishek @ 4017-0394-8737

Amazon S3

Buckets

Access Points

Object Lambda Access Points

Multi-Region Access Points

Batch Operations

IAM Access Analyzer for S3

Block Public Access settings for this account

Storage Lens

Dashboards

AWS Organizations settings

Feature spotlight 3

AWS Marketplace for S3

Successfully edited bucket policy.

Amazon S3 > Buckets > abhi-shek.bucket

abhi-shek.bucket info

Publicly accessible

Objects Properties Permissions Metrics Management Access Points

Permissions overview

Access

Public

Block public access (bucket settings)

Public access is granted to buckets and objects through access control lists (ACLs), bucket policies, access point policies, or all. In order to ensure that public access to all your S3 buckets and objects is blocked, turn on Block all public access. These settings apply only to this bucket and its access points. AWS recommends that you turn on Block all public access, but before applying any of these settings, ensure that your applications will work correctly without public access. If you require some level of public access to your buckets or objects within, you can customize the individual settings below to suit your specific storage use cases. [Learn more](#)

Edit

Block all public access

Off

Individual Block Public Access settings for this bucket

Feedback

Language

© 2023, Amazon Web Services India Private Limited or its affiliates.

Privacy

Terms

Cookie preferences

abhi-shek.bucket - S3 bucket

s3.console.aws.amazon.com/s3/buckets/abhi-shek.bucket?region=ap-south-1&tab=objects

awsServicesSearch[Alt+S]

GlobalAbhishek @ 4017-0394-8737

Amazon S3

Buckets

Access Points

Object Lambda Access Points

Multi-Region Access Points

Batch Operations

IAM Access Analyzer for S3

Block Public Access settings for this account

Storage Lens

Dashboards

AWS Organizations settings

Feature spotlight 3

AWS Marketplace for S3

Amazon S3 > Buckets > abhi-shek.bucket

abhi-shek.bucketInfo

Publicly accessible

ObjectsPropertiesPermissionsMetricsManagementAccess Points

Objects (1)

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

RefreshCopy S3 URICopy URLOpenDownloadOpenDeleteActionsCreate folderUpload

Find objects by prefixShow versions

	Name	Type	Last modified	Size	Storage class
<input type="checkbox"/>	object-1.txt	txt	March 5, 2023, 11:35:17 (UTC+05:30)	31.0 B	Standard

https://s3.console.aws.amazon.com/s3/#

© 2023, Amazon Web Services India Private Limited or its affiliates. PrivacyTermsCookie preferences

abhi-shek.bucket - S3 bucket

s3.console.aws.amazon.com/s3/object/abhi-shek.bucket?region=ap-south-1&prefix=object-1.txt

aws Services Search [Alt+S]

Global Abhishek @ 4017-0394-8737

Amazon S3

Buckets

Access Points

Object Lambda Access Points

Multi-Region Access Points

Batch Operations

IAM Access Analyzer for S3

Block Public Access settings for this account

Storage Lens

Dashboards

AWS Organizations settings

Feature spotlight 3

AWS Marketplace for S3

Amazon S3 > Buckets > abhi-shek.bucket > object-1.txt

object-1.txt

Info

Properties

Permissions

Versions

Object overview

Owner

cda8fb933f50d26671634c6a7daeb8623c087c3c916a8aadd70cdb7e345e1ced

AWS Region

Asia Pacific (Mumbai) ap-south-1

Last modified

March 5, 2023, 11:35:17 (UTC+05:30)

Size

31.0 B

Type

txt

Key

object-1.txt

S3 URI

s3://abhi-shek.bucket/object-1.txt

Amazon Resource Name (ARN)

arn:aws:s3:::abhi-shek.bucket/object-1.txt

Entity tag (Etag)

548c5ba7de50bdd3d1db8dc6faf2988d

Object URL

https://s3.ap-south-1.amazonaws.com/abhi-shek.bucket/object-1.txt

S3 URI copied

Copy S3 URI

Download

Open

Object actions

Feedback

Language

© 2023, Amazon Web Services India Private Limited or its affiliates.

Privacy

Terms

Cookie preferences

