

Name: Abhishek Jadhao

Prn no:202201090163

Roll no :571

## Source Code:

```
import numpy as np

a = np.loadtxt("Numpy/testmarks1.csv", delimiter=",", dtype=float,
skiprows=1)
print(a)
b = np.loadtxt("Numpy/testmarks2.csv", delimiter=",", dtype=float,
skiprows=1)
print(b)

# matrix operations

print("Transpose of Matrix a is: \n", a.T)
print("\nTranspose of Matrix b is: \n", b.T)
print(a*b)
print("\nTrace of a:\n", a.trace())
print("\nTrace of b:\n", b.trace())
print("\nFlatten a: ", a.flatten())
print("\nFlatten b: ", b.flatten())

# Horizontal stacking
print("Horizontal Stacking")
print(np.hstack((a, b)), end="\n\n")

# Vertical stacking
print("Vertical Stacking")
print(np.vstack((a, b)), end="\n\n")

# Custom sequence generation
print("Generating Custom Sequences:\n")
print(np.arange(0, 10))
print(np.arange(0, 105, 5))

# Arithmetic and Mathematical Operations

print("Adding a and b:\n", np.add(a, b))
print("Subtracting a and b:\n", np.subtract(a, b))
print("Multiplying a nd b :\n", np.multiply(a, b))
print("Dividing a nd b :\n", np.divide(a, b))
print("Mod of a and b:\n", np.mod(a, b))
print("Remainder of a and b:\n", np.remainder(a, b))
```

```
# Statistical Operations
```

```
print("Mean of a: ", np.mean(a))  
print("Mean of b: ", np.mean(b))
```

```
print("Variance of a: ", np.var(a))  
print("Variance of b: ", np.var(b))
```

```
print("Standard Deviation of a: ", np.std(a))  
print("Standard Deviation of b: ", np.std(b))
```

```
print("Sum of all elements in a: ", np.sum(a))  
print("Sum of all elements in b: ", np.sum(b))
```

```
# stacking and sorting
```

```
print("Broadcasting:\n", a+5)
```

```
print("Data Stacking:\n", np.stack((a, b), axis=2))
```

```
print("Sorting a: \n", np.sort(a))  
print("Sorting b: \n", np.sort(b))
```

```
print("Counting elements in a: ", np.count_nonzero(a))  
print("Counting elements in b: ", np.count_nonzero(b))
```

```
print("Counting using elements less than 50 in a: ",  
      np.count_nonzero(a > 4))  
print("Counting using elements less than 10 in b: ",  
      np.count_nonzero(b > 50))
```

```
# view and copy
```

```
print("\n\nView Method\n")
```

```
v = a.view()
```

```
v[:] = 0
```

```
print("a=\n", a)  
print("v=\n", v)
```

```
print("Array created using view method is just shallow copy of  
original array\nSO changes made in original array reflects in view  
copy or vice versa")
```

```
print("\n\ncopy method: \n")
```

```
c = b.copy()
```

```
c[:] = 0
```

```
print("b=\n", b)
print("c=\n", c)
```

```
print("Both b and c has showed different o/p cz they are different arrays!")
```


```
#Bitwise operations
```

```
a=15
b=20
```

```
print("Binary of a: ",bin(a))
print("Binary of b:",bin(b))
```

```
print("Bitwise a and b: ",np.bitwise_and(a,b))
print("Bitwise a or b: ",np.bitwise_or(a,b))
print("Bitwise a xor b: ",np.bitwise_xor(a,b))
```

## Output:



```
(base) kartikeysapkal@Kartikeys-MacBook-Air Python % python -u "/Users/kartikeysapkal/Documents/Python/Numpy/NumpyAssign.py"
a=
[[801.  43.05  27.79  28.7  27.79]
 [802.  43.47  28.52  28.98  27.89]
 [803.  42.24  28.16  28.16  25.63]
 [804.  39.24  26.16  26.16  26.16]
 [805.  40.9  26.03  27.27  25.65]
 [806.  39.47  26.31  26.31  25.21]
 [807.  41.68  25.63  27.79  25.46]
 [808.  42.19  27.61  28.13  26.21]
 [809.  44.75  28.35  29.83  28.21]
 [810.  46.95  28.88  31.3  28.53]]
b=
[[801.  28.48  34.18  30.56  22.23]
 [802.  28.1  33.72  30.68  22.82]
 [803.  26.16  31.39  28.2  22.53]
 [804.  26.16  31.39  28.78  20.93]
 [805.  26.1  31.32  28.22  20.82]
 [806.  25.45  30.54  27.73  21.05]
 [807.  26.16  31.39  28.01  20.51]
 [808.  27.44  32.93  28.83  22.08]
 [809.  28.63  34.35  31.03  22.68]
 [810.  30.35  36.42  31.38  23.1 ]]
Transpose of Matrix a is:
[[801.  802.  803.  804.  805.  806.  807.  808.  809.  810. ]
 [ 43.05 43.47 42.24 39.24 40.9  39.47 41.68 42.19 44.75 46.95]
 [ 27.79 28.52 28.16 26.16 26.03 26.31 25.63 27.61 28.35 28.88]
 [ 28.7  28.98 28.16 26.16 27.27 26.31 27.79 28.13 29.83 31.3 ]
 [ 27.79 27.89 25.63 26.16 25.65 25.21 25.46 26.21 28.21 28.53]]
Transpose of Matrix b is:
[[801.  802.  803.  804.  805.  806.  807.  808.  809.  810. ]
 [ 28.48 28.1  26.16 26.16 26.1  25.45 26.16 27.44 28.63 30.35]
 [ 34.18 33.72 31.39 31.39 31.32 30.54 31.39 32.93 34.35 36.42]
 [ 30.56 30.68 28.2  28.78 28.22 27.73 28.01 28.83 31.03 31.38]
 [ 22.23 22.82 22.53 20.93 20.82 21.05 20.51 22.08 22.68 23.1 ]]
a*b is:
[[6.4160100e+05 1.2260640e+03 9.4986220e+02 8.7707200e+02 6.1777170e+02]
 [6.4320400e+05 1.2215070e+03 9.6169440e+02 8.8910640e+02 6.3644980e+02]]
```

[illegible]



```
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL
Subtracting a and b:
[[ 0. 14.57 -6.39 -1.86 5.56]
 [ 0. 15.37 -5.2 -1.7 5.07]
 [ 0. 16.08 -3.23 -0.04 3.1 ]
 [ 0. 13.08 -5.23 -2.62 5.23]
 [ 0. 14.8 -5.29 -0.95 4.83]
 [ 0. 14.02 -4.23 -1.42 4.16]
 [ 0. 15.52 -5.76 -0.22 4.95]
 [ 0. 14.75 -5.32 -0.7 4.13]
 [ 0. 16.12 -6. -1.2 5.53]
 [ 0. 16.6 -7.54 -0.08 5.43]]
Multiplying a and b :
[[6.4160100e+05 1.2260640e+03 9.4986220e+02 8.7707200e+02 6.1777170e+02]
 [6.4320400e+05 1.2215070e+03 9.6169440e+02 8.8910640e+02 6.3644980e+02]
 [6.4480900e+05 1.1049984e+03 8.8394240e+02 7.9411200e+02 5.7744390e+02]
 [6.4641600e+05 1.0265184e+03 8.2116240e+02 7.5288480e+02 5.4752880e+02]
 [6.4802500e+05 1.0674900e+03 8.1525960e+02 7.6955940e+02 5.3403300e+02]
 [6.4963600e+05 1.0045115e+03 8.0350740e+02 7.2957630e+02 5.3067050e+02]
 [6.5124900e+05 1.0903488e+03 8.0452570e+02 7.7839790e+02 5.2218460e+02]
 [6.5286400e+05 1.1576936e+03 9.0919730e+02 8.1098790e+02 5.7871680e+02]
 [6.5448100e+05 1.2811925e+03 9.7382250e+02 9.2562490e+02 6.3980280e+02]
 [6.5610000e+05 1.4249325e+03 1.0518096e+03 9.8219400e+02 6.5904300e+02]]
Dividing a and b :
[[1. 1.51158708 0.81304857 0.93913613 1.25011246]
 [1. 1.54697509 0.84578885 0.94458931 1.22217353]
 [1. 1.6146789 0.89710099 0.99858156 1.13759432]
 [1. 1.5 0.83338643 0.90896456 1.24988055]
 [1. 1.56704981 0.83109834 0.96633593 1.23198847]
 [1. 1.55088409 0.86149312 0.94879192 1.1976247 ]
 [1. 1.59327217 0.81650207 0.99214566 1.24134569]
 [1. 1.53753644 0.83844519 0.97571974 1.1870471 ]
 [1. 1.56304576 0.82532751 0.96132775 1.24382716]
 [1. 1.54695222 0.7929709 0.99745061 1.23506494]]
Mod of a and b:
[[ 0. 14.57 27.79 28.7 5.56]
 [ 0. 15.37 28.52 28.98 5.07]
 [ 0. 16.08 28.16 28.16 3.1 ]
 [ 0. 13.08 26.16 26.16 5.23]
 [ 0. 14.8 26.03 27.27 4.83]
 [ 0. 14.02 26.31 26.31 4.16]
 [ 0. 15.52 25.63 27.79 4.95]
 [ 0. 14.75 27.61 28.13 4.13]
 [ 0. 16.12 28.35 29.83 5.53]
 [ 0. 16.6 28.88 31.3 5.43]]
Ln 13, Col 1 Spaces: 4 UTF-8 LF Python 3.10.10 64-bit Go Live
```

```
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL
[ 0. 15.37 28.52 28.98 5.07]
[ 0. 16.08 28.16 28.16 3.1 ]
[ 0. 13.08 26.16 26.16 5.23]
[ 0. 14.8 26.03 27.27 4.83]
[ 0. 14.02 26.31 26.31 4.16]
[ 0. 15.52 25.63 27.79 4.95]
[ 0. 14.75 27.61 28.13 4.13]
[ 0. 16.12 28.35 29.83 5.53]
[ 0. 16.6 28.88 31.3 5.43]]
Remainder of a and b:
[[ 0. 14.57 27.79 28.7 5.56]
 [ 0. 15.37 28.52 28.98 5.07]
 [ 0. 16.08 28.16 28.16 3.1 ]
 [ 0. 13.08 26.16 26.16 5.23]
 [ 0. 14.8 26.03 27.27 4.83]
 [ 0. 14.02 26.31 26.31 4.16]
 [ 0. 15.52 25.63 27.79 4.95]
 [ 0. 14.75 27.61 28.13 4.13]
 [ 0. 16.12 28.35 29.83 5.53]
 [ 0. 16.6 28.88 31.3 5.43]]
Mean of a: 186.03499999999997
Mean of b: 183.35659999999996
Variance of a: 95971.70073699999
Variance of b: 96781.31228644
Standard Deviation of a: 309.7929965912722
Standard Deviation of b: 311.0969499793272
Sum of all elements in a: 9301.749999999998
Sum of all elements in b: 9167.829999999998
Broadcasting:
[[806. 48.05 32.79 33.7 32.79]
 [807. 48.47 33.52 33.98 32.89]
 [808. 47.24 33.16 33.16 30.63]
 [809. 44.24 31.16 31.16 31.16]
 [810. 45.9 31.03 32.27 30.65]
 [811. 44.47 31.31 31.31 30.21]
 [812. 46.68 30.63 32.79 30.46]
 [813. 47.19 32.61 33.13 31.21]
 [814. 49.75 33.35 34.83 33.21]
 [815. 51.95 33.88 36.3 33.53]]
Ln 13, Col 1 Spaces: 4 UTF-8 LF Python 3.10.10 64-bit Go Live Prettier
```

The image shows the Visual Studio Code editor with a Python file named 'area.py'. The code defines a function 'area(r)' that calculates the area of a circle and returns a list containing the radius, area, and circumference. The function is called in a loop for radii from 814 to 806. The terminal window shows the output of the script, which is a list of lists, each containing the radius, area, and circumference for a specific iteration. The status bar at the bottom indicates the file is 'Ln 13, Col 1' and the language is 'Python'.

```
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL
[ 20.93 26.16 28.78 31.39 804. ]
[ 20.82 26.1 28.22 31.32 805. ]
[ 21.05 25.45 27.73 30.54 806. ]
[ 20.51 26.16 28.01 31.39 807. ]
[ 22.08 27.44 28.83 32.93 808. ]
[ 22.68 28.63 31.03 34.35 809. ]
[ 23.1 30.35 31.38 36.42 810. ]]
Counting elements in a: 50
Counting elements in b: 50
Counting using elements less than 50 in a: 50
Counting using elements less than 10 in b: 10

View Method

a=
[[0. 0. 0. 0. 0.]
 [0. 0. 0. 0. 0.]
 [0. 0. 0. 0. 0.]
 [0. 0. 0. 0. 0.]
 [0. 0. 0. 0. 0.]
 [0. 0. 0. 0. 0.]
 [0. 0. 0. 0. 0.]
 [0. 0. 0. 0. 0.]
 [0. 0. 0. 0. 0.]
 [0. 0. 0. 0. 0.]
 [0. 0. 0. 0. 0.]]
v=
[[0. 0. 0. 0. 0.]
 [0. 0. 0. 0. 0.]
 [0. 0. 0. 0. 0.]
 [0. 0. 0. 0. 0.]
 [0. 0. 0. 0. 0.]
 [0. 0. 0. 0. 0.]
 [0. 0. 0. 0. 0.]
 [0. 0. 0. 0. 0.]
 [0. 0. 0. 0. 0.]
 [0. 0. 0. 0. 0.]
 [0. 0. 0. 0. 0.]]
Array created using view method is just shallow copy of original array
50 changes made is original array reflects in view copy or vice versa
```

```
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL
[0. 0. 0. 0. 0.]
[0. 0. 0. 0. 0.]
[0. 0. 0. 0. 0.]
[0. 0. 0. 0. 0.]
Array created using view method is just shallow copy of original array
50 changes made is original array reflects in view copy or vice versa

copy method:

b=
[[801. 28.48 34.18 30.56 22.23]
 [802. 28.1 33.72 30.68 22.82]
 [803. 26.16 31.39 28.2 22.53]
 [804. 26.16 31.39 28.78 20.93]
 [805. 26.1 31.32 28.22 20.82]
 [806. 25.45 30.54 27.73 21.05]
 [807. 26.16 31.39 28.01 20.51]
 [808. 27.44 32.93 28.83 22.08]
 [809. 28.63 34.35 31.03 22.68]
 [810. 30.35 36.42 31.38 23.1 ]]
c=
[[0. 0. 0. 0. 0.]
 [0. 0. 0. 0. 0.]
 [0. 0. 0. 0. 0.]
 [0. 0. 0. 0. 0.]
 [0. 0. 0. 0. 0.]
 [0. 0. 0. 0. 0.]
 [0. 0. 0. 0. 0.]
 [0. 0. 0. 0. 0.]
 [0. 0. 0. 0. 0.]
 [0. 0. 0. 0. 0.]
 [0. 0. 0. 0. 0.]]
Both b and c has showed different o/p cz they are different arrays!
Binary of a: 0b1111
Binary of b: 0b10100
Bitwise a and b: 4
Bitwise a or b: 31
Bitwise a xor b: 27
(base) kartikeysapkal@Kartikeys-MacBook-Air Python %
```

