
SALS.JS + REDUX

Abhishek Dutt

17/Jan/2016



SAILS.JS

- ➤ Install: npm -g install sails
- Create a new Sails project: sails new projectName
- ➤ Generate model and controllers: sails generate api user
 - api/models/User.js
 - api/controllers/UserController.js
- ➤ Model Attributes: String, text, integer, float, date, datetime, boolean, array, json
- ➤ Model Associations
 - ➤ One-to-Many: User and Comments
 - Many-to-Many: User and Check Ins

SAILS.JS CONT...

> Routes

- ➤ Automatic (Blueprint API)
 - ➤ REST-ful routes: e.g: POST /user
 - ➤ GET user/[:id], POST /user, DELETE /user
 - ➤ Shortcut routes: e.g: /user/create?name=User1
 - > create, update, destroy, find
 - ➤ Action routes: Routes mapped to arbitrary controller functions (/user/function_name)
- Custom: Explicitly defined in config/routes.js

REDUX

- > Store
 - store = createStore(reducer, [initialState])
 - > dispatch
 - ➤ getState
 - > subscribe
- > Action
 - ➤ {type: 'SET_STATE', state: data}
- > Reducer
 - (previousState, action) => newState

REACT-REDUX

➤ Provider

```
<Provider store={store}>
<App />
</Provider>
```

- connect()
 - connect(selector())

THANKS!