

Test Case Catalogue & RTM

Document ID: TC-OHRM-001 **Version:** 1.0 **Author:** ABHISHEK K M **Modules:** Login · Admin · PIM · Leave · Dashboard

Conventions: **Priority** P1 = business-critical (smoke candidates), P2 = core regression, P3 = nice-to-have/UI polish. **Type:** functional / negative / boundary / UI.
Global precondition (all modules except Login): authenticated session as Admin, via reused session state, not UI login. <ts> = per-run timestamp suffix from the data generator.

1. Login module

ID	TITLE	PRECONDITIONS	STEPS	TEST DATA	EXPECTED RESULT	PRI	TYPE
TC-LOG-001	Valid login lands on Dashboard	Logged out; login page reachable	Open /auth/login; enter username & password; Login	Admin / admin123	Redirect to /dashboard/index; header "Dashboard"	P1	functional
TC-LOG-002	Wrong password rejected	Login page open	Valid username; wrong password; Login	Admin / wrongPass1	"Invalid credentials" alert; password field cleared	P1	negative
TC-LOG-003	Wrong username rejected	Login page open	Unknown username; valid password; Login	NoSuchUser<ts> / admin123	"Invalid credentials" alert; no user enumeration	P1	negative
TC-LOG-004	Both credentials wrong	Login page open	Unknown username & wrong password; Login	NoSuchUser<ts> / bad	"Invalid credentials" alert; stays on login page	P2	negative
TC-LOG-005	Empty form submission blocked	Login page open	Leave both fields empty; Login	— (empty)	"Required" under both fields; no navigation	P1	negative
TC-LOG-006	Single empty field validation	Login page open	Fill only username, submit; reload, fill only password, submit	Admin/— ; —/admin123	"Required" only under the empty field each time	P2	negative
TC-LOG-007	Forgot-password navigation	Login page open	Click "Forgot your password?"	—	Reset screen loads; Cancel returns to login	P3	functional
TC-LOG-008	Logout returns to login	Logged in	Open user dropdown; Logout	—	Redirected to /auth/login; Back does not restore session	P1	functional
TC-LOG-009	Unauthenticated deep link redirects	Logged out	Navigate directly to /pim/viewEmployeeList	—	Redirect to login; proceeds after login	P2	negative

ID	TITLE	PRECONDITIONS	STEPS	TEST DATA	EXPECTED RESULT	PRI	TYPE
TC-LOG-010	Password is case-sensitive	Login page open	Valid username; wrong-case password; Login	Admin / ADMIN123	"Invalid credentials" alert; login refused	P2	boundary
TC-LOG-011	Login page UI elements render	Login page open	Load /auth/login; inspect page	—	Logo, branding, placeholders, Login button visible	P3	UI

2. Admin > User Management module

ID	TITLE	PRECONDITIONS	STEPS	TEST DATA	EXPECTED RESULT	PRI	TYPE
TC-ADM-001	User Management grid loads	Authenticated as Admin	Click Admin in sidebar	—	Search panel + grid render; record-count text visible	P1	functional
TC-ADM-002	Search user by username	On Admin > User Management	Enter username; Search	Admin	≥1 row; every row's Username = Admin	P1	functional
TC-ADM-003	Filter by user role	On Admin > User Management	Select User Role; Search	Role = Admin	All rows show role Admin; count matches	P2	functional
TC-ADM-004	Filter by status	On Admin > User Management	Select Status; Search	Status = Enabled	All rows show Status Enabled	P2	functional
TC-ADM-005	Add new system user	Employee Auto User-<ts> exists	+Add; role/status; employee name; username/password; Save	ESS/Enabled/autouser<ts>	Success toast; new user found by search	P1	functional
TC-ADM-006	Add user — required fields empty	On Add User form	Leave all empty; Save	— (empty)	"Required" per mandatory field; no record created	P1	negative
TC-ADM-007	Add user — weak password rejected	Other fields valid	Enter 6-char password; Save	password abc12	Inline policy message; Save blocked	P2	boundary
TC-ADM-008	Add user — duplicate username rejected	User autouser<ts> exists	Reuse existing username; Save	username autouser<ts>	"Already exists" validation; no duplicate	P1	negative
TC-ADM-009	Edit user — change status	User autouser<ts> exists	Search; edit; Status Disabled; Save	Enabled → Disabled	Success toast; grid shows Disabled	P2	functional

ID	TITLE	PRECONDITIONS	STEPS	TEST DATA	EXPECTED RESULT	PRI	TYPE
TC-ADM-010	Delete user with confirmation	User autouser<ts> exists	Search; delete; confirm Yes, Delete	—	"Successfully Deleted"; re-search empty	P1	functional
TC-ADM-011	Search non-existent user	On Admin > User Management	Unknown username; Search	ghostuser<ts>	"No Records Found"; no error	P2	negative
TC-ADM-012	Reset clears search filters	Filters populated	Fill filters; Reset	any	Filters cleared; full grid restored	P3	functional

3. PIM > Employee List / Add / Edit module

ID	TITLE	PRECONDITIONS	STEPS	TEST DATA	EXPECTED RESULT	PRI	TYPE
TC-PIM-001	Add employee (basic)	Authenticated; on PIM	+Add; first/last name; note/override id; Save	Auto / User- <ts>	Success toast; Personal Details shows name	P1	functional
TC-PIM-002	Add employee with login details	On Add Employee form	Fill names; toggle login details; username/password; Save	emp<ts>	Employee created; new credentials authenticate	P1	functional
TC-PIM-003	Add employee — required name missing	On Add Employee form	Leave names empty; Save	— (empty)	"Required" under names; no employee created	P1	negative
TC-PIM-004	Search employee by name	Employee Auto User- <ts> exists	Employee List; type name, pick hint; Search	Auto User- <ts>	Exactly 1 matching row	P1	functional
TC-PIM-005	Search employee by ID	Employee with id <ts5> exists	Enter id; Search	<ts5>	Exactly 1 row; Id cell matches	P2	functional
TC-PIM-006	Reset clears employee search	Search filters populated	Fill name+id; Reset	any	Fields cleared; unfiltered list restored	P3	functional
TC-PIM-007	Edit personal details persists	Employee exists	Open employee; edit nickname/other id; Save; reload	nick<ts>	"Successfully Updated"; value persists on reload	P1	functional
TC-PIM-008	Delete employee with confirmation	Employee exists	Search; trash icon; confirm Yes, Delete	—	"Successfully Deleted"; re-search empty	P1	functional
TC-PIM-009	Record count matches grid rows	≥1 employee matches	Search by name; read count; count rows	Auto User- <ts>	N equals rendered rows	P2	functional

ID	TITLE	PRECONDITIONS	STEPS	TEST DATA	EXPECTED RESULT	PRI	TYPE
TC-PIM-010	Duplicate Employee Id rejected	Employee with id <ts5> exists	+Add; new names; existing id; Save	id <ts5> reused	"Employee Id already exists"; Save blocked	P1	negative
TC-PIM-011	Login-details password mismatch	Create Login Details on	Password ≠ Confirm Password; Save	Str0ng!Pass1 / 2	"Passwords do not match"; Save blocked	P2	negative
TC-PIM-012	Name field length boundary	On Add Employee form	31-char first name; retry with 30	31×a then 30×a	31 rejected ("exceed 30"); 30 accepted	P3	boundary

4. Leave > Apply / My Leave module

Environment note: the demo tenant resets leave entitlements — every entitlement-dependent case carries the precondition "entitlement seeded this run".

ID	TITLE	PRECONDITIONS	STEPS	TEST DATA	EXPECTED RESULT	PRI	TYPE
TC-LEA-001	Apply Leave form loads	Authenticated	Leave; Apply	—	Form renders: type, from/to date, comments, Apply	P1	functional
TC-LEA-002	Apply single-day leave	Entitlement seeded	Select type; from=to=future day; Apply	CAN - Vacation	Success toast; balance decreases	P1	functional
TC-LEA-003	Apply multi-day range shows duration	Entitlement seeded (≥3 days)	From=D, To=D+2; verify duration; Apply	3 consecutive days	Duration reflects range; success toast	P2	functional
TC-LEA-004	Invalid date range rejected (To<From)	Entitlement seeded	From=D, To=D-2; Apply	To 2 days before From	Validation blocks submission	P1	negative
TC-LEA-005	Apply without leave type blocked	On Apply form	Leave type unselected; valid dates; Apply	dates only	"Required" on Leave Type; no request created	P1	negative
TC-LEA-006	Overlapping leave flagged	Leave already applied for date D	Apply again same date, same type	same date as TC-LEA-002	Overlap warning/error; no silent duplicate	P2	negative
TC-LEA-007	Applied leave appears in My Leave	TC-LEA-002 completed this run	My Leave; filter around date D	date window covering D	Row exists, matching date/type/status	P1	functional
TC-LEA-008	My Leave filters by status	≥1 leave record this run	Untick all statuses except one; Search	status = record's status	Only matching-status rows shown	P2	functional
TC-LEA-009	Cancel a pending leave request	Pending request exists	My Leave; locate row; Actions > Cancel	—	Status "Cancelled"; balance restored	P2	functional
TC-LEA-010	Leave exceeding balance rejected	Entitlement of E days seeded	Apply for E+5 business days	range longer than balance	Insufficient-balance error/warning	P2	boundary
TC-LEA-011	My Leave empty-state for no-match filter	On My Leave	Filter far-future window; Search	From/To = +2 years	"No Records Found"; no error	P3	negative

5. Dashboard module

ID	TITLE	PRECONDITIONS	STEPS	TEST DATA	EXPECTED RESULT	PRI	TYPE
TC-DSH-001	Dashboard loads post-login	Fresh valid login	Log in	Admin / admin123	URL /dashboard/index; widget grid rendered	P1	functional
TC-DSH-002	Time at Work widget renders	On Dashboard	Locate widget	—	Widget visible; no error placeholder	P2	UI
TC-DSH-003	My Actions widget renders	On Dashboard	Locate widget	—	Widget visible; valid empty state or items	P2	UI
TC-DSH-004	Quick Launch shows all 6 tiles	On Dashboard	Locate widget; enumerate tiles	—	Exactly 6 tiles, each with icon + label	P1	UI
TC-DSH-005	Quick Launch "Apply Leave" navigates	On Dashboard	Click Apply Leave tile	—	Leave > Apply page opens	P1	functional
TC-DSH-006	Quick Launch "Assign Leave" navigates	On Dashboard	Click Assign Leave tile	—	Assign Leave form opens	P2	functional
TC-DSH-007	Employees on Leave Today widget	On Dashboard	Locate widget	—	List or valid empty state shown	P3	UI
TC-DSH-008	Distribution charts render	On Dashboard	Locate distribution widgets	—	Both render; no broken chart area	P3	UI
TC-DSH-009	Sidebar search filters menu	On Dashboard	Type in sidebar search	pim	Menu filters to matches; clearing restores	P3	functional

Totals: Login 11 · Admin 12 · PIM 12 · Leave 11 · Dashboard 9 = **55 test cases** (34 functional, 14 negative, 4 boundary, 5 UI — negative/boundary ≈ one third, consistent with the risk-based strategy).

6. Requirements Traceability Matrix (RTM)

REQ ID	MODULE	REQUIREMENT / FEATURE	TEST CASE IDS	COVERAGE
REQ-LOG-01	Login	Valid credentials authenticate and land on Dashboard	TC-LOG-001	Full
REQ-LOG-02	Login	Invalid credentials rejected with a uniform error	TC-LOG-002,003,004,010	Full
REQ-LOG-03	Login	Mandatory fields validated client-side	TC-LOG-005,006	Full
REQ-LOG-04	Login	Password-reset entry point available	TC-LOG-007	Partial (email flow untestable)
REQ-LOG-05	Login	Session ends on logout; protected routes need auth	TC-LOG-008,009	Full
REQ-LOG-06	Login	Login page presents correct branding/UI	TC-LOG-011	Full
REQ-ADM-01	Admin	Users listed and searchable by username/role/status	TC-ADM-001,002,003,004,011,012	Full
REQ-ADM-02	Admin	Admin can create a system user linked to an employee	TC-ADM-005	Full
REQ-ADM-03	Admin	User creation enforces mandatory fields & password policy	TC-ADM-006,007	Full
REQ-ADM-04	Admin	Username are unique	TC-ADM-008	Full
REQ-ADM-05	Admin	Users can be edited and deleted (with confirmation)	TC-ADM-009,010	Full
REQ-PIM-01	PIM	Employees created with mandatory name fields	TC-PIM-001,003,012	Full
REQ-PIM-02	PIM	Employee can optionally be created with login credentials	TC-PIM-002,011	Full
REQ-PIM-03	PIM	Employee Ids are unique	TC-PIM-010	Full
REQ-PIM-04	PIM	Employee list searchable by name/Id, with reset	TC-PIM-004,005,006	Full
REQ-PIM-05	PIM	Employee personal details can be edited and persist	TC-PIM-007	Full
REQ-PIM-06	PIM	Employees can be deleted with confirmation	TC-PIM-008	Full
REQ-PIM-07	PIM	Grid reports an accurate record count	TC-PIM-009	Full
REQ-LEA-01	Leave	Employee can apply for leave within entitlement	TC-LEA-001,002,003	Full

REQ ID	MODULE	REQUIREMENT / FEATURE	TEST CASE IDS	COVERAGE
REQ-LEA-02	Leave	Date ranges validated (order, required type)	TC-LEA-004,005	Full
REQ-LEA-03	Leave	Overlapping and over-balance requests prevented/flagged	TC-LEA-006,010	Full
REQ-LEA-04	Leave	My Leave lists own requests, filterable by date/status	TC-LEA-007,008,011	Full
REQ-LEA-05	Leave	Pending requests can be cancelled	TC-LEA-009	Full
REQ-DSH-01	Dashboard	Dashboard is the post-login landing page	TC-DSH-001	Full
REQ-DSH-02	Dashboard	Core widgets render without error	TC-DSH-002,003,007,008	Full
REQ-DSH-03	Dashboard	Quick Launch exposes 6 tiles that navigate correctly	TC-DSH-004,005,006	Partial (2 of 6 navigation asserted)
REQ-DSH-04	Dashboard	Sidebar search filters the module menu	TC-DSH-009	Full

RTM health check: 27 requirements, 25 fully covered, 2 partial with documented reasons — satisfies the STLC Phase 3 exit criterion "100% of in-scope requirements traced to ≥1 test case."

7. Test data strategy note

Static / environment-seeded (read-only): Admin/admin123 account — injected via env vars, never hard-coded. Reference/config data (leave types, roles, statuses) treated as stable vocabulary.

Generated per run: Employees (Auto/User-<ts>, id <ts5>), system users (autouser<ts>, policy-compliant passwords), leave entitlements seeded at the start of the Leave suite.

Independence rules: create-your-own data; assert on identity, not totals; chain only inside a documented dependency; best-effort cleanup that never fails the test; one auth session reused across most of the 55 cases.