

```
curl -X GET --header 'Accept: application/json' 'http://localhost:4000/admin/shoe/all'
```

Request URL

```
http://localhost:4000/admin/shoe/all
```

Request Headers

```
{  
  "Accept": "*/*"  
}
```

Response Body

```
[  
  {  
    "id": 1,  
    "name": "Shoe Name 1",  
    "category": "Basketball",  
    "price": 1000.24  
  },  
  {  
    "id": 2,  
    "name": "Shoe Name 2",  
    "category": "Cricket",  
    "price": 1100.24  
  },  
  {  
    "id": 4,  
    "name": "Shoe Name 4",  
    "category": "Football",  
    "price": 1900.24  
  }  
]
```

Response Code

Curl

```
curl -X GET --header 'Accept: */*' 'http://localhost:4000/admin/shoe/3'
```

Request URL

```
http://localhost:4000/admin/shoe/3
```

Request Headers

```
{  
  "Accept": "*/*"  
}
```

Response Body

```
no content
```

Response Code

```
404
```

Response Headers

```
{  
  "cache-control": "no-cache, no-store, max-age=0, must-revalidate",  
  "connection": "keep-alive",  
  "content-length": "0",  
  "date": "Mon, 05 Oct 2020 10:25:53 GMT",  
  "errorMessage": ": Shoe not found with Id: 3",  
  "expires": "0",  
  "keep-alive": "timeout=60",  
  "pragma": "no-cache",  
  "x-content-type-options": "nosniff",  
  "x-frame-options": "DENY",  
  "x-xss-protection": "1; mode=block",  
  "content-type": null  
}
```

Curl

```
curl -X DELETE --header 'Accept: text/plain' 'http://localhost:4000/admin/shoe/3'
```

Request URL

```
http://localhost:4000/admin/shoe/3
```

Request Headers

```
{
  "Accept": "*/*"
}
```

Response Body

```
Succesfully deleted shoe with id: 3
```

Response Code

```
200
```

DELETE /admin/shoe/{id}

deleteShoeById

Response Class (Status 200)

string

Response Content Type */*

Parameters

Parameter	Value	Description	Parameter Type	Data Type
id	3	id	path	integer

Response Messages

HTTP Status Code	Reason	Response Model	Headers
204	No Content		
401	Unauthorized		
403	Forbidden		

Try it out!

Curl

```
curl -X GET --header 'Accept: application/json' 'http://localhost:4000/admin/shoe/3'
```

Request URL

```
http://localhost:4000/admin/shoe/3
```

Request Headers

```
{
  "Accept": "*/*"
}
```

Response Body

```
{
  "id": 3,
  "name": "Shoe Name 3",
  "category": "Running",
  "price": 900.24
}
```

Response Code

```
200
```

GET

/admin/shoe/{id}

getShoeById

Response Class (Status 200)

OK

Model

Example Value

```
{
  "category": "string",
  "id": 0,
  "name": "string",
  "price": 0
}
```

Response Content Type

/

Parameters

Parameter	Value	Description	Parameter Type	Data Type
id	<input type="text" value="3"/>	id	path	integer

Response Messages

HTTP Status Code	Reason	Response Model	Headers
401	Unauthorized		
403	Forbidden		
404	Not Found		

Try it out!

Curl

```
curl -X GET --header 'Accept: application/json' 'http://localhost:4000/admin/purchaseReport/category/Running'
```

Request URL

```
http://localhost:4000/admin/purchaseReport/category/Running
```

Request Headers

```
{
  "Accept": "*/*"
}
```

Response Body

```
[
  {
    "id": 5,
    "purchasedBy": "user_1",
    "category": "Running",
    "dop": "1970-01-01",
    "orderList": "adidas_runner:5,nike_airmax:10"
  },
  {
    "id": 9,
    "purchasedBy": "user_7",
    "category": "Running",
    "dop": "2020-10-05",
    "orderList": "adidas_runners:24"
  }
]
```

Response Code

200

GET

/admin/purchaseReport/category/{category}

getAllPurchaseReportsByCategory

Response Class (Status 200)

OK

Model

Example Value

```
[
  {
    "category": "string",
    "dop": "2020-10-05T10:21:18.661Z",
    "id": 0,
    "orderList": "string",
    "purchasedBy": "string"
  }
]
```

Response Content Type

/

Parameters

Parameter	Value	Description	Parameter Type	Data Type
category	Running	category	path	string

Response Messages

HTTP Status Code	Reason	Response Model	Headers
401	Unauthorized		
403	Forbidden		
404	Not Found		

Try it out!

Hide Response

Curl

```
curl -X POST --header 'Content-Type: application/json' --header 'Accept: application/json' -d '{ \
  "category": "Running", \
  "dop": "2020-10-05T10:21:18.475Z", \
  "id": 10, \
  "orderList": "adidas_runners:24", \
  "purchasedBy": "user_7" \
}' 'http://localhost:4000/admin/purchaseReport'
```

Request URL

http://localhost:4000/admin/purchaseReport

Request Headers

```
{
  "Accept": "*/*"
}
```

Response Body

```
{
  "id": 9,
  "purchasedBy": "user_7",
  "category": "Running",
  "dop": "2020-10-05T10:21:18.475+0000",
  "orderList": "adidas_runners:24"
}
```

Response Code

200

POST

/admin/purchaseReport

createPurchaseReport

Response Class (Status 200)

OK

Model

Example Value

```
{
  "category": "string",
  "dop": "2020-10-05T10:21:18.475Z",
  "id": 0,
  "orderList": "string",
  "purchasedBy": "string"
}
```

Response Content Type

/

Parameters

Parameter	Value	Description	Parameter Type	Data Type
pr	<div><pre>{ "category": "Running", "dop": "2020-10-05T10:21:18.475Z", "id": 10, "orderList": "adidas_runners:24", "purchasedBy": "user_7" }</pre></div> <div>Parameter content type: application/json</div>	pr	body	<div><div>Model</div><div>Example Value</div><div><pre>{ "category": "string", "dop": "2020-10-05T10:21:18.500Z", "id": 0, "orderList": "string", "purchasedBy": "string" }</pre></div></div>

Request URL

http://localhost:4000/admin/purchaseReport/all

Request Headers

```
{
  "Accept": "*/*"
}
```

Response Body

```
{
  {
    "id": 5,
    "purchasedBy": "user_1",
    "category": "Running",
    "dop": "1970-01-01",
    "orderList": "adidas_runner:5,nike_airmax:10"
  },
  {
    "id": 6,
    "purchasedBy": "user_2",
    "category": "Cricket",
    "dop": "1970-01-01",
    "orderList": "adidas_cricket:5,nike_cricket:10"
  },
  {
    "id": 7,
    "purchasedBy": "user_3",
    "category": "Basketball",
    "dop": "1970-01-01",
    "orderList": "adidas_basketball:5,nike_basketball:10"
  },
}
```

Api Documentation

Api Documentation

[Apache 2.0](#)

crud-controller : CRUD Controller

Show/Hide | List Operations | Expand Operations

POST	/admin/purchaseReport	createPurchaseReport
PUT	/admin/purchaseReport	updatePurchaseReport
GET	/admin/purchaseReport/{id}	getPurchaseReportById
DELETE	/admin/purchaseReport/{id}	deletePurchaseReportById
POST	/admin/shoe	createShoe
PUT	/admin/shoe	updateShoe
DELETE	/admin/shoe/{id}	deleteShoeById
GET	/admin/shoe/{id}	getShoeById

search-controller : Search Controller

Show/Hide | List Operations | Expand Operations

GET	/admin/purchaseReport/all	getAllPurchaseReport
GET	/admin/purchaseReport/category/{category}	getAllPurchaseReportsByCategory
GET	/admin/purchaseReport/date/{dateInMs}	getAllPurchaseReportsByDop
GET	/admin/shoe/all	getAllShoes

Api Documentation

Api Documentation

[Apache 2.0](#)

crud-controller : CRUD Controller

Show/Hide | List Operations | Expand Operations

search-controller : Search Controller

Show/Hide | List Operations | Expand Operations

[BASE URL: / , API VERSION: 1.0]

