

Laxmi Charitable Trust's
Sheth L.U.J College of Arts & Sir M.V. College of Science and Commerce
Department of Information Technology
Practical - 25

Roll No.:S046	Name: Abhishek Yadav
Class: BSC IT	Batch:-----
Date of Assignment:1/9/2026	Date/Time of Submission:1/9/2026

Aim:Handle missing values in a dataset. Replace missing values with the column mean.

Code:

```
build.sbt  Demo25.scala x
1  ▶ object Demo25 extends App {
2
3      val sales:List[java.lang.Double] = List(100.0, 200.0, null, 300.0, null)
4
5      val v = sales.filter(_ != null)
6
7      val mean = v.map(_.toDouble).sum / v.length
8
9      println("Mean Sales: " + mean)
10
11     val n = sales.map { value =>
12         if (value == null) mean
13         else value
14     }
15     println("Original Data:")
16     println(sales.mkString(", "))
17
18     println("After Replacing Missing Values:")
19     println(n.mkString(", "))
20
21     println("\nAbhishek_S046")
22 }
```

Output:

```
"C:\Program Files\Java\jdk1.8.0_341\bin\java.exe" ...  
Mean Sales: 200.0  
Original Data:  
100.0, 200.0, null, 300.0, null  
After Replacing Missing Values:  
100.0, 200.0, 200.0, 300.0, 200.0  
  
Abhishek_S046  
  
Process finished with exit code 0
```