CODEALPHA ROBOTICS & AUTOMATION INTERNSHIP

Task 4: Humanoid Robot Design Concepts

Study of Structure, Actuation, Sensing, Control, Balance and Applications

Student: Er. Abhishek Kumar Gupta

College: Lakshmi Narain College of Technology, Bhopal, Madhya Pradesh

Branch: Electronics and Communication Engineering (ECE), 5th Semester

Internship: CodeAlpha – Robotics & Automation Internship

Internship Dates: 01/10/2026 – 31/10/2026

Abstract

Humanoid robots are designed with a body structure inspired by humans. This report explains their basic structure, degrees of freedom, mechanical design, actuators, sensors, control systems, balance, walking, power, communication, safety, applications, challenges and future scope.

1. Introduction

Humanoid robotics combines mechanical engineering, electronics, control systems, computing and artificial intelligence. Human-like body configurations can allow robots to operate in environments designed for people.

2. Basic Structure

A typical humanoid contains a head, neck, torso, two arms, hands, two legs and feet. The torso can contain electronics and batteries; the head can contain cameras and perception sensors; the limbs provide manipulation and locomotion.

3. Degrees of Freedom

Degrees of freedom describe independent joint motions. Humanoid robots may have many DOF through shoulder, elbow, wrist, hip, knee and ankle joints. The required number depends on the intended tasks and range of motion.

4. Mechanical Design

The structure should be strong, lightweight and manufacturable. Designers balance strength, weight, cost, joint range, durability and protection of internal components.

5. Actuators

Actuators create joint movement. Electric motors and geared servo actuators can provide controlled position or torque. Selection depends on torque, speed, precision, efficiency, size and weight.

6. Sensors

Important sensors include cameras, joint encoders, inertial measurement units (IMUs), force or pressure sensors and distance sensors. They provide information for perception, motion and balance.

7. Control System

A layered control system can use low-level controllers for individual joints and higher-level software for motion planning, navigation, perception and task execution. Feedback from sensors is essential for stable operation.

8. Balance and Bipedal Walking

Bipedal walking is a major challenge because the support conditions continuously change. Controllers coordinate hips, knees, ankles and upper-body posture. Foot placement, sensor feedback and motion planning help maintain stability.

9. Artificial Intelligence and Perception

Computer vision can help identify objects, people and obstacles. AI can support object recognition, task planning and natural-language interaction. High-level AI should work together with reliable low-level control and safety systems.

10. Power System

A portable battery must supply the motors, sensors, processors and communication systems. Designers must consider energy capacity, peak power, weight, charging, thermal management and battery monitoring.

11. Communication and Computing

An onboard computer can handle perception and planning while dedicated controllers manage time-critical joint functions. Internal communication allows sensors, controllers and actuators to exchange data.

12. Safety

Humanoid robots operating near people require speed and torque limits, collision detection, emergency-stop functions, fault monitoring and controlled shutdown. Safety should not rely only on high-level AI.

13. Applications

Possible applications include research and education, assistance in human environments, inspection, logistics, healthcare support, hazardous tasks, entertainment and human-facing interaction.

14. Design Challenges

Major challenges include balance, efficient walking, actuator performance, weight, battery life, heat, perception reliability, cost, safety and coordination of mechanical, electrical and software systems.

15. Future Scope

Advances in actuators, batteries, sensors, simulation, materials, real-time control and AI may produce more capable and efficient humanoid robots that can perform increasingly complex tasks.

16. Conclusion

Humanoid robot design is a multidisciplinary engineering problem. A successful system requires suitable mechanical structure, actuators, sensors, control, balance, computing, power and safety mechanisms.

17. References

1. International Federation of Robotics (IFR), robotics resources. 2. IEEE robotics and automation resources. 3. ROS documentation. 4. NIST robotics and automation resources. 5. CodeAlpha Robotics & Automation Internship – Task 4.