Triple Recursion



You are filling a matrix by following a set of rules. Given a square matrix of size $n \times n$, where (0,0) is its upper-left cell and (n-1,n-1) is its bottom-right cell, fill all the cells according to the following rules:

Value of a[i][j] is defined recursively as follows:

- ullet if i=0 and j=0 then a[i][j]=m
- ullet else if i=j then a[i][j]=a[i-1][j-1]+k
- ullet else if i>j then a[i][j]=a[i-1][j]-1
- ullet else, if i < j, then a[i][j] = a[i][j-1]-1

In other words, given integers m and k, the matrix is filled by putting m in the upper-left cell, and then every other cell (i,i) on the main diagonal of the matrix is filled with the value a[i-1][j-1]+k. Remaining cells of the matrix are filled according to the two other recursive rules defined above.

For example, for n=4, m=3, k=1, the matrix will be:-

```
3 2 1 0
2 4 3 2
1 3 5 4
0 2 4 6
```

The task is to print the matrix after all its cells are filled with values.

Input Format

In the first and only line of the input, there are 3 space-separated integers n, m, and k, where n is the size of the matrix and both m and k denote values used in the recursive definition in the statement.

Constraints

- $4 \le n \le 100$
- $5 \le m \le 100$
- $2 \le k \le 50$

Output Format

Output the matrix with exactly n lines. In the i^{th} line, print n space-separated integers denoting the i^{th} row of the matrix with all cells filled with appropriate values.

Sample Input 0

5 10 7

Sample Output 0

```
10 9 8 7 6
9 17 16 15 14
8 16 24 23 22
7 15 23 31 30
6 14 22 30 38
```

Explanation 0

See the color-coded illustration below for the right answer:

10	9	8	7	6
9	17	16	15	14
8	16	24	23	22
7	15	23	31	30
6	14	22	30	38

Sample Input 1

6 5 2

Sample Output 1

5 4 3 2 1 0 4 7 6 5 4 3 3 6 9 8 7 6 2 5 8 11 10 9 1 4 7 10 13 12 0 3 6 9 12 15

Explanation 1

See the color-coded illustration below for the right answer for the $\,6 \times 6\,$ matrix:

