

Launch AWS

Properties >

Create key pa

Key pairs | EC

SecurityGroup

Database Acc

Troubleshoot

MongoDB At

+

Ask Gemini

cloud.mongodb.com/v2/69f42aed2cd4d3873c711b3c#/security/database/users

cloud.mongodb.com/v2/69f42aed2cd4d3873c711b3c#/security/database/users

Database & Network...

ORGANIZATION
Abhishek's Org - 202...

PROJECT
Project 0

Database Users

ADD NEW DATABASE USER

User	Description	Authentication Method	MongoDB Roles	Resources	Actions
abhishekkumar		SCRAM	atlasAdmin@admin	All Resources	EDIT DELETE
akhilkumar		SCRAM	atlasAdmin@admin	All Resources	EDIT DELETE

System Status: All Good
©2026 MongoDB, Inc. Status Terms Privacy Atlas Blog Contact Sales

33°C Sunny

Search

11:20 09-05-2026

mongosh mongodb+srv://<cc>


Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.
Install the latest PowerShell for new features and improvements! https://aka.ms/PSWindows
Loading personal and system profiles took 3020ms.
(base) PS C:\Users\akhil> mongosh "mongodb+srv://cluster0.yj3uhec.mongodb.net/" --apiVersion 1 --username akhilkumar
Enter password: *****
Current Mongosh Log ID: 69fecb0ad07d68dae0cb0ce1
Connecting to: mongodb+srv://<credentials>@cluster0.yj3uhec.mongodb.net/?appName=mongosh+2.3.8
Using MongoDB: 8.0.23 (API Version 1)
Using Mongosh: 2.3.8
mongosh 2.8.3 is available for download: https://www.mongodb.com/try/download/shell
For mongosh info see: https://www.mongodb.com/docs/mongodb-shell/
Atlas atlas-7yea2u-shard-0 [primary] test> |

33°C Sunny

Search

11:20 09-05-2026

Connect to Cluster0



I don't have the MongoDB Shell installed

I have the MongoDB Shell installed

1. Select your mongo shell version

To check your Mongo shell version, run:
mongosh --version or mongo --version

mongosh (2.0 or later) ▾

2. Run your connection string in your command line

Use this connection string in your application

```
mongosh "mongodb+srv://cluster0.yj3ugec.mongodb.net/" --apiVersion 1 --username <db_username>
```

You will be prompted for the password for the Database User, <db_username>. When entering your password, make sure all special characters are [URL encoded](#).

RESOURCES

[Add Data in the Shell](#)[Access your Database Users](#)[Troubleshoot Connections](#)

akhilkumar

mongodb1234

SECURITY

Security Quickstart

Project Identity & Access

Database & Network Access

Activity Feed

Launch AWS

Properties >

Create key pa

Key pairs [EC

SecurityGroup

Clusters [Clo

Troubleshoot

MongoDB At

+

Ask Gemini

cloud.mongodb.com/v2/69f42aed2cd4d3873c711b3c#/clusters

cloud.mongodb.com/v2/69f42aed2cd4d3873c711b3c#/clusters

MongoDB Atlas

Project Overview

DATABASE

Clusters

Search & Vector Search

Data Explorer

Backup

STREAMING DATA

Stream Processing

Triggers

SERVICES

AI Models

Migration

Data Federation

Visualization

SECURITY

Security Quickstart

Project Identity & Access

ORGANIZATION

Abhishek's Org - 202...

PROJECT

Project 0

11:21

09-05-2026

Clusters

Find a database deployment...

Edit Config

Create

Cluster0

Connect

View Monitoring

Browse Collections

...

FREE

Visualize Your Data

Build dashboards and charts, and embed them in your apps with MongoDB Charts.

Explore Charts

Dismiss

R 0.003

W

Last 6 minutes

0.003s

Connections 1.0

Last 6 minutes

1.0

In 23.42 B/s

Out 94.38 B/s

Last 6 minutes

94.38 B/s

Data Size

0.00 B / 512.00 MB (0%)

Last 6 minutes

512.00 MB

VERSION	REGION	TYPE	BACKUPS	LINKED APP SERVICES	ATLAS SQL	ATLAS SEARCH
8.0.23	AWS / Mumbai (ap-south-1)	Replica Set - 3 nodes	Inactive	None Linked	Connect	Create Index

+ Add Tag

System Status: All Good

33°C Sunny

Search

ENG IN

11:21

09-05-2026

```
mongosh mongodb+srv://cc: X + v
...   $sum: { $multiply: ["$price", "$quantity"] }
...   }
... }
... },
... {
...   $sort: { total_revenue: -1 }
... }
... ])
[
  { _id: 'Electronics', total_revenue: 184000 },
  { _id: 'Clothing', total_revenue: 13500 }
]
Atlas atlas-7yea2u-shard-0 [primary] ecommerce> db.orders.aggregate([
... {
...   $group: {
...     _id: "$city",
...     total_orders: { $sum: 1 },
...     average_price: { $avg: "$price" }
...   }
... },
... ])
[
  { _id: 'Mumbai', total_orders: 2, average_price: 50000 },
  { _id: 'Delhi', total_orders: 2, average_price: 19750 },
  { _id: 'Bangalore', total_orders: 1, average_price: 12000 }
]
Atlas atlas-7yea2u-shard-0 [primary] ecommerce> db.orders.aggregate([
... {
...   $group: {
...     _id: "$status",
...     total_orders: { $sum: 1 }
...   }
... },
... {
...   $match: {
...     total_orders: { $gt: 1 }
...   }
... },
... ])
[ { _id: 'delivered', total_orders: 3 } ]
Atlas atlas-7yea2u-shard-0 [primary] ecommerce> |

{ acknowledged: true, deletedCount: 1 }
Atlas atlas-7yea2u-shard-0 [primary] ecommerce> db.orders.aggregate([
... {
...   $group: {
...     _id: "$category",
...     total_revenue: {
...       $sum: { $multiply: ["$price", "$quantity"] }
...     }
...   }
... },
... {
...   $sort: { total_revenue: -1 }
... }
... ])
[
  { _id: 'Electronics', total_revenue: 184000 },
  { _id: 'Clothing', total_revenue: 13500 }
]
Atlas atlas-7yea2u-shard-0 [primary] ecommerce> db.orders.aggregate([
... {
...   $group: {
...     _id: "$city",
...     total_orders: { $sum: 1 },
...     average_price: { $avg: "$price" }
...   }
... },
... ])
[
  { _id: 'Mumbai', total_orders: 2, average_price: 50000 },
  { _id: 'Delhi', total_orders: 2, average_price: 19750 },
  { _id: 'Bangalore', total_orders: 1, average_price: 12000 }
]
Atlas atlas-7yea2u-shard-0 [primary] ecommerce> db.orders.aggregate([
... {
...   $group: {
...     _id: "$status",
...     total_orders: { $sum: 1 }
...   }
... },
... {
...   $match: {
...     total_orders: { $gt: 1 }
...   }
... },
... ])
[ { _id: 'delivered', total_orders: 3 } ]
```

```
mongosh mongodb+srv://<: x + v
...
  _id: ObjectId('69fecd50d07d68dae0cb0ce6'),
  order_id: 'ORD005',
  customer: 'Eve',
  city: 'Delhi',
  category: 'Electronics',
  product: 'Tablet',
  quantity: 1,
  price: 35000,
  status: 'delivered',
  date: '2024-04-05'
}
}
Atlas atlas-7yea2u-shard-0 [primary] ecommerce> db.orders.updateOne(
...   { order_id: "ORD002" },
...   { $set: { status: "shipped" } }
... )
{
  acknowledged: true,
  insertedId: null,
  matchedCount: 1,
  modifiedCount: 1,
  upsertedCount: 0
}
Atlas atlas-7yea2u-shard-0 [primary] ecommerce> db.orders.insertOne({
...   order_id: "ORD006",
...   customer: "Rahul",
...   city: "Bangalore",
...   category: "Electronics",
...   product: "Smart Watch",
...   quantity: 2,
...   price: 12000,
...   status: "pending",
...   date: "2024-05-10"
... })
{
  acknowledged: true,
  insertedId: ObjectId('69fecd6d07d68dae0cb0ce7')
}
Atlas atlas-7yea2u-shard-0 [primary] ecommerce> db.orders.deleteOne({ order_id: "ORD004" })
{ acknowledged: true, deletedCount: 1 }
Atlas atlas-7yea2u-shard-0 [primary] ecommerce> |
```

```
]
Atlas atlas-7yea2u-shard-0 [primary] ecommerce> db.orders.updateOne(
...   { order_id: "ORD002" },
...   { $set: { status: "shipped" } }
... )
{
  acknowledged: true,
  insertedId: null,
  matchedCount: 1,
  modifiedCount: 1,
  upsertedCount: 0
}
```

```
mongosh mongodb+srv://<: x + v
Atlas atlas-7yea2u-shard-0 [primary] ecommerce> db.orders.find({ status: "delivered" })
[
  {
    _id: ObjectId('69fecd50d07d68dae0cb0ce2'),
    order_id: 'ORD001',
    customer: 'Alice',
    city: 'Mumbai',
    category: 'Electronics',
    product: 'Laptop',
    quantity: 1,
    price: 75000,
    status: 'delivered',
    date: '2024-01-15'
  },
  {
    _id: ObjectId('69fecd50d07d68dae0cb0ce4'),
    order_id: 'ORD003',
    customer: 'Carol',
    city: 'Mumbai',
    category: 'Electronics',
    product: 'Phone',
    quantity: 2,
    price: 25000,
    status: 'delivered',
    date: '2024-03-10'
  },
  {
    _id: ObjectId('69fecd50d07d68dae0cb0ce6'),
    order_id: 'ORD005',
    customer: 'Eve',
    city: 'Delhi',
    category: 'Electronics',
    product: 'Tablet',
    quantity: 1,
    price: 35000,
    status: 'delivered',
    date: '2024-04-05'
  }
]
Atlas atlas-7yea2u-shard-0 [primary] ecommerce> |
```

```
mongosh mongodb+srv://<c> x + v
... price: 4500,
... status: "pending",
... date: "2024-02-20"
... },
... {
...   order_id: "ORD003",
...   customer: "Carol",
...   city: "Mumbai",
...   category: "Electronics",
...   product: "Phone",
...   quantity: 2,
...   price: 25000,
...   status: "delivered",
...   date: "2024-03-10"
... },
... {
...   order_id: "ORD004",
...   customer: "Dave",
...   city: "Pune",
...   category: "Books",
...   product: "Big Data Guide",
...   quantity: 5,
...   price: 800,
...   status: "shipped",
...   date: "2024-03-25"
... },
... {
...   order_id: "ORD005",
...   customer: "Eve",
...   city: "Delhi",
...   category: "Electronics",
...   product: "Tablet",
...   quantity: 1,
...   price: 35000,
...   status: "delivered",
...   date: "2024-04-05"
... }
... ]})
{
  acknowledged: true,
  insertedIds: {
```

```
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Install the latest PowerShell for new features and improvements! https://aka.ms/PSWindows

Loading personal and system profiles took 3020ms.
(base) PS C:\Users\akhil> mongosh "mongodb+srv://cluster0.yj3ugec.mongodb.net/" --apiVersion 1 --username akhilkumar
Enter password: *****
Current Mongosh Log ID: 69fecb8ad07d68dae0cb0ce1
Connecting to:      mongodb+srv://<credentials>@cluster0.yj3ugec.mongodb.net/?appName=mongosh+2.3.8
Using MongoDB:      8.0.23 (API Version 1)
Using Mongosh:      2.3.8
mongosh 2.8.3 is available for download: https://www.mongodb.com/try/download/shell

For mongosh info see: https://www.mongodb.com/docs/mongodb-shell/

Atlas atlas-7yea2u-shard-0 [primary] test> use ecommerce
switched to db ecommerce
Atlas atlas-7yea2u-shard-0 [primary] ecommerce> db.createCollection("orders")
{ ok: 1 }
Atlas atlas-7yea2u-shard-0 [primary] ecommerce> // Step : Insert All 5 Documents

Atlas atlas-7yea2u-shard-0 [primary] ecommerce> db.orders.insertMany([
... {
...   order_id: "ORD001",
...   customer: "Alice",
...   city: "Mumbai",
...   category: "Electronics",
...   product: "Laptop",
...   quantity: 1,
...   price: 75000,
...   status: "delivered",
...   date: "2024-01-15"
... },
... {
...   order_id: "ORD002",
...   customer: "Bob",
...   city: "Delhi",
...   category: "Clothing",
...   product: "Jacket",
...   quantity: 3,
```

Type a query: { field: 'value' } or [Generate query](#)

Explain

Reset

Find

Options

ADD DATAUPDATEDELETEEXPORT CODE

251 - 5 of 5

```
quantity : 1
price : 35000
status : "delivered"
date : "2024-04-05"
```

```
_id: ObjectId('69fecdc6d07d68dae0cb0ce7')
order_id: "ORD006"
customer: "Rahul"
city: "Bangalore"
category: "Electronics"
product: "Smart Watch"
quantity: 2
price: 12000
status: "pending"
date: "2024-05-10"
```

Type a query: { field: 'value' } or [Generate query](#)

Explain

Reset

Find

Options

ADD DATAUPDATEDELETEEXPORT CODE

251 - 5 of 5

```
_id: ObjectId('69fed007d68dae0cb0ce3')
order_id: "ORD002"
customer: "Bob"
city: "Delhi"
category: "Clothing"
product: "Jacket"
quantity: 3
price: 4500
status: "shipped"
date: "2024-02-20"
```

```
_id: ObjectId('69fec50d07d68dae0cb0ce4')
order_id: "ORD003"
customer: "Carol"
city: "Mumbai"
category: "Electronics"
product: "Phone"
quantity: 2
```

CLUSTERS (1)

Search clusters

Cluster0

admin

ecommerce

orders

local

Type a query: { field: 'value' } or [Generate query](#)

Explain

Reset

Find

Options

ADD DATAUPDATEDELETEEXPORT CODE

251 - 5 of 5

```
_id: ObjectId('69fec50d07d68dae0cb0ce2')
order_id: "ORD001"
customer: "Alice"
city: "Mumbai"
category: "Electronics"
product: "Laptop"
quantity: 1
price: 75000
status: "delivered"
date: "2024-01-15"
```

```
_id: ObjectId('69fec50d07d68dae0cb0ce3')
order_id: "ORD002"
customer: "Bob"
city: "Delhi"
category: "Clothing"
```